
Q.PEAK DUO ML-G11A+ SERIES



480-500 Wp | 132 Cells 21.5 % Maximum Module Efficiency

MODEL Q.PEAK DUO ML-G11A.2+





Breaking the 21% efficiency barrier

Q.ANTUM DUO Z Technology with zero gap cell layout boosts module efficiency up to $21.5\,\%$.



A reliable investment

Inclusive 25-year product warranty and 25-year linear performance warranty¹.



Enduring high performance

Long-term yield security with Anti LeTID Technology, Anti PID Technology², Hot-Spot Protect.



Extreme weather rating

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (2400 Pa).



Innovative all-weather technology

Optimal yields, whatever the weather with excellent low-light and temperature behaviour.



The most thorough testing programme in the industry

Qcells is the first solar module manufacturer to pass the most comprehensive quality programme in the industry: The new "Quality Controlled PV" of the independent certification institute TÜV Rheinland.

The ideal solution for:














¹ See data sheet on rear for further information.

² APT test conditions according to IEC/TS 62804-1:2015, method A (–1500 V, 96 h)

■ Mechanical Specification

Format	2054 mm × 1134 mm × 32 mm (including frame)
Weight	25.8 kg
Front Cover	3.2 mm thermally pre-stressed glass with anti-reflection technology
Back Cover	Composite film
Frame	Silver anodised aluminium
Cell	6 × 22 monocrystalline Q.ANTUM solar half cells
Junction box	225 mm × 30 mm × 15 mm Protection class IP67, with bypass diodes
Cable	4 mm² Solar cable; (+) ≥1350 mm, (-) ≥1350 mm
Connector	Stäubli MC4-Evo2, Hanwha Q CELLS HQC4; IP68



■ Electrical Characteristics

PC	OWER CLASS			480	485	490	495	500
MINIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC1 (POWER TOLERANCE +5 W/-0 W)								
	Power at MPP ¹	P_{MPP}	[W]	480	485	490	495	500
_	Short Circuit Current ¹	I _{sc}	[A]	13.51	13.54	13.57	13.60	13.63
μnμ	Open Circuit Voltage ¹	V _{oc}	[V]	45.59	45.62	45.65	45.67	45.70
Mini	Current at MPP	I _{MPP}	[A]	12.78	12.83	12.89	12.95	13.00
~	Voltage at MPP	V_{MPP}	[V]	37.57	37.79	38.02	38.24	38.45
	Efficiency ¹	η	[%]	≥20.6	≥20.8	≥21.0	≥21.3	≥21.5
MINIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT ²								
	Power at MPP	P_{MPP}	[W]	360.1	363.8	367.6	371.3	375.1
Ę	Short Circuit Current	I _{sc}	[A]	10.89	10.91	10.94	10.96	10.98
ıË	Open Circuit Voltage	V_{oc}	[V]	43.00	43.02	43.05	43.08	43.10
Ξ	Current at MPP	I _{MPP}	[A]	10.04	10.09	10.14	10.19	10.24


35.87

 $^{1}\text{Measurement tolerances P}_{\text{MPP}} \pm 3\,\%; I_{\text{SC}}; V_{\text{OC}} \pm 5\,\% \text{ at STC: } 1000\,\text{W/m}^{2}, 25 \pm 2\,^{\circ}\text{C}, \text{AM 1.5 according to IEC } 60904\text{-}3 \bullet ^{2}800\,\text{W/m}^{2}, \text{NMOT, spectrum AM 1.5 } 1.5\,\% \text{ at STC: } 1000\,\text{W/m}^{2}, 25 \pm 2\,^{\circ}\text{C}, \text{AM 1.5 according to IEC } 60904\text{-}3 \bullet ^{2}800\,\text{W/m}^{2}, \text{NMOT, spectrum AM 1.5 } 1.5\,\% \text{ at STC: } 1000\,\text{W/m}^{2}, 25 \pm 2\,^{\circ}\text{C}, \text{AM 1.5 according to IEC } 60904\text{-}3 \bullet ^{2}800\,\text{W/m}^{2}, \text{NMOT, spectrum AM 1.5 } 1.5\,\% \text{ at STC: } 1000\,\text{W/m}^{2}, 25 \pm 2\,^{\circ}\text{C}, \text{AM 1.5 according to IEC } 60904\text{-}3 \bullet ^{2}800\,\text{W/m}^{2}, \text{NMOT, spectrum AM 1.5 } 1.5\,\% \text{ at STC: } 1000\,\text{W/m}^{2}, 25 \pm 2\,^{\circ}\text{C}, \text{AM 1.5 according to IEC } 1000\,\text{W/m}^{2}, \text{NMOT, spectrum AM 1.5 } 1.5\,\% \text{ at STC: } 1000\,\text{W/m}^{2}, 1000\,\text{W/m}^{2$

[V]

Qcells PERFORMANCE WARRANTY

Voltage at MPP



At least 98% of nominal power during first year. Thereafter max. 0.5% degradation per year. At least 93.5% of nominal power up to 10 years. At least 86% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Qcells sales organisation of your respective country.

*Standard terms of guarantee for the 5 PV companies with the highest production capacity in 2021 (February 2021)


PERFORMANCE AT LOW IRRADIANCE

36.07

36.26

36 45

36.63



Typical module performance under low irradiance conditions in comparison to STC conditions ($25\,^{\circ}$ C, $1000\,\text{W/m}^{2}$).

TEMPERATURE COEFFICIENTS							
Temperature Coefficient of I _{sc}	α	[%/K]	+0.04	Temperature Coefficient of Voc	β	[%/K]	-0.27
Temperature Coefficient of P _{MPP}	γ	[%/K]	-0.34	Nominal Module Operating Temperature	NMOT	[°C]	43±3

■ Properties for System Design

Maximum System Voltage	V	[V]	1500	PV module classification	Class II
Maximum Reverse Current	V _{SYS}	[A]	25	Fire Rating based on ANSI/UL 61730	C/TYPE 1
Max. Design Load, Push/Pull		[Pa]	3600/1600	Permitted Module Temperature	−40°C - +85°C
May Test Load Bush / Pull		[Da]	5400/2400	on Continuous Duty	

■ Qualifications and Certificates

Quality Controlled PV -TÜV Rheinland; IEC 61215:2016; IEC 61730:2016. This data sheet complies with DIN EN 50380.





qcells