



**Our Passion Is Your Performance.**<sup>™</sup>

[www.vpracingfuels.com](http://www.vpracingfuels.com)

|   |          |
|---|----------|
| <b>Specification Sheet:</b><br>(Typical Values) | C85      |
| <b>Color =</b>                                  | Yellow   |
| <b>Specific Gravity =</b>                       | 0.7940   |
| <b>MON =</b>                                    | 86.5     |
| <b>RON =</b>                                    | 106      |
| <b>(R+M)/2 =</b>                                | 96.3     |
| <b>Oxygen Content =</b>                         | 31.97%   |
| <b>Oxidation Stability (min.) =</b>             | 1440+    |
| <b>Leaded:</b>                                  | No       |
| <b>RVP =</b>                                    | 5.98psi  |
| <b>Distillation</b>                             |          |
| <b>IBP =</b>                                    | 119.8°F  |
| <b>10% =</b>                                    | 153.9°F  |
| <b>50% =</b>                                    | 167.0°F  |
| <b>90% =</b>                                    | 171.0°F  |
| <b>FBP =</b>                                    | 182.3°F  |
| <b>H:C ratio =</b>                              | 2.85     |
| <b>O:C ratio =</b>                              | 0.45     |
| <b>Stoichiometric A/F Ratio =</b>               | 9.20     |
| <b>Rev =</b>                                    | 10/04/19 |