
20c





SPECIAL EDITION













NAME: AURUMBase® ALIASES: ANGLEBase®

SUPER POWERS: Screw channel access up to

25° and 360° rotation, parallel walls with engaging and non engaging ability, Select-Grip surface for superior bonding

TEAM: CAD-CAM sdolutions

POWER STATS:

STRENGTH 00000000000

NAME: Premilled Blanks ALIASES: Cutomized abutments

SUPER POWERS: Titanium and CrCo, 10mm

or 14mm diameter, can transform its shape

to the desire design

TEAM: CAD-CAM sdolutions

POWER STATS:

STRENGTH 0000000000 DURABILITY 0000000000



NAME: Screws

ALIASES:

SUPER POWERS: Perfect thread to match

implant connection. 3 different disguises Standard, DLC, TIN

TEAM: CAD-CAM sdolutions

POWER STATS:

STRENGTH 00000000000



NAME: Scan Abutments

ALIASES: Scan body

SUPER POWERS: Photogenic; no matter the

conditions, they produce a neat and sharp image, every time,

manufactured in peek and titanium.

TEAM: CAD-CAM sdolutions

POWER STATS:

STRENGTH 0000000000 DURABILITY 00000000000 RETENTION OOOOOOOOOO



NAME: Analogues ALIASES: Replica

SUPER POWERS: Titanium and Stainless

Steel, anodised and colour coded

TEAM: Analogue/Digital, CAD-CAM solutions

POWER STATS:

STRENGTH 0000000000 DURABILITY 0000000000 RETENTION 0000000000



VAME: Ti-base

ALIASES: Interface, Titanium base

SUPER POWERS: Different gingival height for

optimal positioning, engaging and non engaging ability,

Select-Grip surface for superior bonding

TEAM: Ti-Bases, CAD-CAM solutions

POWER STATS:



NAME: Transfers

ALIASES: Impression Copy

SUPER POWERS: Capable of copying the

exact position of the Implant both for closed an open tray

TEAM: Analogue POWER STATS:

STRENGTH 00000000000 RETENTION OOOOOOOOOO



DESS

DENTAL SMART SOLUTIONS

www.dess-abutments.com info@dess-abutments.com +34 93 564 6006