

ELECTRIC PASTA COOKER 18.5 L

Project
Rev.:
Zone:
Location:



CODICE
CR0856149

MODELLO
6NCP/E400

SERIE
SERIE 600

GENERAL CHARACTERISTICS

A line of small-sized cooking equipment designed for those who, even in small spaces, do not want to give up great performance. Made of AISI 304 18/10 stainless steel, finely finished with Scotch Brite satin finish, it has rounded edges and large capacity enclosures; it has 600/650 mm depth and modular width of 400/600/700/800/1000 mm; the series is completed by open, armored or refrigerated base supports.

The equipment is easily modular to one another until it forms a compact, gap-free whole thanks to a leak-covering profile that provides protection against leakage and thus maximum hygiene. High chimneys, ergonomic knobs mounted on a sloping dashboard for easy visibility, give the range ease of use from the first approach.

All models are CE approved.



MODEL SPECIFICATIONS

TECHNICAL SPECIFICATIONS

- The equipment has high powers to ensure that water boiling is maintained.
- The tank has a sufficiently large surface area to ensure drainage of foam due to dissolved starches and prevent it from escaping.
- The equipment has a safety thermostat and an operation indicator lamp.

ELECTRIC PASTA COOKER 18.5 L

Project
Rev.:
Zone:
Location:



CODICE
CR0856149

MODELLO
6NCP/E400

SERIE
SERIE 600

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0856149
DEFINITION	CUOCIPASTA EL.60 M40 6NCP/E400
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. DEPTH	600 mm
DIM. HEIGHT	295 mm
NET WEIGHT	21 Kg
VOLUME (net)	0.071
PACKAGE LENGTH	440 mm
PACKAGE WIDTH	780 mm
PACKAGING HEIGHT	670 mm
PACKAGE VOLUME	0,231 m3
GROSS PACKING WEIGHT	27 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	5,670 kW
IP GRADE	IPX4
CAPACITY	18.5
CERTIFIED MODEL	6NCP/E400

ELECTRIC PASTA COOKER 18.5 L

Project
 Rev.:
 Zone:
 Location:






CODICE
CR0856149

MODELLO
6NCP/E400

SERIE
SERIE 600

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
 MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

- E Pressacavo entrata linea elettrica - Stopfbuchse
 Electric cable stress relief - Presse etoupr de cable el
 Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico
- H2O Attacco arrivo acqua - Wasseranschluss - Water inlet
 Arrivée eau - Union de agua - Wateraansluiting - Jun Do alimenta Do Água
 EN 10226 1 R 1/2
- S Attacco scarico acqua - Wasserablauf - Water outlet
 Vidange de l'eau - Desaguadero - Waterafloppaansluiting - Jun Do descarga Água
 EN 10226 1 R 1/2

ELECTRIC PASTA COOKER 18.5 L

Project
Rev.:
Zone:
Location:



CODICE
CR0856149

MODELLO
6NCP/E400

SERIE
SERIE 600

PRODUCT'S RANGE PLUS



The tank has fully radiused corners.
The pasta cookers are equipped
with a tap.

Equipment is certified and
compliant with the Low Voltage
Directive 2014/35/EU according to
the international CB scheme



ELECTRIC PASTA COOKER 18.5 L

Project
Rev.:
Zone:
Location:



CODICE
CR0856149

MODELLO
6NCP/E400

SERIE
SERIE 600

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0858179	6NCCP	PASTA COOKER BASKET