

ELECTRIC COOKER 4 ZONES GLASS-CERAMIC TOP VERSION

Project
Rev.:
Zone:
Location:



CODICE
CR1012989

MODELLO
Q70PC/VCE800

SERIE
QUEEN 7

GENERAL CHARACTERISTICS

For those who do not want to give up the quality and solidity of a Queen stove, the Series 7 offers a 700 mm depth and more compact dimensions to fit any room, burners available in various configurations and wattages, enhanced by the refined Scotch Brite finish.

Thanks to its extreme compositional freedom, every composition is possible: you can combine Model i tops with accessorizable oven and neutral bases and hygienic finishes; create customized solutions by matching and attaching equipment back to back, sideways "flush" perfectly sealed, or "bridge" structures, offering high-level solutions that always perfectly meet the chef's needs. As a total guarantee, all equipment that make up a Queen7 kitchen are certified in compliance with international standards, including CE, GAR, AGA and others.



MODEL SPECIFICATIONS

- Firing surface temperature 70° to 450° C
- Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.
- Thanks to the jet-proofing certification obtained through specific tests, knobs and under-knobs can be washed at the end of the working day

without compromising functionality and safety.

- The front bar is a comfortable foothold for the cook; it keeps a safe distance from the worktop and thus protects against accidental collisions with what is resting on the worktops and at the same time the handles.

TECHNICAL SPECIFICATIONS

- Unbreakable watertight glass-ceramic top.
- Cooking zones marked with circular silk-screen printing 23 cm in diameter.
- 2.5 kW single zone power.
- Heating activation light and residual heat indicator light.
- Electric oven

- Stainless steel cooking chamber (57.2x58x30 cm), thermally insulated and equipped with 3 anti-tip guides for Gastronorm 1/1 containers.
- Stainless steel door and counter door, perfectly insulated and mounted on self-balancing hinges.
- Ergonomic full-length, thermally insulated handle.

ELECTRIC COOKER 4 ZONES GLASS-CERAMIC TOP VERSION

Project
Rev.:
Zone:
Location:



CODICE
CR1012989

MODELLO
Q70PC/VCE800

SERIE
QUEEN 7

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1012989
DEFINITION	Q70PC/VCE800 VETROCERAMICA ELE. M80 TOP
COMMERCIAL LINE	QUEEN
SUPPLY	ELECTRICS
DIM. WIDTH	800 mm
DIM. DEPTH	700 mm
DIM. HEIGHT	250 mm
NET WEIGHT	32 Kg
VOLUME (net)	0.14
PACKAGE LENGTH	860 mm
PACKAGE WIDTH	860 mm
PACKAGING HEIGHT	570 mm
PACKAGE VOLUME	0,422 m3
GROSS PACKING WEIGHT	44.8 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	10,000 kW
IP GRADE	IPX4
CERTIFIED MODEL	Q70PC/VCE800

ELECTRIC COOKER 4 ZONES GLASS-CERAMIC TOP VERSION

Project
Rev.:
Zone:
Location:



CODICE
CR1012989

MODELLO
Q70PC/VCE800

SERIE
QUEEN 7

ELECTRIC COOKER 4 ZONES GLASS-CERAMIC TOP VERSION

Project
Rev.:
Zone:
Location:



CODICE
CR1012989

MODELLO
Q70PC/VCE800

SERIE
QUEEN 7

PRODUCT'S RANGE PLUS



Unbreakable flush-top glass for
easy handling of cookware.



A temperature regulator sets the
temperature and this permits to
select two sizes of the heating zone
according to the size of the pot
bottom.



Firing surface temperature 70° to
450° C