

# ELECTRIC INDUCTION COOKER - WOK - TOP VERSION

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1359259

MODELLO  
Q70PC/WOK401

SERIE  
QUEEN 7

## GENERAL CHARACTERISTICS

For those who do not want to give up the quality and solidity of a Queen stove, the Series 7 offers a 700 mm depth and more compact dimensions to fit any room, burners available in various configurations and wattages, enhanced by the refined Scotch Brite finish.

Thanks to its extreme compositional freedom, every composition is possible: you can combine Model i tops with accessorizable oven and neutral bases and hygienic finishes; create customized solutions by matching and attaching equipment back to back, sideways "flush" perfectly sealed, or "bridge" structures, offering high-level solutions that always perfectly meet the chef's needs.

As a total guarantee, all equipment that make up a Queen7 kitchen are certified in compliance with international standards, including CE, GAR, AGA and others.



## MODEL SPECIFICATIONS

- High power, full-field capability. automatic detection of the presence of pans.
- Safety sensor to prevent overheating.
- Thanks to the jet-proofing certification obtained through specific tests, knobs and under-knobs can be washed at the end of the working day without compromising functionality and safety.
- The front bar is a comfortable foothold for the cook; it keeps a safe distance from the worktop and thus protects against accidental collisions with what is resting on the worktops and at the same time the handles.

## TECHNICAL SPECIFICATIONS

- Stainless steel outer shells and feet.
- Height of the work surface adjustable from 840 to 900 mm.
- Tops with a thickness of 2 mm.
- Contoured dashboards with controls angled toward the operator.
- Unbreakable glass-ceramic top.
- Each cooking zone is marked with a circular silkscreen printing.
- Heating achieved with an inductance equipped with a device that detects the presence of the cooking vessel on the cooking zone and automatically turns heating on/off, and a device against overheating.
- Power 5 kW cada zone.

# ELECTRIC INDUCTION COOKER - WOK - TOP VERSION

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1359259

MODELLO  
Q70PC/WOK401

SERIE  
QUEEN 7

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1359259
DEFINITION	Q70PC/WOK401 WOK ELE. M40 TOP
COMMERCIAL LINE	QUEEN
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. DEPTH	700 mm
DIM. HEIGHT	250 mm
NET WEIGHT	20 Kg
VOLUME (net)	0.07
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	440 mm
PACKAGING HEIGHT	540 mm
PACKAGE VOLUME	0,200 m3
GROSS PACKING WEIGHT	27 Kg
STANDARD POWER SUPPLY	400V 3
FREQUENCY	50 Hz
ELECTRICAL POWER	5,000 kW
IP GRADE	IPX4
CERTIFIED MODEL	Q70PC/WOK401

# ELECTRIC INDUCTION COOKER - WOK - TOP VERSION

Project .....  
 Rev.: .....  
 Zone: .....  
 Location: .....




CODICE  
CR1359259

MODELLO  
Q70PC/WOK401

SERIE  
QUEEN 7

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
 MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



### Legenda - Legende - Key - Légende - Leyenda - Legend

**E** Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief  
 Presse étoupe de câble él. - Pisacable - Elektrische kabelwartel

**H2O\*** Attacco arrivo acqua - Wasseranschluss - Water inlet  
 Arrivée eau - Union de agua - Wateraansluiting  
**EN ISO 228-1 G 3/4**

# ELECTRIC INDUCTION COOKER - WOK - TOP VERSION

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1359259

MODELLO  
Q70PC/WOK401

SERIE  
QUEEN 7

## PRODUCT'S RANGE PLUS




Professional components tested to withstand intensive use over time



Power adjustable to 12 levels



Cooking zones with 5KW power



Mechanically controlled induction ready for IOT connection to Cloud



Ensures the correct positioning and suitability of the pot



Serigraphs identifying cooking zones.