



# ML9 handi-lift

the vertical lift

lifts that make a change

#### MINI-LIFT TYPE ML9

With the ML9 you will find a simple and easy solution that can be mounted without major structural changes. The lift is manufactured individually according to its environment and is prepared in accordance to regulatory safety measures with safety arms and ramps on the rear and front of the platform. The ML9 consists of a lift with a foldable platform and a verticaltower containing the driving motor. When the lift is not in use, it can be folded and thereby only take up minimal space.

This foldable lift is equipped with an emergency lowering device. Furthermore, it can be individually customized to suit most environments. The platform is equipped with sensors, which will stop the lift, should it come into contact with an obstacle. The lift is equipped with a soft start and brake, which ensures a smoothe and pleasant drive. This lift is also available for outdoor use.

## **Specifications**

| Load:              | 300 kg                             |
|--------------------|------------------------------------|
| Travel:            | 0-1500 mm                          |
| Speed:             | *0,04 m / s                        |
| Driving motor:     | 300W 24V                           |
| Platform motor:    | 24V                                |
| Barrier-arm motor: | 24V                                |
| Electric supply:   | 1 phase, 200-260V, AC max: 10A     |
| Supply:            | Charger: 200-260V, AC-Lift: 24V DC |
| Driving mechanism: | Lead screw linear drive with nut   |
| Construction:      | Steel                              |
|                    |                                    |

1300 x 800 mm

\*Speed is reduced by weight.

#### Dimensions

| Tower:                  | 680x147 mm    |
|-------------------------|---------------|
| Tower 0-1000:           | 1962 mm       |
| Tower 0-1500:           | 2462 mm       |
| Width folded up:        | *380 mm       |
| Width folded out:       | *1130 mm      |
| Platform standard size: | 1000 x 800 mr |
| Other platform sizes:   | 1000 x 750 mn |
|                         | 1000 x 700 mn |
|                         | 1200 x 800 mn |

\*Standard platform, wall-mounted

## Safety details


Brake Limit switch Thermal overload relay Overspeed governor and brake Manual release mechanism Pressure sensitive surfaces that stops the lift when it runs into an obstacle.







Certified in accordance with the Machinery Directive. Cama ApS is ISO 9001 certified

# - customized for your





- Handle for standing persons
- Optional colour ( RAL code )
- Safety arms
- Front and rear access
- Option of folding seat
- Option of door





#### CONTROLS











CAMA is Denmark's largest and oldest manufacturer and supplier of stairlifts for disabled people.

CAMA highly appreciates quality and design. We make great efforts to accomodate stair lifts to the surroundings they have been purchased for.

## More products from CAMA Lift



Platform Lift - Curved



Platform Lift – Straight

#### **CAMA Lift ApS** Ellehammervej 6 . 9900 Frederikshavn Tlf: +45 98 43 01 22 . E-mail: cama@cama.dk www.cama.dk