

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Clever Welding - CBC 150 Vandfri

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Parting agent.

1.3. Details of the supplier of the safety data sheet

Company name: Socco A/S
Street: Egholmvej 8
Telephone: 7585 2323
e-mail: socco@socco.dk
Internet: www.socco.dk

1.4. Emergency telephone number:

Emergency telephone number (24h) + 44 1235 239670 (en)
Emergency phone (Notruuf): +45 82 12 12 12

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH210 Safety data sheet available on request.

2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

none (according to Regulation (EC) No 1907/2006 (REACH))

Further Information

Product does not require special labelling according to Directive 67/548/EEC. According to EC directives or the corresponding national regulations the product does not have to be labelled.

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing. Seek medical attention if problems persist.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 2 of 9

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

If swallowed, immediately drink: Water. Move victim to fresh air. Put victim at rest and keep warm. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.
In case of fire: Use sand, extinguishing powder or alcohol-resistant foam to extinguish.

Unsuitable extinguishing media

Strong water jet

5.2. Special hazards arising from the substance or mixture

No data available

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray.

For emergency responders

The danger areas must be delimited and identified using relevant warning and safety signs. Move victim out of danger zone.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Suitable material for taking up: Sand, Universal binding agent. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 3 of 9

Advice on safe handling

Use only in well-ventilated areas.
When using do not eat, drink or smoke.

Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 5-40 °C

Maximum period of storage (time): 1 year

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

7.3. Specific end use(s)

Reserved for industrial and professional use. Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	
102-71-6	Triethanolamine	-	5		TWA (8 h)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 4 of 9

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
102-71-6	Triethanolamin		
Worker DNEL, long-term	inhalation	local	1 mg/m ³
Worker DNEL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	0,4 mg/m ³
Consumer DNEL, long-term	dermal	local	2,66 mg/person/day
Consumer DNEL, long-term	oral	systemic	3,3 mg/kg bw/day
57-55-6	1,2-propylene glycol (1,2-propanediol)1,2-propylene glycol (1,2-propanediol)		
Worker DNEL, long-term	inhalation	systemic	163 mg/m ³
Consumer DNEL, long-term	oral	systemic	85 mg/kg bw/day
Consumer DNEL, long-term	dermal	systemic	213 mg/kg bw/day
Worker DNEL, long-term	inhalation	local	10 mg/m ³
Consumer DNEL, long-term	inhalation	systemic	50 mg/m ³
1310-73-2	Sodium hydroxide; caustic soda		
Worker DNEL, long-term	inhalation	local	1 mg/m ³
Consumer DNEL, long-term	inhalation	local	1 mg/m ³

PNEC values

CAS No	Substance	
Environmental compartment	Value	
102-71-6	Triethanolamin	
Freshwater	0,32 mg/l	
Marine water	0,32 mg/l	
Freshwater sediment	1,7 mg/kg	
Marine sediment	0,17 mg/kg	
Micro-organisms in sewage treatment plants (STP)	10 mg/l	
Soil	0,151 mg/kg	
57-55-6	1,2-propylene glycol (1,2-propanediol)1,2-propylene glycol (1,2-propanediol)	
Freshwater	260 mg/l	
Marine water	26 mg/l	
Freshwater sediment	572 mg/kg	
Marine sediment	57,2 mg/kg	
Soil	50 mg/kg	

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 5 of 9

Skin protection

Chemical resistant safety shoes.
 Take off immediately all contaminated clothing.
 Thorough skin-cleansing after handling the product.
 Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	red
Odour:	characteristic

Test method**Changes in the physical state**

Flash point:	not relevant
pH-Value (at 20 °C):	9,5 DIN 51369
Viscosity / kinematic: (at 20 °C)	214 mm ² /s ASTM D 7042
Density (at 20 °C):	1,02 g/cm ³ EN ISO 12185

9.2. Other information

No data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Protect from direct sunlight.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 6 of 9

Based on available data, the classification criteria are not met.

Irritant effect on the skin: mild irritant.

Irritant effect on the eye: mild irritant.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

According to the present state of knowledge negative ecological effects are not expected.

12.2. Persistence and degradability

Product is biodegradable.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

According to the present state of knowledge negative ecological effects are not expected. The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 7 of 9

List of Wastes Code - residues/unused products

120199 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; wastes not otherwise specified

List of Wastes Code - used product

120199 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; wastes not otherwise specified

Contaminated packaging

Water (with cleaning agent). Completely emptied packings can be re-cycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Other applicable information (land transport)

Not restricted

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Other applicable information (inland waterways transport)

Not restricted

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: -

Other applicable information (marine transport)

Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: -

Other applicable information (air transport)

Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 8 of 9

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

3403 1990

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,10,11,12,16.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan),

ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clever Welding - CBC 150 Vandfri

Revision date: 01.03.2022

Product code: 100

Page 9 of 9

Repr. - Reproduktionstoxizität
Asp. Tox. - Aspirationstoxizität
Acute Tox. - Akute Toxizität
Aquatic Acute - Akute aquatische Toxizität
Aquatic Chronic - Chronische aquatische Toxizität
Eye Dam. - Augenschaden/-reizung
Eye Irrit. - Augenreizung
Skin Corr. - Ätzwirkung auf die Haut
Skin Irrit. - Hautreizung
Skin Sens. - Hautallergen
Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen

Relevant H and EUH statements (number and full text)

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)