

Product: TRANSPRENE 113 M Page: 1/6

Sheet: 503839 Version: 5 Date: 2006-01-04

Cancel and replace: 2002-08-16

#### 1 - PRODUCT AND COMPANY IDENTIFICATION.

Product name: TRANSPRENE 113 M

Product code: 503832 +

Type of product or use: Polychloropren adhesive.

Supplier: Producer.

Name: BOSTIK SA (\*)

Address: Immeuble IRIS - F - 92062 PARIS LA DEFENSE CEDEX

12, place de l'Iris La Défense 2 - 92400 COURBEVOIE - FRANCE

Telephone: + 33 (0)1 47 96 94 65 Telefax: + 33 (0)1 47 96 96 90

Emergency telephone number(s):

ORFILA (PARIS-FRANCE): + 33 (0)1 45 42 59 59

#### 2 - COMPOSITION/INFORMATION ON INGREDIENTS.

### >> PREPARATION. :

Chemical nature: Solvent based polychloropren adhesive.

Hazardous components: Substance CAS EINECS risk symbol concentration

R 11-36-66-67 Ethyl acetate 141-78-6 205-500-4 F - Xi 15 - 25 % F - Xi 78-93-3 R 11-36-66-67 15 - 25 % Butanone 201-159-0 Light naphta hydrotreated 64742-49-0 25 - 40 % 265-151-9 R 11-38-51/53-65-67 F - Xn - N Toluene 108-88-3 203-625-9 R 11-38-48/20-63-65-67 F - Xn 1 - 5 % (\*) Rosin 8050-09-7 232-475-7 R 43 < 1 % (\*)

### 3 - HAZARDS IDENTIFICATION.

### >> MAIN HAZARDS.:

Health effects: Irritating to eyes and skin.

May produce an allergic reaction. (\*)

Environmental effects: Toxic to aquatic organisms.

Physical and chemical hazards:

Flammability risk of vapors.

Specific hazards: R 11 : Highly flammable.

R 36/38: Irritating to eyes and skin.

R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 67: Vapours may cause drowsiness and dizziness.

## PRODUCT CLASSIFICATION:

HIGHLY FLAMMABLE + IRRITANT + DANGEROUS FOR THE ENVIRONMENT.

# 4 - FIRST-AID MEASURES.

Information in case of:

- Inhalation: Move patient from contaminated area to fresh air.

- Skin contact: Remove any excess of product.

Wash immediately with plenty of water and soap, rinse abundantly and copiously with water.

Product: TRANSPRENE 113 M Page: 2/6

Sheet: 503839 Version: 5 Date: 2006-01-04

Cancel and replace: 2002-08-16

- Eye contact: Wash open eyes immediately, abundantly and thoroughly for at least 15 minutes.

Seek advice of an ophthalmologist.

- Ingestion: Do not induce vomiting to avoid aspiration in the respiratory tract.

Consult a doctor.

Other information: Remove immediately any soiled or soaked clothing.

#### 5 - FIRE-FIGHTING MEASURES.

## >> EXTINGUISHING MEDIA. :

- Suitable: Carbon dioxide, dry powder extinguishers.

- Not suitable: Water spray.

Specific hazards: Possible formation of toxic or corrosive fumes and explosive mixtures with air.

Special protective equipment for firefighters:

Wear a self contained breathing apparatus.

Other information: Cool the packaging in the vicinity with water spray.

#### 6 - ACCIDENTAL RELEASE MEASURES.

Personal precautions: Remove all ignition source - Do not smoke.

Environmental precautions: Dam up and absorb on an inert material.

Prevent product from entering drainage system.

Methods for cleaning-up:

- Recovery: Cover with sand or sawdust; sweep or shovel up.

- Disposal: Collect residues in a labelled container.

## 7 - HANDLING AND STORAGE.

## >> HANDLING.:

Technical measures/precautions:

Provide water supplies near the point of use.

Occupational exposure prevention:

Ensure adequate aeration.

Control atmosphere and regularly check. Neither smoke, nor drink nor eat while using.

Prevention of fire and explosion:

Keep away from all sources of ignition - Do not smoke. Take precautionary measures against static discharges.

Use explosion-proof equipment.

Avoid accumulation of vapours; they are heavier than air.

Other precautions: Avoid all contact with skin and eyes.

Do not breathe vapours. Do not ingest.

>> STORAGE.:

Storage conditions:

- Recommended: Store in a well ventilated area away from the cold and the heat (5 - 30 °C).

Keep containers hermetically sealed before and after use.

The floor of the storage area should be impermeable and contained within a bund.

- To avoid: Static discharges.

Product: TRANSPRENE 113 M Page: 3/6

Sheet: 503839 Version: 5 Date: 2006-01-04

Cancel and replace: 2002-08-16

>> PACKAGING MATERIAL. :

- Recommended: Original packaging (tin plated).

Other information: Avoid any re-packing.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION.

Protective measures: Provide for fresh air intake and/or adequate air extraction in plants.

>> CONTROL PARAMETERS. :

Exposure limits: See heading 15.

>> PERSONAL PROTECTION EQUIPMENT.:

In case of risks of exposition:

- Respiratory protection: Ventilate work stations; if insufficient ventilation wear a mask.

- Hand protection: Wear gloves if using for long periods.

- Eye protection: Glasses if projection risks.

Specific hygiene measures: Remove immediately soaked or soiled clothing. Wash separately.

Wash immediately any affected parts of the body.

Other information: Avoid contact with skin and eyes, and breathing any vapours.

#### 9 - PHYSICAL AND CHEMICAL PROPERTIES.

>> APPEARENCE.:

- Physical state: Liquid at 20 °C.

- Form: Viscous.- Colour: Clear.

- Odour: Petroleum solvent odour.

>> pH: Not applicable.

>> TEMPERATURE CHARACTERISTICS. :

Boiling point/range: 60 °C (1013 mBar).
 Flash point: -17 °C (ISO 1523).

Explosive properties: Forms explosive mixtures with air.

Explosive limits in air:

1.1 - 11.5 % by volume (extreme values for solvents).

>> OTHER DATA. :

Vapour pressure :  $< 110 \text{ kPa at } 50 \text{ }^{\circ}\text{C}.$ 

Density: Around 890 kg/m3 at 23 °C.

Solubility:

In water: Insoluble and not miscible.
In organic solvents: Dilutable in esters and ketones.

Product: TRANSPRENE 113 M Page: 4/6

Sheet: 503839 Version: 5 Date: 2006-01-04

Cancel and replace: 2002-08-16

10 - STABILITY AND REACTIVITY.

Stability: Stable at normal temperature of storage, handling and use.

Hazardous reactions:

- Conditions to avoid: Sparks, flames, ignition points and static electricity.

- Hazardous decomposition products:

Carbon oxides, chlorine and hydrochloric acid.

### 11 - TOXICOLOGICAL INFORMATION.

>> ACUTE TOXICITY.:

Ingestion: Risk of severe pulmonary problems in case of accidental aspiration.

>> LOCAL EFFECTS.:

- Inhalation: Vapours may cause drowsiness and dizziness.

- Skin contact: Irritating.

Repeated exposure may cause skin dryness or cracking.

- Eye contact: Irritating.

>> SENSITIZATION.:

- Skin contact: May produce an allergic reaction. (\*)

>> CHRONIC TOXICITY.:

- Inhalation: Pure toluene :

Danger of serious damage to health by prolonged exposure through inhalation. (\*)

>> SPECIFIC EFFECTS.:

- Reproductive toxicity: Toluene: this substance is toxic for reproduction, category 3. (\*)

# 12 - ECOLOGICAL INFORMATION.

Ecotoxicity: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do not release into natural water courses or the environment.

## 13 - DISPOSAL CONSIDERATIONS.

>> PRODUCT OR RESIDUES. :

Waste disposal: Leave to harden.

Incinerate at approved waste disposal sites only.

Contains chlorinated compounds.

>> CONTAMINATED PACKAGING. :

Suitable disposal: Dispose of an approved waste disposal site only.

Local regulations: Comply with local regulations.

### 14 - TRANSPORTATION INFORMATION.

>> INTERNATIONAL REGULATIONS. :

UN: 1133 class: 3 packing: III label: 3 MENTION: ADHESIVE containing FLAMMABLE LIQUID

VISCOUS according to 2.2.3.1.4 (physical properties : see heading 9).

Product: TRANSPRENE 113 M Page: 5/6

Sheet: 503839 Version: 5 Date: 2006-01-04

Cancel and replace: 2002-08-16

ADR/RID : Hazardous Identification  $N^{\circ}$  : 33

IMO-IMDG: EMS: F-S, S-D not marine pollutant (\*)

#### 15 - REGULATORY INFORMATION.

>> EC REGULATIONS.:

Conforms:

Directive "Dangerous substances" 67/548/EEC amended (Directive 2004/73/EC - 29th ATP). (\*)

Directive "Dangerous preparations" 1999/45/EC modified.

Directive "Safety data sheets" 2001/58/EC.

- Symbol(s): F - Xi - N : Hightly flammable - Irritant - Dangerous for the environment.

- R Phrase(s): R 11 : Highly flammable.

R 36/38: Irritating to eyes and skin.

R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 67: Vapours may cause drowsiness and dizziness.

- S Phrase(s): S 9: Keep container in a well-ventilated place.

S 16: Keep away from sources of ignition - No smoking.

S 24: Avoid contact with skin. (\*)

S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 33: Take precautionary measures against static discharges.

S 51: Use only in well-ventilated areas.

Other information: Contains Rosin. May produce an allergic reaction. (\*)

>> FRENCH REGULATION. :

- Occupational diseases tables : 4 bis + 65 + 84 . (\*)

French decree 84-1093 (aeration).

Do not exceed threshold limit value: - Hydrocarbons: 300 ppm.

French Threshold Limit Value (VME):
- Ethyl acetate: 400 ppm or 1400 mg/m3 air.
- Butanone: 200 ppm or 600 mg/m3 air.
- Toluene: 100 ppm or 375 mg/m3 air.

- Classified installations: Concerned.

- Other information: Comply with local regulations.

#### 16 - OTHER INFORMATION.

- Recommended uses: Contact glue.

- Other information: To use with appropriate curing agent.

- R Phrases (full text): (\*) R 36 : Irritating to eyes.

R 38: Irritating to skin.

R 43: May cause sensitization by skin contact.

R 48/20 : Harmful : danger of serious damage to health by prolonged exposure through inhalation.

R 63 : Possible risk of harm to the unborn child.
R 65 : Harmful : May cause lung damage if swallowed.
R 66 : Repeated exposure may cause skin dryness or cracking.

>> The (\*) indicate the changes made with respect to the previous version.

Product: TRANSPRENE 113 M Page: 6/6

Sheet: 503839 Version: 5 Date: 2006-01-04

Cancel and replace: 2002-08-16

### NOTE.

### THIS SAFETY DATA SHEET COMPLIES WITH INTERNATIONAL STANDARD ISO 11014-1.

The information provided is based upon our best knowledge at the time that this safety data sheet was published. The information is believed to be accurate and is given in all good faith. The

attention of users is drawn to the possibility of creating other hazards when the product is used for purposes other than that for which it is recommended. In such cases a complete reassessment

should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures may be taken relating to the protection of health and safety at work and relating to the protection of

the environment. The references to the legislative, regulatory and codes of practice documents must not be considered as exhaustive.

It is the responsibility of handlers of the product to pass on the totality of the information contained within this documents to any subsequent persons who will come into contact with, handle or use

the product in any way.

End of document. Number of pages : 6