



# DESMODUR RC

## CROSS-LINKING AGENT

### PRODUCT DESCRIPTION

Cross-linking agent for VINYCOL polyurethane glues. In certain cases, is suitable for TRANSPRENE polychloropren glues.

### METHOD OF APPLICATION

Mix when ready to use the glue. Recommended dose: 30 to 50 ml per liter of glue. Up to 100 ml may be used in certain applications.

The working life in the container at room temperature is from 3 to 6 hours, depending on the glue and the percentage.

The preparation may be used in VISCOTHERM 2000 machines. Carefully seal the DESMODUR RC container after use; this product is sensitive to humidity.

### STORAGE

12 months in its own can tightly closed, stored in a temperate and well-ventilated room.

### PHYSICAL PROPERTIES

CHARACTERISTICS	VALUE
Base	Aromatic isocyanate
Colour	Faint yellow
Viscosity	Very fluid
Dry content [%]	approx. 30
Density	1.03 +/- 0.01
Inflammability	Flash point below 31°C Easily flammable

### PACKAGING

For existing packaging sizes, please call your Bostik sales representative.

### SAFETY

For further information, please refer to our material safety data sheet (MSDS).

The information given and recommendations made herein are based on Bostik's research only and are not guaranteed to be accurate. The performance of the product, its shelf life, and application characteristics will depend on many variables, including the kind of materials to which the product will be applied, the environment in which the product is stored or applied, and the equipment used for application. Any change in any of these variables can affect the product's performance. It is the buyer's obligation, prior to using the product, to test the suitability of the product for an intended use under the conditions that will exist at the time of the intended use. Bostik does not warrant the product's suitability for any particular application. The product is sold pursuant to Bostik's Terms and Conditions of Sale that accompanies the product at the time of sale. Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute permission, inducement, or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

### SMART HELP

Please contact your local representative

