



Contact

Product

About

Home



PT. ATHAYA AGRO PRATINDO

COMPANY PROFILE

To be an exporter company with integrity in the world by providing the best satisfaction value for customers through quality service and product

www.agrindoexport.com





About Us

PT. Athaya Agro Pratindo Is an export startup company that cooperates with local manufacturers trustworthy and micro-small medium enterprises that export the best quality Indonesian agriculture, vegetables, spices, Chips snacks, and products at competitive prices in the global market. Our goal is just this – Become an exporting company with integrity in the global market and improve the customer experience with our products by providing the best quality product at competitive prices on all of our items, we also have an ever-changing online product



Visi & Misi



Visi


To be an exporter company with integrity in the world by providing the best satisfaction value for customers through quality service and product



Misi

Exporting the best quality Indonesian Agriculture, food, and chips snacks products by quality control with competitive prices

www.agrindoexport.com




**HALF COCONUT
PEEL / CORN**

Spesifikasi

- Variety : Mature Coconut Style
- Origin : Indonesia
- Weight : 600 - 1400 grams per piece
- Grade :
- Grade A diameter : 40-45cm (1000gr - 1400gr)
- Weight : 1-1,2 Kg
- Packing : PP Bags @25pcs/22-25Kg/bag
- Grade B diameter : 35-40cm (800gr - 1000gr)
- Weight : 0,8-1 Kg
- Packing : PP Bags @25pcs/22-25Kg/bag
- Grade C diameter : 30-35cm (600gr - 800gr)
- Weight : 0,6-0.8 Kg
- Packing : PP Bags @25pcs/22-25Kg/bag
- Color : Brown Shell and White Flesh
- Maturity : 80% - 90%
- Packaging : Requested by client
- Loadability : 20kg - 25kg
- MOQ : 1 kontainer 20ft






COCO FIBER

Specification



- Color : Golden brown
- Origin : Indonesia
- Capacity : UP 30 MT / month
- Fiber length. : 7 – 30 cm
- Impurity. : 5% MAX
- Moisture content : Grade A = 15% - 20%
: Grade B = 25% - 30%
- Packaging : Bales
- Dimensions : 100 x 110 x 40 cm (adjustable)
- Bale weight : 95 – 125 kg
- MOQ : 1 kontainer 20ft



KOPRA

Specification

- Color : Shell (Dark brown), Flesh (Smoked white)
- Product origin : Indonesia
- Grade / diameter. : Edible (3 – 8 cm), Regular (8 – 12 cm)
- Moisture content. : 5% - 7%
- Oil content : 65% - 70%
- FFA : 0.5% - 1.5%
- Rubbery : 5%
- Smoky : 5%
- Product capacity : UP 50 MT / month
- Packaging : Polypropylene or Netted Bag
- Packaging capacity. : 25 kg & 50 kg
- MOQ : 1 kontainer 20ft



COCO PEAT

Specification

Block Low EC


- Color : Brown
- Origin : Indonesia
- Capacity : UP 30 MT / month
- EC value. : < 0.6 Ms/cm
- pH value. : 5.8 – 6.8
- Moisture content : 10% - 15% Max
- Expansion : 18 L/kg
- Fiber size : 6 mm
- Sand content : < 5%
- Packaging : Bulk, Pallet
- Dimensions : 30 x 30 x 10 – 15 cm
- Weight : 5 kg
- MOQ : 1 container 20ft

Block High EC

- Color : Brown
- Origin : Indonesia
- Capacity : UP 30 MT / month
- EC Value : > 0.6 Ms/cm
- pH value : 5.8 – 7
- Moisture content : 30% - 40% Max
- Expansion : 15 L/kg
- Fiber size : 6 mm
- Sand content : < 5%
- Packaging : Bulk, Pallet
- Dimensions. : 30 x 30 x 10 – 15 cm
- Weight : 5 kg
- MOQ : 1 container 20ft

Polybag Low EC

- Color : Brown
- Origin. : Indonesia
- Capacity : UP 30 MT / month
- EC value : < 0.5 Ms/cm
- pH value : 5.8 – 6.8
- Moisture content : 30% - 40% Max
- Expansion : 200 L/Kg
- Packaging : Pouch
- Dimensions : 30 x 40 x 70 (Tolerance 5 cm)
- Weight : 30 - 32 kg
- MOQ : 1 container 20ft



SAWDUST BLOK

Specification

- Usage : Growing media, cow bedding
- Capacity : UP 500 MT / month
- Origin : Indonesia
- Origin of wood : Indonesia
- Type of wood. : Hardwood
- MOQ : 1 kontainer 20ft


Specification

Wood chips are small to medium sized pieces of wood formed by chipping or trimming larger pieces of wood such as trees, branches, logs, stumps, roots and wood waste.

- Capacity. : UP 100 MT / month
- Usage : growing media
- Origin : Indonesia
- Origin of wood : Indonesia
- Type of wood : Hardwood
- MOQ : 1 kontainer 20ft




WOOD CHIPS



BANANA LEAF

Specification

- Type : Stone Banana Leaf
- Origin : Indonesia
- Width. : 40-55cm
- Length : 100-115cm
- MOQ : 1 kontainer 20ft



WHOLE CLOVE

Specification

- Class : AB6
- Color : Reddish / Dark
- Brownstyle : Dry
- Humidity. : <10%
- Foreign Matter : 0.5%
- Low : 2% Max
- Damage : None
- Place of origin : Indonesia
- Capacity : UP 25 MT / month
- MOQ : 1 kontainer 20ft



PALM CERNEL SHELLS


Specification

Palm kernel shells (palm kernel shells) are the remains of the shell fragments after the palm kernels are removed and crushed in the palm oil mill. Palm shells are a fibrous material and easy to handle until the product is ready to be marketed. Palm kernel shell is the shell fraction that remains after the nuts are removed following crushing in the Palm Oil mill. It is a fibrous material, tawny in color and can easily be handled in bulk right from the product line to the end use. Due to its high calorific value, averaging 4000 Kcal/kg, and low ash content, it is considered an attractive fuel source in energy production from renewable sources.

Palm shells are useful as boiler fuel, which converts waste into steam which can drive turbine engines. In addition, it also functions to operate all steam-based machines. The resulting fire pressure also has a maximum and greater level of heat power.

Specifications:

- Origin : Indonesia
- Capacity : UP 1,000 MT / month
- Type : screening and non-screening
- Type : dura / tenera / mix
- Packaging. : Precipitation
- MOQ : 1 kontainer 20ft




WOOD PELLET

Specification

- | | |
|-------------------------------------|--|
| • Diameter | : 6mm / 8mm |
| • Origin | : Indonesia |
| • Capacity | : UP 5,000 MT / month |
| • Diameter (mm) | : 6 + 1 or 8 + 1 |
| • Length (mm). | : $3.15 < L < 40$ |
| • Moisture (w+ %) | : $< 10\%$ wt |
| • Ash content (w+ %) | : < 0.7 |
| • Mechanical durability (w+ %) | : > 98.0 |
| • Fines (< 3.15 mm) (w+ %) | : 0.7 |
| • Net calorific value (kWh/kg). | : > 4.6 |
| • Gross calorific value (kWh/kg) | : 5.3 |
| • Bulk density (Kg/m ³) | : $600 < BD < 750$ |
| • Certificate | : EN PLUS A1 / SVLK / FSC / ROA / COA etc |
| • Diameter | : 6mm / 8mm |
| • Origin | : Indonesia |
| • Capacity | : UP 1,000 MT / month |
| • Total moisture | : 4.72% wt |
| • Ash content | : 0.93% wt (As received), 0.98% wt (Dry Basis) |
| • Volatile matter | : 79.70% wt (As received), 83.64% wt (Dry Basis) |
| • Fixed carbon | : 14.65% wt (As received), 15.36% wt (Dry Basis) |
| • Total sulfur | : 0.22% wt (As received), 0.23% wt (Dry Basis) |
| • Gross calorific value | : 4493 Kcal/kg (As received), 4716 Kcal/kg (Dry Basis) |
| • Bulk density | : 599 kg/m ³ |
| • Chloride (CL ₂) | : 0.03% wt |
| • Certificate | : EN PLUS A1 / SVLK / FSC / ROA / COA etc |
| • | |



**ARABICA JAVA
GREEN BEANS**

 GRADE Grade 1	 REGION East Java Island
 PROCES Washed	 VARIETY Typica
 ALTITUDE 800 - 1500 M	 DRYING Sun Dried
 TASTE NOTES Brown Sugar, Dark Chocolate,	 HARVEST PERIOD May - September

Specification

Value	: Value 1
Process	: washed
Altitude	: 800 – 1500 m
Taste notes	: brown sugar, dark chocolate, herbal and spicy
Region	: West Java Island, Indonesia
Variation	: typical
Drying	: dried in the sun
Harvest period.	: from May to September
Packaging	: 25 Kg (small bag) 50 Kg (jumbo bag)
MOQ	: 1 kontainer 20ft

**COFFEE / COFFEE BEANS
ARABIC GREEN**



ARABICA GAYO

GREEN BEANS

 GRADE Grade 1	 REGION ACEH SUMATRA
 PROCES Wet Hulled	 VARIETY Caturra
 ALTITUDE 1200 – 1700 M	 DRYING Sun Dried
 TASTE NOTES Almond, Chocolate, Grape Sour, Spicy, Sweet Flavor	 HARVEST PERIOD September - December

Specification

- Value : Value 1
- Process : wet skinned
- Altitude : 1200 – 1700 m
- Taste notes : almond, chocolate, sour grape, spicy, sweet taste
- Region : Sumatra Aceh, Indonesia
- Variation : chess
- Drying : dried in the sun
- Harvest period : September to December
- Packaging : 25 Kg (small bag)
50 Kg (jumbo bag)
- MOQ : 1 kontainer 20ft

COFFEE / COFFEE BEANS
ROBUSTA GREEN




**ROBUSTA JAVA
GREEN BEANS**

 GRADE Grade 1	 REGION Central Java Island
 PROCES Washed	 VARIETY Bourbon
 ALTITUDE 700 - 1000 M	 DRYING Sun Dried
 TASTE NOTES	 HARVEST PERIOD

**COFFEE / COFFEE BEANS
ROBUSTA GREEN**

Specification


- Value : value 1 / value 2 / value 3
- Disability : 3% Max / 7% Max / 11% Max
- Process : washed
- Altitude : 700 – 1000 m
- Taste notes : brown sugar, dark chocolate
- Region : Central Java Island, Indonesia
- Variation : Bourbon
- Drying : dried in the sun
- Harvest period : March to June
- Packaging : 25 Kg (small bag)
50 Kg (jumbo bag)
- MOQ : 1 kontainer 20ft



HARDWOOD CHARCOAL

Specification



- 100% of halaban type wood
- Shape : Hexagonal
- Origin : Indonesia
- Capacity : UP 25 MT / month
- Size : according to the will of the buyer
- Packaging : inner plastic, outer carton/box



**CLASS A (PRIME QUALITY)
EUROPEAN, AMERICAN
STANDARDS**

Specification


- 100% Coconut Charcoal
- Origin : Indonesia
- Capacity : UP 25 tons / month
- Calorie Value : 7000-7500 kcal
- Total Humidity : Max 8%
- Fixed Carbon. : 70-80%
- Ash content : 1.8-2.5% White Ash
- Shapes : Cube, Finger, Flat Shapes
- Burning Time : ± 2 Hours
- Size : Can be customized
- Inner pack & master box included
- MOQ : 1 kontainer 20ft



**CLASS B (GOOD QUALITY)
UAE, MIDDLE EAST, TURKEY STANDARD**

Specification

- 100% Coconut Charcoal
- Origin : Indonesia
- Capacity : UP 25 MT/ month
- Calorie Value : 7000-7200 kcal
- Total Humidity : Max 8%
- Fixed Carbon : 70-75%
- Ash Content : 2.5-3% White/Cream White Ash
- Shapes : Cube, Hexagon, Finger, Flat Shapes
- Burning Time : +2 Hours
- Size : Can be customized
- Inner pack & master box included
- MOQ : 1 kontainer 20ft




**CLASS C (NORMAL QUALITY)
MEDIUM STANDARD**

Specification

- 100% Coconut Charcoal
- Origin : Indonesia
- Capacity : UP 25 MT / month
- Calorie Value : 7000-7500 kcal
- Total Humidity : Max 8%
- Ash Content : 4-10% White Cream Ash
- Shape : Cube, Hexagon Shape
- Burning Time : ± 2 Hours
- Plastic packing & master box included
- MOQ : 1 kontainer 20ft

UKURAN BRIKET



A. KUBUS

27 x 27 x 27 mm (56 buah /1 kg)
26 x 26 x 26 mm (64 buah/1 kg)
25 x 25 x 25 mm (72 buah/1 kg)
22 x 22 x 22 mm (96 buah/1 kg)
20 x 20 x 20 mm (120 buah / 1 kg)

B. HEKSAGONAL

20 x 35 mm (94 buah /1 kg)
20 x 50 mm (64 buah 1 kg)




C. JARI / TONGKAT / SILINDER

18 x 50 mm (72 buah /1 kg)
18 x 35 mm (102 buah /1 kg)
20 x 50 mm (64 buah/1 kg)
20 x 35 mm (94 buah/1 kg)

D. DATAR / BRIX

25 x 25 x 17 mm (108 buah /1 kg)



BRIQUETTE PACKAGING AND DELIVERY AND EXPORT DETAILS

Port of Loading : Jakarta, Semarang or Surabaya
(Depends on Availability)


Minimum Order Quantity : 1 20ft container

1 Kg, Inner Box (Custom based on Request)

- Inner plastic;
- Brand carton/box, full color printing;
- Single Wall Master box 10kg, Single Color / Full Color

10 kg, Master Box Only (Custom on Request)

- Inner plastic;
- 10kg Double Wall Master Box, Single Color / Full Color





Integrity



Kementerian Hukum dan Hak Asasi Manusia Republik Indonesia.




Online single submission



KEMENTERIAN
PERDAGANGAN
REPUBLIK INDONESIA

Kementrian perdagangan republik Indonesia







Laboratory for testing of solid biofuels and compost

4000 Plovdiv, 140 Ruski Blvd, fl. 4, phone: +359 893 558 649, fax: +359 32/625 754
e-mail: biofuels-lab@eap-save.eu, http://www.eap-save.eu

FK 7.8.01

Certificate of Accreditation, Reg. No. 192 LI / 17.02.2022 valid until 07.01.2024, issued by EA BAS, in accordance with the requirements of standard BDS EN ISO/IEC 17025:2018

TEST RESULTS

Sample number, type, identification: 1543, wood pellets, PC129HN-A1

№	PARAMETER	UNIT	TEST STANDARD	TEST RESULTS	LIMITS ¹⁾			TEST CONDITION
					ENplus® A1	ENplus® A2	ENplus® B	
1	2	3	4	5	6			7
1	Diameter	mm	ISO 17829:2015		6 ± 1 or 8 ± 1			T 23.5 °C
2	Length	mm	ISO 17829:2015	7,16 < L ≤ 38,52	3,15 < L ≤ 40 ¹⁾			RH 38 % ²⁾
3	Moisture	w-% ⁴⁾	ISO 18134-2:2015	5	≤ 10			T 105 °C ³⁾
4	Ash content	w-% ⁴⁾	ISO 18122:2015	0,7	≤ 0,7	≤ 1,2	≤ 2	T 550 °C ³⁾
5	Mechanical durability	w-% ⁴⁾	ISO 17831-1:2015	98,0	≥ 98,0 ⁴⁾	≥ 97,5 ⁴⁾		T 23,5 °C
6	Fines (<3,15 mm)	w-% ⁴⁾	ISO 18846:2016	0,7	≤ 1,0 ⁴⁾ (≤ 0,5 ¹⁰⁾)			RH 38 % ²⁾
7	Net calorific value	kWh/kg ⁴⁾	ISO 18125:2017	5,0	≥ 4,8 ¹¹⁾			T 23,3 °C
8	Gross calorific value	kWh/kg	ISO 18125:2017	5,3				RH 34 % ²⁾
9	Bulk density	kg/m ³ ⁴⁾	ISO 17828:2015	656	600 ≤ BD ≤ 750			T 23,5 °C
10	Additives	%		1,8	≤ 2 ¹²⁾			RH 37 % ²⁾
11	Nitrogen	w-% ⁴⁾	ISO 16948:2015	0,3	≤ 0,3	≤ 0,5	≤ 1,0	T 1100 °C ²⁾
12	Sulfur	w-% ⁴⁾	ISO 16994:2016	0,011	≤ 0,04	≤ 0,05		T 23,3 °C
13	Chlorine	w-% ⁴⁾	ISO 16994:2016	0,009	≤ 0,02		≤ 0,03	RH 37 % ²⁾
14	Ash deformation Temperature ⁴⁾	°C	EN ISO 21404:2020	1280	≥ 1200	≥ 1100		
15	Arsenic	mg/kg ⁴⁾	ISO 16968:2015	< 0,5 ¹³⁾	≤ 1			
16	Cadmium	mg/kg ⁴⁾	ISO 16968:2015	< 0,1 ¹³⁾	≤ 0,5			
17	Chromium	mg/kg ⁴⁾	ISO 16968:2015	0,79	≤ 10			
18	Copper	mg/kg ⁴⁾	ISO 16968:2015	1,20	≤ 10			
19	Lead	mg/kg ⁴⁾	ISO 16968:2015	< 1,0 ¹³⁾	≤ 10			
20	Mercury	mg/kg ⁴⁾	ISO 16968:2015	< 0,05 ¹³⁾	≤ 0,1			
21	Nikel	mg/kg ⁴⁾	ISO 16968:2015	< 0,4 ¹³⁾	≤ 10			
22	Zinc	mg/kg ⁴⁾	ISO 16968:2015	12,6	≤ 100			T 23,3 °C RH 37 % ²⁾

Notes:

The test report or extracts from the test report may not be reproduced without written consent of the testing laboratory.

The laboratory is not responsible for the data and information provided by the customer, which may affect the validity of the results.

The sample is supplied by the customer and the Laboratory is not responsible for the activities performed by the customer.

1) The information in column 6 correspond to the requirements of ENplus® Handbook, Part 3 - Pellet Quality Requirements (Version 3.0, August 2015)

2) Test conditions (temperature and relative humidity) in the laboratory

3) Test conditions according to the requirements of the used standards

4) ash is produced at 815 °C

5) as received

6) dry basis

7) a maximum of 1% of the pellets may be longer than 40mm, no pellets longer than 45mm are allowed.

8) at the loading point of the transport unit (truck, vessel) at the production site

9) at factory gate when loading truck for deliveries to end-users (Port Load Delivery and Full Load Delivery)

10) at factory gate, when filling pellet bags or sealed Big Bags.

11) equal ≤ 16,5 MJ/kg as received

12) the amount of additives in production shall be limited to 1,8 w-%, the amount of post-production additives (e.g. coating oils) shall be limited to 0,2 w-% of the pellets.

13) The limit is determined by the scope of the method. The limit of quantification method LOQ is determined experimentally by repeated analysis of the blank and calculation the standard deviation SDblank. LOQ = 10 * SDblank * dilution factor

RESPONSIBLE FOR THE TESTS:


 I.A. Ivancheva


 P. Argyrova

HEAD OF LABORATORY:


 J.V. Markova

TEST REPORT

№ 32-L-PI-1543 / 30.09.2022

p. 2 from 2

Redaction 01 / 02.01.2019

Integrity

Certificate No. 00226/EOBOAO
Date: January 7, 2021

REPORT OF ANALYSIS

CLIENT: **PT. PAPAN JAYA RAYA**
Jl. Raya Sumbensuko KM.5 RT.005 RW.001
Sumbensuko, Lumajang - Jawa Timur

THE FOLLOWING SAMPLE (S) WAS SUBMITTED AND IDENTIFIED BY CLIENT AS **WOOD PELLET**

DATE OF RECEIVED: December 22, 2020
DATE OF ANALYSIS: December 22, 2020 up to January 7, 2021
TEST REQUIRED: Mean analysis
DESCRIPTION OF SAMPLE: Form: Pellet, Weight / Volume: ± 1 Kg, Packing: Unsealed plastic bag

SAMPLE IDENTIFICATION (STATED BY CLIENT): **WOOD PELLET**

We have tested the sample (s) submitted and the following results were obtained :

Parameters	Unit	AR (As Received)	DB (Dry Basis)	Test Method
Total Moisture	% wt	4.72	---	ASTM D 2961 - 17
Ash Content	% wt	0.93	0.98	ASTM D 3174 - 12(2018)e1
Volatile Matter	% wt	79.70	83.64	ASTM D 3175 - 20
Fixed Carbon	% wt	14.65	15.38	ASTM D 3172 - 13
Total Sulfur	% wt	0.22	0.23	ASTM D 4239 - 18
Gross Caloric Value	Kcal/Kg	4493	4716	ASTM D 5885 - 19

Parameters	Unit	Test Result	Test Method
Bulk Density	Kg/m ³	599	ASTM D 1895
Chlorine (Cl ₂)	% wt	0.03	ASTM D 4208 - 19

This Certificate is issued under our General Terms and Conditions, copy of which is available upon request or may be accessed at www.sucofindo.co.id

7103052002807

Dept. of Commercial 3 - Coal and Minerals

Ir. Guntur Ngurah Arya Wijaya

SERTIFIKAT LEGALITAS (S-LEGALITAS)
Nomor : 117-VLK-NKL-2022

Tanggal Penetapan : 28 Juni 2022
Berlaku Hingga : 27 Juni 2028

Nama : PT BERKAH RAHARJA BERSAMA
Lingkup Usaha : Perusahaan Pemegang SIUP dan NIB
Nomor Induk Berusaha : 0220101300033 tanggal 3 Maret 2020
Lokasi : Sahid Sudirman Center Lt 56 Unit E-H, Jl. Jenderal Sudirman No. 86, Kel. Karet Tengsin, Kec. Tanah Abang, Kota Adm. Jakarta Pusat, Prov. DKI Jakarta

Terdapat **LULUS** VERIFIKASI LEGALITAS KAYU (VLK)

Sesuai dengan Peraturan Menteri Lingkungan Hidup dan Kehutanan Nomor 6 Tahun 2021 Tentang Tata Hutan dan Penyusunan Rencana Pengelolaan Hutan, Serta Pemanfaatan Hutan di Hutan Lindung dan Hutan Produksi Dan Peraturan Direktur Jenderal Pengelolaan Hutan Produksi Lestari Nomor : SK.62/PHPL/SET.5/KUM/1/12/2020 tertanggal 2 Desember 2020 tentang Pedoman, Standar dan/atau Tatacara Pemetaan Kinerja Pengelolaan Hutan Produksi Lestari, Verifikasi Legalitas Kayu Uji Kelengkapan dan Penerbitan Deklarasi Keseluruhan Pemesak Serta Penerbitan Dokumen V-Legalitas ALE-GY (Lampiran 4.1 dan lampiran 4.2)

Bogor, 28 Juni 2022
PT. NUSA KELOLA LESTARI

Ir. Sunari, MM
Direktur Utama


Jl. Ereng 15 Perumnas Bantargali, Kel. Bantargali, Kec. Bogor Utara, Kota Bogor



About Owner

Presentations are tools that can be used as lectures, speeches, reports, and more. It is mostly presented like before an audience it serves

Presentations are tools that can be used as lectures, speeches, reports, and more. It is mostly presented like before an audience it serves





COMPANY PROFILE 2023

THANK YOU

Phone : +62821 82684387

Email. : athaya.agropratindo@gmail.com

Adress. : Prumnas Blok A76 RT 005/003

Kelurahan Balai Agung Kecamatan Sekayu

Kab Musi Banyuasin Provinsi Sumatera Selatan



Contact

Product

About



athaya.agropratindo@gmail.com



[pt_athayaagropratindo](https://www.instagram.com/pt_athayaagropratindo)



www.agrindoexport.com