

NOVADAN®	SAFETY DATA SHEET	NOVADAN®
	IPA Sprit 70% (wipes)	

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 07.02.2012

Revision date 22.09.2020

1.1. Product identifier

Product name IPA Sprit 70% (wipes)

Article no. 12344, 26193

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group Disinfectant.

Main intended use PP-BIO-1 Biocidal products for human hygiene

Relevant identified uses
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU4 Manufacture of food products
SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen)
PC8 Biocidal Products (e.g. Disinfectants, pest control)
PROC10 Roller application or brushing
ERC8B Wide dispersive indoor use of reactive substances in open systems

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Producer

Company name Novadan ApS

Postal address Platinvej 21

Postcode DK-6000

City Kolding

Country Danmark

Telephone number + 45 76 34 84 00

Fax + 45 75 50 43 70

Email sds@novadan.dk

Website www.novadan.dk

1.4. Emergency telephone number

Emergency telephone Description: UK: NHS: 111
 EI: National Poisons Information Centre, 24/7: 01 809 2166

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP / GHS] Flam. Liq. 2; H225; Calculation method

Substance / mixture hazardous properties For further information, please refer to section 11.

2.2. Label elements

Hazard pictograms (CLP)



Composition on the label Alcohols (Ethanol, Propan-2-ol) ml/100 ml: 70 ml

Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

Precautionary statements P210 Keep away from heat / sparks / open flames / hot surfaces. – No smoking.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Supplemental label information For professional users only.
 Read attached instructions before use.

2.3. Other hazards

Hazard description, general The product is highly flammable and may be ignited even after short contact with an ignition source.

Health effect Splashes in the eyes may cause redness and irritation.
 In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Environmental effects This product does not contain any PBT or vPvB substances.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Wipes containing:				
Ethanol	CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5 REACH Reg. No.:	Flam. Liq. 2; H225	60 – 80 %	

	01-2119457610-43-xxxx		
Propan-2-ol	CAS No.: 67-63-0	Flam. Liq. 2; H225	< 10 %
	EC No.: 200-661-7	Eye Irrit. 2; H319	
	Index No.: 603-117-00-0	STOT SE 3; H336	
	REACH Reg. No.: 01-2119457558-25-XXXX		
Substance comments	Ethanol og propan-2-ol er optaget på Arbejdstilsynets liste over organiske opløsningsmidler. Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents: >60% Disinfectant The full text for all hazard statements is displayed in section 16.		

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Remove affected person from source of contamination.
Inhalation	Fresh air. Get medical attention if any discomfort continues.
Skin contact	Rinse with water. Contact physician if discomfort continues.
Eye contact	Immediately rinse with water for several minutes. Make sure to remove any contact lenses from the eyes before rinsing. Contact physician if irritation persists.
Ingestion	Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Get medical attention if any discomfort continues.
Recommended personal protective equipment for first aid responders	Wear necessary protective equipment. For personal protection, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects	Eye contact may cause: May irritate and cause redness and pain.
Delayed symptoms and effects	Inhalation of high vapour concentrations may cause symptoms such as mild irritation, headache, dizziness, fatigue, nausea and in serious cases unconsciousness.

4.3. Indication of any immediate medical attention and special treatment needed

Other information	If unconscious: Call an ambulance/physician immediately. Show this Safety Data Sheet.
-------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Improper extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures. Closed containers can burst violently when heated, due to excess pressure build-up. During fire, gases hazardous to health may be formed.
----------------------------	--

5.3. Advice for firefighters

Personal protective equipment	Wear necessary protective equipment. For personal protection, see section 8.
Fire fighting procedures	Reference is made to the company fire procedure. If risk of water pollution occurs, notify appropriate authorities. Water spray may be used to flush spills away from exposures and dilute spills to non-flammable mixtures. Containers close to fire should be removed immediately or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures	Wear necessary protective equipment. For personal protection, see section 8. Do not smoke or use open fire, or other sources of ignition.
------------------------------	---

6.2. Environmental precautions

Environmental precautionary measures	Avoid discharge into water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.
--------------------------------------	--

6.3. Methods and material for containment and cleaning up

Cleaning method	Smaller quantities of residue may be collected by an absorbent. Dam and absorb spillages with sand, earth or other non-combustible material. Wash contaminated area with water.
-----------------	---

6.4. Reference to other sections

Other instructions	See section 8 and section 13.
--------------------	-------------------------------

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	Avoid inhalation of vapours. Keep away from heat, sparks and open flame.
----------	--

7.2. Conditions for safe storage, including any incompatibilities

Storage	Store in tightly closed original container in a well-ventilated place. Do not store near heat sources or exposed to high temperatures.
---------	--

Conditions for safe storage

Storage temperature	Value: -15 – 20 °C.
Storage stability	Durability: 36 months.

7.3. Specific end use(s)

Specific use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance	Identification	Exposure limits	TWA Year
Ethanol	CAS No.: 64-17-5	Limit value (8 h) : 1000 ppm Limit value (8 h) : 1900 mg/ m ³ Limit value (8 h) : 1000 ppm Limit value (8 h) : 1920 mg/ m ³	TWA Year: 2011
Propan-2-ol	CAS No.: 67-63-0	Limit value (8 h) : 200 ppm Limit value (8 h) : 490 mg/ m ³	TWA Year: 2011

DNEL / PNEC

Substance

Ethanol

DNEL

Group: Consumer**Route of exposure:** Long-term oral (systemic)**Value:** 87 mg/kg bw/day**Reference:** ECHA**Group:** Professional**Route of exposure:** Acute inhalation (local)**Value:** 1900 mg/m³**Reference:** ECHA**Group:** Professional**Route of exposure:** Long-term dermal (systemic)**Value:** 343 mg/kg bw/day**Reference:** ECHA**Group:** Professional**Route of exposure:** Long-term inhalation (systemic)**Value:** 950 mg/m³**Reference:** ECHA**Group:** Consumer**Route of exposure:** Long-term inhalation (systemic)**Value:** 114 mg/m³**Reference:** ECHA**Group:** Consumer**Route of exposure:** Acute inhalation (local)**Value:** 950 mg/m³**Reference:** ECHA**Group:** Consumer**Route of exposure:** Long-term dermal (systemic)**Value:** 206 mg/kg bw/day**Reference:** ECHA

PNEC

Route of exposure: Sediment

	<p>Value: 2,9 mg/L</p> <p>Route of exposure: Water Value: 0,96 mg/L</p> <p>Route of exposure: Water Value: 0,79 mg/L</p> <p>Route of exposure: Water Value: 2,75 mg/L</p> <p>Route of exposure: Sewage treatment plant STP Value: 580 mg/L</p> <p>Route of exposure: Sediment Value: 3,6 mg/kg sediment dw</p> <p>Route of exposure: Soil Value: 0,63 mg/kg soil dw Reference: ECHA</p>
Substance	Propan-2-ol
DNEL	<p>Group: Consumer Route of exposure: Long-term inhalation (systemic) Value: 89 mg/m³ Reference: ECHA</p> <p>Group: Professional Route of exposure: Long-term dermal (systemic) Value: 888 mg/kg bw/day Reference: ECHA</p> <p>Group: Professional Route of exposure: Long-term inhalation (systemic) Value: 500 mg/m³ Reference: ECHA</p> <p>Group: Consumer Route of exposure: Long-term dermal (systemic) Value: 319 mg/kg bw/day Reference: ECHA</p> <p>Group: Consumer Route of exposure: Long-term oral (systemic) Value: 26 mg/kg bw/day Reference: ECHA</p>
PNEC	<p>Route of exposure: Sewage treatment plant STP Value: 2251 mg/l</p> <p>Route of exposure: Soil Value: 25 mg/kg</p> <p>Route of exposure: Freshwater Value: 140,9 mg/l</p> <p>Route of exposure: Saltwater sediments Value: 552 mh/kg</p>

Route of exposure: Freshwater sediments

Value: 552 mg/kg

Route of exposure: Saltwater

Value: 140,9 mg/l

Value: 140,9

Reference: Intermittent releases

8.2. Exposure controls

Safety signs



Precautionary measures to prevent exposure

Technical measures to prevent exposure

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye / face protection

Suitable eye protection

Eye protection is not required under normal conditions.

Hand protection

Skin- / hand protection, long term contact

Under normal conditions of use gloves are not normally required.

Skin protection

Additional skin protection measures

No special precautions.

Respiratory protection

Respiratory protection necessary at

Under normal conditions of use respiration protection should not be required.

Thermal hazards

Thermal hazards

See section 5.

Appropriate environmental exposure control

Environmental exposure controls

See section 6.

Other information

Other information

DO NOT SMOKE IN WORK AREA!

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	wet wipes
Colour	Colourless.
Odour	Odour of alcohol.
Odour limit	Comments: No data recorded.
pH	Status: In aqueous solution Comments: No data recorded.
Melting point / melting range	Comments: Not relevant.
Boiling point / boiling range	Comments: Not relevant.
Flash point	Value: < 22 °C Comments: Fire hazard classification: H-2.
Evaporation rate	Comments: Not relevant.
Flammability (solid, gas)	Not relevant.
Explosion limit	Comments: Not relevant.
Vapour pressure	Comments: Not relevant.
Vapour density	Comments: Not relevant.
Relative density	Value: ~ 0,80 kg/l
Solubility	Comments: Completely soluble in water.
Partition coefficient: n-octanol/ water	Comments: Not relevant.
Spontaneous combustability	Comments: Not relevant.
Decomposition temperature	Comments: Not relevant.
Viscosity	Value: < 50 mPa s
Explosive properties	Not explosive.
Oxidising properties	Does not meet the criteria for oxidising.

9.2. Other information

Other physical and chemical properties

Comments	No data recorded.
----------	-------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No specific reactivity hazards associated with this product.
------------	--

10.2. Chemical stability

Stability	Stable under normal temperature conditions and recommended use.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See section 10.4 and section 10.5.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Stærke oxidations- og reduktionsmidler.

10.6. Hazardous decomposition products

Hazardous decomposition products During fire, toxic gases (CO, CO₂) are formed.

Other information

Other information No data recorded.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance Ethanol

Acute toxicity **Type of toxicity:** Acute
Effect tested: LD50
Route of exposure: Oral
Value: 10470 mg/kg
Animal test species: Rat
Test reference: OECD Guideline 401

Type of toxicity: Acute
Effect tested: LC50
Route of exposure: Inhalation.
Duration: 4 hour(s)
Value: 117 -125 mg/L
Animal test species: Rat
Test reference: OECD Guideline 401

Substance Propan-2-ol

Acute toxicity **Type of toxicity:** Acute
Effect tested: LD50
Route of exposure: Oral
Value: 5840 mg/kg
Animal test species: Rat
Test reference: OECD Guideline 401
Comments: ECHA

Type of toxicity: Acute
Effect tested: LC50
Route of exposure: Inhalation.
Duration: 6 hour(s)
Value: > 10000 ppm
Animal test species: Rat

Test reference: OECD Guideline 403

Comments: ECHA

Type of toxicity: Acute

Effect tested: LD50

Route of exposure: Dermal

Duration: 24 hour(s)

Value: 16,4 ml/kg

Animal test species: Rabbit

Test reference: OECD Guideline 402

Comments: ECHA

Other toxicological data

Toxicological tests on the product has not been performed.

Other information regarding health hazards

Assessment of acute toxicity, classification

No evidence for acute toxicity.

Substance

Propan-2-ol

Eye damage or irritation, test results

Toxicity type: Eye irritation

Method: OECD 405

Species: Rabbit

Evaluation result: Result: Irritation to eye.

Inhalation

In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

Skin contact

May cause defatting of the skin, but is not an irritant.

Eye contact

Splashes will irritate and cause redness and pain.

Ingestion

Ingestion may cause irritation of the gastrointestinal tract, vomiting and diarrhoea.

Sensitisation

No evidence for respiratory nor skin sensitization.

Assessment of germ cell mutagenicity, classification

No evidence for germ cell mutagenicity.

Assessment of carcinogenicity, classification

No evidence for carcinogenicity.

Assessment of reproductive toxicity, classification

No evidence for reproductive toxicity.

Assessment of specific target organ toxicity - single exposure, classification

No evidence for STOT-single exposure.

Assessment of specific target organ toxicity - repeated exposure, classification

No evidence for STOT-repeated exposure.

Assessment of aspiration hazard, classification

No evidence for aspiration hazard.

Symptoms of exposure

In case of ingestion

Drowsiness, dizziness, disorientation, vertigo.

Endocrine disruption

No evidence for endocrine disrupting properties.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Propan-2-ol
Aquatic toxicity, fish	Value: 8970 – 9280 mg/l Test duration: 48 hour(s) Species: Leuciscus idus melanotus Method: LC50
Substance	Propan-2-ol
Aquatic toxicity, algae	Value: 1800 mg/l Test duration: 8 day(s) Species: Scenedesmus quadricauda Method: TGK
Substance	Propan-2-ol
Aquatic toxicity, crustacean	Value: 9715 mg/l Test duration: 24 hour(s) Species: Daphnia magna Method: LC50
Ecotoxicity	The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

Persistence and degradability description/evaluation	The product is easily biodegradable.
Substance	Propan-2-ol
Biodegradability	Value: 95 % Method: OECD 301E Test period: 21 day(s)

12.3. Bioaccumulative potential

Bioaccumulation, evaluation	The product is not bioaccumulating.
-----------------------------	-------------------------------------

12.4. Mobility in soil

Mobility	The product is miscible with water. May spread in water systems.
----------	--

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	Not Classified as PBT/vPvB by current EU criteria.
------------------------------------	--

12.6. Other adverse effects

Potential endocrine disruptor	Comments: No evidence for endocrine disrupting properties.
Additional ecological information	No information.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Do not empty into drains; dispose of this material and its container at hazardous or special waste collection point. Dispose of waste and residues in accordance with local authority requirements. -
Appropriate methods of disposal for the contaminated packaging	Dispose unused product and the packaging in accordance with local requirements.
EWC waste code	EWC waste code: 0706 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics Classified as hazardous waste: Yes
EWL packing	EWC waste code: 0706 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics Classified as hazardous waste: Yes
Other information	When handling waste, consideration should be made to the safety precautions applying to handling of the product. Waste code applies to product remnants in pure form.

SECTION 14: Transport information

Dangerous goods	Yes
-----------------	-----

14.1. UN number

ADR/RID/ADN	3175
IMDG	3175
ICAO/IATA	3175

14.2. UN proper shipping name

Proper shipping name English ADR/RID/ADN	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name/Danger releasing substance English ADR/RID/ADN	Ethanol, Isopropanol
ADR/RID/ADN	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name/danger releasing substance ADR/RID/ADN	Ethanol, Isopropanol
IMDG	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name/danger releasing substance IMDG	Ethanol, Isopropanol
ICAO/IATA	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name/danger releasing substance ICAO/IATA	Ethanol, Isopropanol

14.3. Transport hazard class(es)

ADR/RID/ADN	4.1
Classification code ADR/RID/ADN	F1
IMDG	4.1

ICAO/IATA	4.1
-----------	-----

14.4. Packing group

ADR/RID/ADN	II
-------------	----

IMDG	II
------	----

ICAO/IATA	II
-----------	----

14.5. Environmental hazards

IMDG Marine pollutant	No
-----------------------	----

14.6. Special precautions for user

Special safety precautions for user Not relevant.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Product name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
--------------	--

Additional information

Hazard label ADR/RID/ADN	4.1
--------------------------	-----

Hazard label IMDG	4.1
-------------------	-----

Hazard label ICAO/IATA	4.1
------------------------	-----

ADR/RID Other information

Tunnel restriction code	E
-------------------------	---

Transport category	2
--------------------	---

Hazard No.	40
------------	----

Other applicable information ADR/ RID	40
--	----

IMDG Other information

EmS	F-A, S-I
-----	----------

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Other label information	For professional users only. As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
-------------------------	---

Biocides	Yes
----------	-----

Legislation and regulations	The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.
-----------------------------	---

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). EH40/2005, Workplace exposure limits 2005, with amendments.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents. REGULATION (EU) No 528/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 May 2012 concerning the making available on the market and use of biocidal products.

15.2. Chemical safety assessment

Chemical safety assessment performed

No

SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Training advice

No particular training or education is required but the user must be familiar with this SDS. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

Information added, deleted or revised

Change to Sections: 1, 2, 16

Version

1

Prepared by

MP