



PS RIG



CABLE MANAGEMENT

SLIDERS, CABLE REELS
& FOLDING LADDERS



Chainsliders - Cable Management




Chainsliders

- Designed to work with industry standard hoists
- Can be fitted on a load-bearing chain
- Black color
- Made out of low friction Polyoxymethylene (POM)
- Stainless steel M6 Hex bolts and Nylocks included

2

Standard 0.5T SHACKLE
NOT INCLUDED



Chainslider S

4 < 5,5mm chain

Article Code
600-242101

Chainslider M

5,5 < 7,5mm chain

Article Code
600-242102

Chainslider L

7,5 < 9,5mm chain

Article Code
600-242103





Toursliders - Cable Management



Features

- Designed to work with industry standard hoists
- Tool-less assembly
- Black color
- Made out of low friction Polyoxymethylene (POM)
- Installation without removing chain hook



Standard 0.5T SHACKLE
NOT INCLUDED

Tourslider Medium
6,1mm < 7,2mm


Article Code
600-244201

Tourslider Large
7,9mm < 9,0mm

Article Code
600-244202



Cable Guide CAB-10 - Cable Management



Key Features

- 2 & 3 Element lengths
- Multiple Truss, Flybar & Grid Catching Units
- Large internal cross section
- Black Powder coated steel structure
- Also available in CAB-30


Cable Guide CAB-10

Article Code	Product
803-271104	7m (3+3+1m)
803-271105	10m (3+3+3+1m)
803-271106	13m (3+3+3+3+1m)
803-271107	14m (3+3+3+3+2m)
803-271101	5m (2+2+1m)
803-271102	7m (2+2+2+1m)
803-271103	9m (2+2+2+2+1m)




Cable Guide CAB-10 - Cable Management


CAB-10 Two meter elements




Truss attachment




CAB-10 Three meter elements




Fly bar attachment




Hinge element



Cable Tray



Internal cross section





Cable Guide CAB-30 - Cable Management



Key Features




- 2 & 3 Element lengths
- Multiple Truss, Flybar & Grid Catching Units
- Large internal cross section
- Black Powder coated steel structure
- Also available in CAB-10

Cable Guide CAB-30	
Article Code	Product
803-271306	5m (3+2m)
803-271307	8m (3+3+2m)
803-271308	11m (3+3+3+2m)
803-271309	14m (3+3+3+3+2m)
803-271310	17m (3+3+3+3+3+2m)
803-271311	20m (3+3+3+3+3+3+2m)
803-271301	5m (2+2+1m)
803-271302	7m (2+2+2+1m)
803-271303	9m (2+2+2+2+1m)
803-271304	11m (2+2+2+2+2+1m)
803-271305	13m (2+2+2+2+2+2+1m)


Cable Guide CAB-30 - Cable Management

CAB-30 BY 3M ELEMENTS

CAB-30 BY 2M ELEMENTS



DIMENSIONS



CROSSECTION



Cable Reels - Cable Management



SKU: 712-272120

Cable Reel 793 for vertical movement. 2P+PE
230V / 10A IP55. (3G1,5/2,5mm²)

- Integrated bracket
- Up to 18m of 3G1,5mm² (712-272810)
- Up to 20m og 3G2,5mm² (712-212815)



SKU: 712-272121

Cable Reel 793 for vertical movement. 4P+PE
230V / 10A IP55 (5G2,5mm²)

- Integrated bracket
- Up to 20m of 5G2,5mm² (712-272820)



SKU: 712-272122

Cable Reel 793 for vertical movement. 9P DMX /
CAT6. Max 50V AC/DC / 2A

- Integrated bracket
- Up to 20m of 5G2,5mm² (712-272820)



Cable Reels - Cable Management



SKU: 712-272110

Cable Reel C20 Data for vertical movement. 9pol, Max 50V/2A.

- Integrated bracket
- Up to 12m of CAT7 cable (712-272801)



SKU: 712-272100

Cable Reel C20 Data for vertical movement. 9pol, Max 50V/2A.

- Integrated bracket
- Complete with 12m of 3G1,5 cable (712-272810)



Cable Reels - Cable Management



SKU: 712-272130

Cable Reel LT180/131. 4P+PE 500V/26A IP55
(5×1,5/2,5mm²)

- Complete with bracket
- Up to 12m of 5×1,5mm² cable (712-272830)
- Up to 11m of 5×2,5mm² cable (712-272835)



SKU: 712-272140

Cable Reel LT220/251H. 4P+PE 500V/26A IP55
(5×1,5/2,5mm²)

- Complete with bracket
- Up to 25m of 5×1,5mm² cable (712-272830)
- Up to 23m of 5×2,5mm² cable (712-272835)



SKU: 712-272141

Cable Reel LT220/251H. 12P+PE 500V/26A IP55
(18×2,5mm²)

- Complete with bracket
- Up to 12m of 18×2,5mm² cable (712-272851)



Cable Reels - Cable Management



SKU: 712-272142

Cable Reel LT220/151. 12P+PE 500V/26A IP55
(18×1,5mm²)

- Complete with bracket
- Up to 25m of 18×1,5mm² cable (712-272850)



SKU: 712-272150

Cable Reel LT300/252H. 4P+PE 500V/40A IP55
(5×4mm²)

- Complete with bracket
- Up to 22m of 5×4mm² cable (712-272840)



SKU: 712-272151

Cable Reel LT300/252. 12P+PE 500V/26A IP55
(18×1,5/2,5mm²)

- Complete with bracket
- Up to 20m of 18×1,5mm² cable 712-272850
- Up to 15m of 18×2,5mm² cable 712-272851

SALES OFFICE & WORKSHOP
MALMGATAN 18
SE-602 23 NORRKÖPING
+46 10 211 50 50

SALES OFFICE
SKVADRONSGATAN 6A
SE-217 52 MALMÖ
+46 72 164 00 22

PROFESSIONAL
STAGE ENGINEERING



www.psrig.com



info@psrig.com



[/psrigswe](https://www.facebook.com/psrigswe)



[/company/psrig](https://www.linkedin.com/company/psrig)



PSRIG