

Glasbord® wall panels with Surfaseal® finish





S.E. Hovedgaard A/S - Frydsvej 8 - DK 8732 Hovedgaard - Tlf +45 75 66 12 11 Email info@sehvg.dk -WEB www.sehvg.dk



Glasbord® wall panels with Surfaseal® finish









It's a dirty world out there.

It's a dirty world out there. Protect your facility with Crane Composites resilient wall coverings. Our Glasbord

with Surfaseal® creates surfaces that deliver unsurpassed hygiene and durability for commercial environments such as restaurants and food processing plants.

Made of fiberglass reinforced plastic (FRP), Glasbord with Surfaseal is extremely moisture-resistant and non-porous. The Surfaseal film finish, found only on Glasbord, provides a barrier that's highly resistant to impact and scratching. Because of it's unique process, the Surfaseal finish will not trap soil or bacteria on the panel. The surface is up to 10 times easier to clean and up to six times more stain resistant than other sanitary wall systems. The sturdy panels, which come in both pebbled and smooth textures, hold up under frequent maintenance cycles, and proven performance at an affordable price point with a 10-year limited warranty.

Discover the difference

Fire-X Glasbord (FXE and FSFM) is the only fiberglass reinforced interior wall and ceiling panel that is approved under FM Approvals Standard FM 4880 (Plastic Interior Finish Materials). Product installations should be in accordance with FM Approvals Standard FM 4880.

Glasbord panels are the first FRP panels that are HACCP certified. Hazard Analysis Critical Control Point (HACCP) certifies that Glasbord panels are suitable for use in food and beverage facilities that operate in accordance with a HACCP based Food Safety Program and GREENGUARD certificeret







AVAILABLE SIZES: 1200x3000mm THICKNESSES: 2,3mm FIRE RATINGS: Class A or Class B per ASTM E-84 CAN/ULC-S102 | FM

APPLICATIONS

- Commercial Kitchens
- Cleanrooms
- Restrooms
- Convenience Stores
- Locker Rooms
- Cultivation Facilities
- Cold Storage

FEATURES

- Mold + Mildew Free
- Meets USDA/FSIS Requirements
- Easy to Install
- Cleanable
- Durable

ACCESSORIES:

Standard Polypropylene Moldings Polyurethane Seam Sealant Color Rite™ Color-Matched Silicone Caulk Stainless Trims for corners and frames Sani-Base™ Seamless Wall to Floor Transitions





POLYPROPYLENE/PVC MOLDINGS

Standard moldings are contractor grade moldings that are perfect for use with FRP panels. Crane Composites division bars feature expansion control guides to assist with proper FRP installation.



Stainless Trims

Stainless steel trim pieces are the answer to having a sanitary, durable and clean transition while providing increased impact resistance and longevity to develop a more aesthetically pleasing finish.



S.E. Hovedgaard A/S - Frydsvej 8 - DK 8732 Hovedgaard - Tlf +45 75 66 12 11 Email info@sehvg.dk -WEB www.sehvg.dk