


MIYOTA




HIGH HAND SERIES


BASIC




SLIM / SMALL




6P SERIES




JS SERIES




JS05/JS06




JS15/JS16



JS25/JS26




JS05/JS15/JS25




JS06/JS16/JS26

OS SERIES



OS10/OS1A/OS1F




OS10


OS1A

OS1F

New




OS00/OS06




OS00

OS06



OS20/OS2B/OS2A/OS2F



OS20

OS2B

OS2A


OS2F

New




OS1F


FS SERIES



FS00/FS03




FS01/FS04




FS00/FS01

FS03/FS04




FS10/FS13




FS10

FS13



FS20/FS23



FS20

FS23



CHRONO

MYM.0S00

Size "" / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.A71	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, 60 Min at 12	



CHRONO

MYM.0S11

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26	
Information	Small Sec at 6, 60 Min at 12	



CHRONO

MYM.0S10

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, 60 Min at 12	



CHRONO

MYM.0S20

Size "" / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 60 Min at 9	



CHRONO

MYM.0S10/4H

Date position	D4
---------------	----



CHRONO

MYM.0S10/6

Date position	D6
---------------	----

CHRONO

MYM.0S1A

Total height mm	6.51
Hand-fitting	High Version of MYM.0S10
Hour wheel	MY075.472



CHRONO

MYM.0S20/12

Date position	D12
---------------	-----



CHRONO

MYM.0S20/6

Date position	D6
---------------	----

CHRONO

MYM.0S2A

Total height mm	7.40
Hand-fitting	High Version of MYM.0S20
Hour wheel	MY075.A38



CHRONO

MYM.0S22

Size ''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Retro 1/20 Sec at 6, 60 Min at 9	



CHRONO

MYM.0S21

Size ''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, 60 Min at 9	



CHRONO

MYM.0S25

Size ''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.93	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, 1/20 Sec at 6, 60 Min at 9	



CHRONO

MYM.0S21/6

Date position	D6
---------------	----



CHRONO

MYM.0S30


Size ''' / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, Min at 12	



CHRONO

MYM.0S60

Size''' / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 Sec at 6, 12 Hrs at 9, 60 Min at 12	



CHRONO

MYM.0S62

Size''' / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro 1/20 at 6, 12 Hrs at 9, 60 Min at 12	



CHRONO

MYM.0S60/4H

Date position	D4
---------------	----



CHRONO

MYM.0S60/4V

Date position	D4
---------------	----



CHRONO

MYM.0S60/6

Date position	D6
---------------	----



CHRONO

MYM.0S80


Size''' / Size mm	13 ½	30.80
Height mm	4.68	
Total height mm	6.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.477	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26/-/-	
Information	1/20 Sec at 6, 12 Hrs at 9, 60 Min at 12, Alarm	



CHRONO

MYM.0S80/4

Date position	D4
---------------	----



MYM.0S90

Size''' / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 24 Hrs at 9, 60 Min at 12	



MYM.1L02

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.94	
Total height mm	4.21	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.1L12

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	3.98	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.1L12/6

Date position	D6
----------------------	----




MYM.1L15

Size''' / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	2.71	
Total height mm	3.73	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	




MYM.1L15/6

Date position	D6
----------------------	----



MYM.1L22

Size''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.15	
Total height mm	3.16	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.477	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	



MYM.1L40

Size''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.93	
Total height mm	4.39	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.467	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6 (5.00 from Centre)	

MYM.1L26

Total height mm	3.61
Hand-fitting	High Version of MYM.1L22
Hour wheel	MY075.467



MYM.1L45

Size''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.93	
Total height mm	4.39	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.467	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6 (6.61 from Centre)	



MYM.1L32

Size''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.53	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.466	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.1L60

Size''' / Size mm	6 3/4 x 8	17.40 x 18.20
Height mm	4.30	
Total height mm	5.66	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	CR1616	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.1M02

Size''' / Size mm	10 ½	23.70 x 22.60
Height mm	2.94	
Total height mm	4.23	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.1N12

Size''' / Size mm	8 ¾	17.00 x 18.50
Height mm	2.58	
Total height mm	3.90	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.1M12

Size''' / Size mm	10 ½	23.70 x 22.60
Height mm	2.71	
Total height mm	3.99	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	




MYM.1N12/6

Date position	D6
---------------	----




MYM.1M12/6

Date position	D6
---------------	----



MYM.1S02

Size''' / Size mm	11 ½	23.50 x 21.90
Height mm	3.07	
Total height mm	4.37	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.509	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.1S13

Size ''' / Size mm	11 ½	23.50 x 21.90
Height mm	2.71	
Total height mm	4.00	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.515	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.1S13/6

Date position	D6
---------------	----



MYM.2015

Size ''' / Size mm	6 ¾ x 8	16.30 x 18.30
Height mm	4.15	
Total height mm	5.73	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




MYM.2015/6

Date position	D6
---------------	----



MYM.2005

Size ''' / Size mm	6 ¾ x 8	16.30 x 18.30
Height mm	4.15	
Total height mm	5.71	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.195	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.2025

Size ''' / Size mm	6 ¾ x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.19	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70	
Information	-	

MYM.2026

Total height mm	5.66
Hand-fitting	High Version of MYM.2025
Hour wheel	MY075.304

MYM.2033

Total height mm	5.39
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.423

MYM.2036


Total height mm	4.98
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.304

MYM.2039

Total height mm	5.23
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.331


MYM.203A

Total height mm	6.26
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.491




MYM.2034

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.71	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70	
Information	High-Torque for Second Disc	




MYM.2035

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.57	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.2035/SUPER

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.45	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.993	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	4 Years Battery Life, Fine Gold Colour, High Accuracy of ±15 Sec/Month, Covered Coil	




MYM.2105

Size''' / Size mm	10 ½	22.00 x 22.60
Height mm	4.15	
Total height mm	5.71	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.192	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




MYM.2305

Size''' / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.75	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.192	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.2115

Size''' / Size mm	10 ½	22.00 x 22.60
Height mm	4.15	
Total height mm	5.77	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.2315

Size''' / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.80	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.2115/6

Date position	D6
---------------	----




MYM.2315/6

Date position	D6
---------------	----




MYM.2117

Total height mm	6.10
Hand-fitting	High Version of MYM.2115
Hour wheel	MY075.A01




MYM.2353

Size "" / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.77	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.2405

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.05	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.2415

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.2415/6

Date position	D6
---------------	----



MYM.2453

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.12	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




MYM.2S60

Size "" / Size mm	10 ½	21.50 x 20.00
Height mm	3.99	
Total height mm	5.36	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.501	
Battery	CR2012	
Hands fitting Ø mm	120/70/17	
Information	-	




MYM.2S65

Size "" / Size mm	10 ½	21.50 x 20.00
Height mm	4.22	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.501	
Battery	CR2012	
Hands fitting Ø mm	120/70/17	
Information	-	




MYM.4S20

Size "" / Size mm	4	9.40 x 9.90
Height mm	2.95	
Total height mm	3.71	
Hand-fitting	-	
Jewels	2	
Date position	-	
Hour wheel	MY075.297	
Stem	MY065.398	
Battery	335 / SR512SW	
Hands fitting Ø mm	80/40	
Information	-	



MYM.5Y20

Size "" / Size mm	5 ½	13.00 x 15.15
Height mm	2.54	
Total height mm	3.68	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A34	
Stem	MY065.403	
Battery	379 / SR521SW	
Hands fitting Ø mm	100/65	
Information	-	




MYM.5R21

Size "" / Size mm	3 ¾	9.00 x 13.20
Height mm	1.90	
Total height mm	3.06	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.345	
Stem	MY065.413	
Battery	337 / SR416SW	
Hands fitting Ø mm	80/40	
Information	-	


MYM.5Y26E

Total height mm	4.23
Hand-fitting	High Version of MYM.5Y20
Hour wheel	MY075.323



MYM.5Y30

Size''' / Size mm	5 ½	13.00 x 15.15
Height mm	2.54	
Total height mm	3.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A34	
Stem	MY065.403	
Battery	379 / SR521SW	
Hands fitting Ø mm	100/65/17	
Information	-	



MYM.6P05

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Month at 3, Day at 9, Date at 12	


MYM.5Y36

Total height mm	4.54	
Hand-fitting	High Version of MYM.5Y30	
Hour wheel	MY075.323	



MYM.6P09

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17/17	
Information	Month at 3, 24 Hrs at 6, Day at 9, Date at 12	




MYM.6P00

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.17	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Month at 3, Moon Phase at 6, Day at 9, Date at 12	



MYM.6P20

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands holes Ø mm	120/70/17/17/17	
Information	Date at 3, Moon Phase at 6, Day at 9	



MYM.6P23

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	24 Hrs at 6, Date at 12	



MYM.6P25

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	Date at 3, Day at 9	

MYM.6P73

Total height mm	5.58
Hand-fitting	High Version of MYM.6P23
Hour wheel	MY075.306




MYM.6P26

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17	
Information	Date at 3	



MYM.6P24

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.29	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Moon Phase at 6	




MYM.6P27

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	24 Hrs at 6, Day at 9, Date at 12	


MYM.6P77

Total height mm	5.58
Hand-fitting	High Version of MYM.6P27
Hour wheel	MY075.306



MYM.6P89

Size''' / Size mm	10 ½	22.60
Height mm	3.85	
Total height mm	5.58	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.306	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	24 Hrs at 6, Day at 9, Date at 12	



MYM.6P29

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Date at 3, 24 Hrs at 6, Day at 9	



MYM.6S10

Size''' / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.41	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 1/20 at 12	

MYM.6P79

Total height mm	5.58
Hand-fitting	High Version of MYM.6P29
Hour wheel	MY075.306



CHRONO
MYM.6S11

Size''' / Size mm	15	34.60
Height mm	4.90	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 6, Min at 12	



CHRONO

MYM.6S20

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.40	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 3, Small Sec at 6, 60 Min at 9	



CHRONO

MYM.6S50

Size "" / Size mm	15	34.60
Height mm	5.95	
Total height mm	8.43	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.A87	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 3, Small Sec at 6, 60 Min at 9	



CHRONO

MYM.6S21

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 3, Min at 9	



MYM.6T51

Size "" / Size mm	8 3/4	19.80
Height mm	5.98	
Total height mm	7.56	
Hand-fitting	-	
Jewels	21	
Date position	D3D3 (day/date)	
Hour wheel	MY075.760	
Stem	MY065.117	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Automatic	



CHRONO

MYM.6S30

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.40	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 2, Small Sec at 6, 60 Min at 10	



MYM.7T35

Size "" / Size mm	6 3/4 x 8	15.30 x 17.80
Height mm	3.15	
Total height mm	4.71	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	MY065.434	
Battery	377	
Hands fitting Ø mm	120/70/16	
Information	-	



MYM.8205

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.35	
Hand-fitting	-	
Jewels	21	
Date position	D3D3 (day/date)	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	



MYM.8218

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.46	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Small Sec at 4H30, Automatic	



MYM.8215

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.41	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	



MYM.8219

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.47	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	Small Sec at 4H30, 24 Hrs at 9, Automatic	



MYM.8217

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.87	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	24 Hrs at 9, Automatic	



MYM.821A

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.37	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	



MYM.8245

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.47	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Small Sec at 4H30, Automatic	



MYM.8N24.C

Size "" / Size mm	11 ½	26.00
Height mm	5.55	
Total height mm	6.81	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Skeleton, Automatic, White	




MYM.8247

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.44	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	Small Sec at 4H30, 24 Hrs at 9, Automatic	




MYM.8N24.G

Size "" / Size mm	11 ½	26.00
Height mm	5.55	
Total height mm	6.81	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Skeleton, Automatic, Yellow	



MYM.8255

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.49	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Small Sec at 4H30, Skeleton, Automatic	




MYM.8N33

Size "" / Size mm	11 ½	26.00
Height mm	4.47	
Total height mm	5.57	
Hand-fitting	-	
Jewels	17	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Skeleton, Manual	




MYM.9015

Size ''' / Size mm	11 ½	26.00
Height mm	3.90	
Total height mm	5.98	
Hand-fitting	-	
Jewels	24	
Date position	D3	
Hour wheel	MY075.A51	
Stem	MY065.A05	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic & Manual	



MYM.9130

Size ''' / Size mm	13 ½	30.20
Height mm	5.52	
Total height mm	Information not available	
Hand-fitting	1	
Jewels	26	
Date position	D6	
Hour wheel	MY075.A63	
Stem	MY065.A05	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Power Reserve at 12, Automatic & Manual Winding	




MYM.9T13

Size ''' / Size mm	6 x 8	16.10 x 17.80
Height mm	2.33	
Total height mm	3.71	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.9T13/6

Date position	D6
---------------	----



MYM.9T15

Size ''' / Size mm	6 x 8	16.10 x 17.80
Height mm	2.33	
Total height mm	3.40	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	




MYM.9T15/6

Date position	D6
---------------	----




MYM.9T22

Size ''' / Size mm	6 x 8	15.30 x 17.60
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	



MYM.9T33

Size ''' / Size mm	6 x 8	15.30 x 17.60
Height mm	1.90	
Total height mm	3.32	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.9U13

Size ''' / Size mm	10 ½	21.50 x 23.70
Height mm	2.33	
Total height mm	3.70	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.9U13/6

Date position	D6
---------------	----




MYM.9U15

Size ''' / Size mm	10 ½	21.50 x 23.70
Height mm	2.33	
Total height mm	3.41	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70	
Information	-	



MYM.9U15/6

Date position	D6
---------------	----



CHRONO
MYM.FS00

Size ''' / Size mm	10 ½	23.70 x 22.00
Height mm	4.13	
Total height mm	5.92	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.542	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	



CHRONO
MYM.FS00/6

Date position	D6
---------------	----

CHRONO
MYM.FS03


Total height mm	Information not available
Hand-fitting	High Version of MYM.FS00
Hour wheel	MY075.563
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Slanted

CHRONO



MYM.FS01/6

Date position	D6
---------------	----



CHRONO
MYM.FS10

Size ''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.88	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 24 Hrs at 12, Pusher Slanted	



CHRONO
MYM.FS01



Size ''' / Size mm	10 ½	23.70 x 22.00
Height mm	4.28	
Total height mm	6.12	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.542	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	

CHRONO



MYM.FS10/6

Date position	D6
---------------	----



CHRONO

MYM.FS13

Total height mm	7.29
Hand-fitting	High Version of MYM.FS10
Hour wheel	MY075.A47



CHRONO

MYM.FS11

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.06	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 24 Hrs at 12, Pusher Parallel	



CHRONO

MYM.FS20

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.89	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Pusher Slanted	



CHRONO

MYM.FS16


Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	7.28	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Slanted	



CHRONO

MYM.FS20/6

Date position	D6
CHRONO	
MYM.FS23	
Total height mm	7.30
Hand-fitting	High Version of MYM.FS20
Hour wheel	MY075.A47



CHRONO

MYM.FS17

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.48	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Parallel	



CHRONO

MYM.FS21

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.09	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Pusher Parallel	



CHRONO

MYM.FS26


Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	7.30	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Slanted	



CHRONO

MYM.FS61

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.09	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day Hand at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	



CHRONO

MYM.FS27

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Parallel	



MYM.GL00

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.94	
Total height mm	4.37	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.543	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



CHRONO

MYM.FS60

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.89	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day Hand at 2, Small Sec at 6, 60 Min at 10, Pusher Slanted	




MYM.GL10

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	4.16	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.GL10/6

Date position	D6
---------------	----




MYM.GL20

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.40	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.535	
Stem	MY065.541	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



MYM.GL15

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	3.88	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



MYM.GL30

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.68	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.535	
Stem	MY065.541	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.GL15/6

Date position	D6
---------------	----



MYM.GM00

Size "" / Size mm	10 1/2	22.60
Height mm	2.94	
Total height mm	4.38	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.543	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	

**MYM.GM00/6**

Date position	D6
---------------	----

**MYM.GM15**

Size ''' / Size mm	10 ½	22.60
Height mm	2.71	
Total height mm	3.87	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.GM10**

Size ''' / Size mm	10 ½	22.60
Height mm	2.71	
Total height mm	3.86	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	

**MYM.GM15/6**

Date position	D6
---------------	----

**MYM.GM10/6**

Date position	D6
---------------	----

**MYM.GN10**

Size ''' / Size mm	8 ¾	20.00 x 18.00
Height mm	2.71	
Total height mm	4.17	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.GN10/6

Date position	D6
---------------	----



MYM.GP00

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26	
Information	Retro Dual Time at 6	



MYM.GN15

Size "" / Size mm	8 3/4	20.00 x 18.00
Height mm	2.71	
Total height mm	3.89	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



MYM.GP01

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26	
Information	Retro Dual Time at 6	



MYM.GN15/6

Date position	D6
---------------	----



MYM.GP03

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.62	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/17	
Information	Retro Dual at 6, Small Hand at 9	



MYM.GP10

Size ''' / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.15	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6	



MYM.GP50

Size ''' / Size mm	12	27.00 x 25.00
Height mm	3.80	
Total height mm	5.90	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A02	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/26	
Information	Retro Dual Time at 6, Retro Date at 12	



MYM.GP11

Size ''' / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.15	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6	



MYM.GP52

Size ''' / Size mm	12	27.00 x 25.00
Height mm	3.80	
Total height mm	5.91	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A02	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Dual Time at 6, 24 Hrs at 9, Retro Date at 12	



MYM.GP30

Size ''' / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	-	



MYM.JR00

Size ''' / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 4, 24 Hrs at 9, Date at 12	



MYM.JR10

Size''' / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 6, 24 Hrs at 9, Date at 12	



CHRONO

MYM.JS05

Size''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 30 Min at 10	



MYM.JR20

Size''' / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 6, 24 Hrs at 9, Date at 12	



CHRONO

MYM.JS15

Size''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 30 Min at 9, 24 Hrs at 12	



CHRONO

MYM.JS00

Size''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A18	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 30 Min at 10	

CHRONO

MYM.JS16

Total height mm	6.65
Hand-fitting	High Version of MYM.JS15
Hour wheel	MY07.A72



MYM.JS20

Size''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A18	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 30 Min at 9	



MYM.JS50

Size''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	5.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A24	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs, 30 Min and Small Sec at 6	




MYM.JS25

Size''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 30 Min at 9	



MYM.JS55

Size''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A24	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec, 30 Min and 24 Hrs at 9	



MYM.JS26

Total height mm	6.66	
Hand-fitting	High Version of MYM.JS25	
Hour wheel	MY07.A72	



MYM.T270

Size''' / Size mm	13 ½	-
Height mm	-	
Total height mm	5.35	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	Information not available	
Battery	395 / SR297W	
Hands fitting Ø mm	120/70/17	
Information	Digital + Analogique	

A series of horizontal dotted lines for writing notes.