







COMPANY BACKGROUND

In 2014, NuForce's cofounder, Jason Lim, with backing from the OEM factory, bought the assets of NuForce's high-end division and formed NuPrime Audio, Inc. Under the leadership of Jason Lim, NuPrime has assembled a design team comprising of highly talented engineers. In 2015, for the first time in high-end audio history, NuPrime had received four Product Of The Year awards from two prestigious magazines, The Absolute Sound and SoundStage! Network. In the years that follow, NuPrime continues to receive top awards from audio magazines around the world.



beyond ordinary

REACHING NEW HEIGHTS

NuPrime team continues to advance audio product development, whether high-end audio decoders, streaming media all-in-ones, preamps, power amplifiers, clean power supplies, and new categories of future products. NuPrime's vertically integrated manufacturing takes products from conception to mass production. Our products encompass design philosophies only seen at the much higher price point, which aligns with our pursuit of creating high-end audio components at affordable prices.

NuPrime Evolution One is the first Class-D amp that achieved 1M Ohm input impedance and 700kHz switching frequency, with sonic performance unmatched by any Class-D amps, surpassing most of the world-class solid-state amps. Besides having better performance than competing off-the-shelf solutions, NuPrime can tailor the sound of our amplifiers with our Hybrid Class-D technology.

NuPrime believes that High-End does not equate to high prices. The design team makes great efforts to optimize the circuitry and components for every product to meet the price targets. One thing that is never compromised is attaining the NuPrime sound. All NuPrime products deliver a vast soundstage, lightning-fast dynamics, ultra-low distortion, and noise, with the music emerging from a pristine background.

HOW TO CHOOSE

The "8 & 9" Series are suitable for entry to mid-level audiophiles looking for near reference-class audio components. High-end audiophiles typically choose between the "Evolution & 10" or "AMG" Series based on their personal preference.





NuPrime Evolution & 10 Series

You'll feel and hear more of everything. Precise, ultra-detailed, and ultra-wide.



MSRP: €3,995 | COLORS: SILVER, BLACK DIMENSIONS: 65 × 430 × 381 mm (H × W × D)

Evolution One

The Evolution One is the embodiment of all the latest and best technology has developed. It has been carefully crafted to achieve a performance that surpasses the Reference range performance in all areas, notably a 700kHz switching frequency and 1M Ohm input impediance.

Rated Power: 240W @ 8 Ohms, 330W @ 4 OhmsPeak Power: 285W @ 8 Ohms, 390W @ 4 Ohms

MSRP: €3,495 | COLORS: SILVER, BLACK DIMENSIONS: 55 × 430 × 315 mm (H × W × D)



MSRP: €2,049 | COLORS: SILVER, BLACK DIMENSIONS: 59 × 215 × 386 mm (H × W × D)



MSRP: DAC10H: €1,995 | DAC10: €1,749 COLORS: SILVER, BLACK DIMENSIONS: 59 × 215 × 383 mm (H × W × D)



MSRP: ST10: €1,695 | ST10M: €1,695 COLORS: SILVER, BLACK DIMENSIONS: 59 × 215 × 394 mm (H × W × D)

Evolution DAC

Evolution DAC has been designed from the ground up using C-Core transformers and AC filter, in addition to the DAC circuit. It utilizes one of the world's highest performing 32-bit audio DACs, the ES9038PRO, and PSRC IC chip to not only decode but also provide sampling rate up/down conversion from PCM 44.1kHz to PCM 768kHz and DSD64 to DSD512.

CDT-10

The CDT-10 is the ultimate CD transport with state of the art power supply and CD loader. Its powerful DSP-based decoder provides all Red Book error-correction capabilities with master-clock control of the entire decoding system, thus lowering jitter significantly. A selectable sampling rate converter (SRC) up samples the CD format to higher sampling rate with ultra-low jitter and distortion.

DAC-10H & DAC-10*

The DAC-10H is a Digital Headphone Amplifier offering PCM 384K & DSD256 decoding. The DAC-10H's balanced headphone amplifier is capable of driving headphones in balanced and single-ended configuration and can be used with up to two dynamic headphones. With five digital & two analog stereo inputs, the DAC-10H is a full-featured DAC and preamp more than suited for any high-end system.

* version without the headphone amplifier

ST-10 & ST-10M

The ST-10 amplifier is for listeners who require a reference-class amplifier at a somewhat lesser power rating of 2×150 W (8 Ohm). The ST-10M Reference Class Mono Amplifier (230W @ 8 Ohm) builds upon the ST-10 and brings it to the next level with deeper bass, greater immediacy, more power.



NuPrime AMG Series

Small size, ultimate high-end components. Finesse, detailed, smooth, and sweet.



MSRP: €1,795 | COLOR: GREY DIMENSIONS: 55 × 235 × 300 MM (H × W × D)



MSRP: €1,695 | COLOR: GREY DIMENSIONS: 55 × 235 × 285 mm (H × W × D)



MSRP: €1,995 | COLOR: GREY DIMENSIONS: 55 × 235 × 300 mm (H × W × D)



MSRP: €2,195 | COLOR: GREY DIMENSIONS: 55 × 235 × 300 mm (H × W × D)

AMG PRA

The AMG PRA went beyond being a transparent preamp with 1M Ohm input impedance and the best analog source inputs. A user-selectable 4 stage "Active Low Frequency and Harmonic Gain" control gave it distinctive characteristics to enhance the speaker performance, a world-first in preamp design.

AMG STA

The AMG STA comprises of several state-of-the-art innovations in power amp design. Its class-leading features include 1M Ohm input impedance, high instantaneous current for power delivery, 700kHz switching frequency, and Single-Ended Non-Negative Class A module coupled with Double Feedback Class D module for 300W mono amp power.

AMG HPA

The AMG HPA is the world's first headphone amplifier that utilizes the $1M\Omega$ input impedance in a balanced design. The high power AMG HPA delivers the most transparent and detailed signal with a wide frequency bandwidth and rich harmonics from the source to the rest of the audio chain.

AMG DAC

The AMG DAC signature sound characteristic is a natural, detailed, and expansive sound stage. It accomplishes this objective utilizing $1M\Omega$ input impedance, dual ESS9038Q2M with discrete Class-A transistors, and a non-feedback circuit.

NuPrime 8 & 9 Series

Small size, big performance. Class A warmth, powerful, and natural sounding.



MSRP: €1,250 | COLORS: SILVER, BLACK DIMENSIONS: 55 × 235 × 281 mm (H × W × D)



MSRP: €879 | COLORS: BLACK, SILVER DIMENSIONS: 55 × 235 × 281 mm (H × W × D)

IDA-8

The IDA-8 consists of an ultra-low-noise integrated amplifier and digitalto-analog converter that decodes USB PCM 384 and DSD 256. The IDA-8's spacious, transparent, dynamic and luxuriously textured soundstage has to be heard to be believed.

STA-9

The STA-9, a 2 \times 120 W Class A+D stereo amp bridgeable into a 290 W mono amp, is designed with enhanced even-order harmonic circuitry that mimics the most attractive features of tubed-amp sound without tubes' drawbacks and limitations.





MSRP: €1,095 | COLORS: BLACK, SILVER DIMENSIONS: 55 × 235 × 281 mm (H × W × D)



MSRP: €1,195 | COLORS: BLACK, SILVER DIMENSIONS: 55 × 235 × 281 mm (H × W × D)



MSRP: €1,695 | COLORS: BLACK, SILVER DIMENSIONS: 55 × 235 × 281 mm (H × W × D)



MSRP: €995 | COLORS: BLACK, SILVER DIMENSIONS: 55 × 235 × 281 mm (H × W × D)



MSRP: €1,150 | COLORS: BLACK, SILVER DIMENSIONS: 55 × 235 × 281 mm (H × W × D)

DAC-9SE

The DAC-9SE is a reference-class DAC designed for audiophiles. With IIS/DSD and XLR outputs, five digital and one analog stereo inputs, the DAC-9SE is a full-featured DAC and preamp ideally suited for high-end systems.

STA-9X

The STA-9X, a 2 × 130W Class-A+ Dual Feedback Class-D stereo amp, bridgeable into a 330W mono amp, is a redesigned STA-9 utilizing technology from AMG-STA. STA-9X has a sound characteristic that is spacious, transparent, dynamic, luxuriously textured with extended high-frequency.

CDP-9

CDP-9 integrates a high-end DAC, an ultra-high sampling rate converter (SRC), and a single-speed Red Book error-correcting CD Player.

CDT-8 Pro

CDT-8 Pro is a highly accurate professional CD transport with a sampling rate converter and powerful DSP-based decoder that provides all Red Book error-correction capabilities.

CDT-9

The CDT-9 is similar to CDT-8 Pro with an improved front panel design and an optional external linear power supply.

NuPrime Streaming Series



MSRP: €1,695 | COLOR: BLACK DIMENSIONS: 55 × 280 × 250 mm (H × W × D)



MSRP: €1,099 | COLOR: BLACK, SILVER DIMENSIONS: 55 × 235 × 281 mm (H × W × D)

Omnia A300 SE

The Omnia A300 SE is a full-featured multi-room streaming integrated amplifier (2 \times 150W @ 8 ohms; 2 \times 200W @ 4 ohms) capable of Wi-Fi 24-bit/192kHz and Bluetooth 5.0 aptX HD streaming. The A300 SE supports all major online streaming services, Bluetooth 5.0 (aptX HD), AirPlay 2, USB Audio, and network DLNA streaming.

Stream-9

The Stream-9 is a reference class multi-room streaming station capable of Wi-Fi 24-bit/192kHz and Bluetooth 5.0 aptX HD streaming. The Stream-9 supports all popular online streaming services, Bluetooth 5.0 (aptX HD), network DLNA and AirPlay 2 streaming. A selectable sampling rate converter (SRC) samples the streaming source music to a higher sampling rate (up to PCM 24-bit/768kHz and DSD256) with ultra-low jitter and distortion.





MSRP: €259 | COLOR: BLACK DIMENSIONS: 22 × 87 × 59 mm (H × W × D)



 $\label{eq:MSRP: e129 | COLOR: BLACK} \\ \mbox{DIMENSIONS: } 22 \times 87 \times 59 \mbox{ mm} \ (\mbox{H} \times \mbox{W} \times \mbox{D}) \\ \end{tabular}$



MSRP: €399 | COLOR: DARK GREY DIMENSIONS: 36 × 145 × 104 mm (H × W × D)



MSRP: €549 | COLOR: DARK GREY DIMENSIONS: 30 × 155 × 85 MM (H × W × D)

Portable, Desktop & Power Series



MSRP: €1,295 | COLOR: GREY DIMENSIONS: 55 × 235 × 281 mm (H × W × D)



MSRP: €139 | COLOR: GREY DIMENSIONS: 12 × 23 × 50 MM (H × W × D)



MSRP: €1,150 | COLOR: BLACK DIMENSIONS: 74 × 330 × 253 mm (H × W × D)



 $\label{eq:MSRP:eq449} \begin{array}{|c|c|} \mathsf{COLOR:} \ \mathsf{BLACK} \\ \mathsf{DIMENSIONS:} \ 115 \times 155 \times 58 \ \mathsf{MM} \ (\mathsf{H} \times \mathsf{W} \times \mathsf{D}) \\ \end{array}$



MSRP: €449 | COLOR: BLACK DIMENSIONS: 115 × 155 × 58 MM (H × W × D)

Stream Mini

The Stream Mini is a multi-room streaming station capable of Wi-Fi 24-bit/192kHz and Bluetooth streaming. It includes Optical, Coaxial, IIS and Digital Port outputs.

BTR-HD

The BTR-HD is a high-resolution Bluetooth streamer utilizing Qualcomm aptX HD technology. It is capable of 24-bit/48kHz streaming with IIS, Optical, Coaxial, and Digital Port outputs.

Omnia WR-1

Omnia WR-1 is a versatile multi-zone WiFi and Bluetooth aptX HD audio streamer capable of streaming music from online services, local storage, and other connected digital and analog sources.

Omnia SW-8

By reducing circuit and power supply noise, and using a customized TCXO clock, Omnia SW8 delivers accurate network signal that ensures stable music data transmission.

Alita

With its IIS/DSD and XLR outputs and decoding capability of PCM 384K & DSD256, the Alita is a reference-class DAC designed for studio professionals. The balanced 4.4 mm 'Pentaconn' socket and 6.3mm standard stereo headphone outputs support Single Ended Unbalanced, Fully Balanced and Active Balanced Ground Driving headphone amplifiers.

Hi-mDAC

The Hi-mDAC is a portable high-resolution DAC and headphone amp. Capable of PCM 32/384 and DSD 256 decoding.

PURE AC-4

The Pure AC-4 is a high-end AC power conditioner that lowers the AC noise by more than 20dB.

LPS-205

The LPS-205 is a low noise, clean power, fully balanced El-frame architecture linear power supply with two sets of DC 5V/2A isolated and independent outputs (Zone 1 & Zone 2).

LPS-212

The NuPrime LPS-212 is a low noise, clean power, fully balanced El-frame architecture linear power supply with DC 12V/2A and DC 12V/1A outputs.







Email: sales@nuprimeaudio.com www.nuprimeaudio.com