

List over studies related to the drawbacks with sedentary behaviour

From the metastudy <http://www.folkhalsomyndigheten.se/pagefiles/12803/R2012-07-Stillasittande-och-ohalsa.pdf>

Aadahl, M., Kjaer, M., & Jorgensen, T. (2007). Influence of time spent on tv viewing and vigorous intensity physical activity on cardiovascular biomarkers. The Inter 99 study.

[Research Support, Non-U.S. Gov't]. *European journal of cardiovascular prevention and rehabilitation : official journal of the European Society of Cardiology. Working Groups on Epidemiology & Prevention and Cardiac Rehabilitation and Exercise Physiology*, 14(5), 660-665.

Anuradha, S., Dunstan, D. W., Healy, G. N., Shaw, J. E., Zimmet, P. Z., Wong, T. Y., et al. (2011). Physical activity, television viewing time, and retinal vascular caliber. *Medicine and science in sports and exercise*, 43(2), 280-286.

Anuradha, S., Healy, G. N., Dunstan, D. W., Tai, E. S., Van Dam, R. M., Lee, J., et al. (2011). Associations of physical activity and television viewing time with retinal vascular caliber in a multiethnic Asian population. *Investigative ophthalmology & visual science*, 52(9), 6522-6528.

Arem, H., Irwin, M. L., Zhou, Y., Lu, L., Risch, H., & Yu, H. (2011). Physical activity and endometrial cancer in a population-based case-control study. [Research Support, N.I.H., Extramural]. *Cancer causes & control : CCC*, 22(2), 219-226.

Bak, H., Petersen, L., & Sorensen, T. I. (2004). Physical activity in relation to development and maintenance of obesity in men with and without juvenile onset obesity. [Research Support, Non-U.S. Gov't]. *International journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity*, 28(1), 99-104.

Ball, K., Brown, W., & Crawford, D. (2002). Who does not gain weight? Prevalence and predictors of weight maintenance in young women. [Research Support, Non-U.S. Gov't]. *International journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity*, 26(12), 1570-1578.

Bankoski, A., Harris, T. B., McClain, J. J., Brychta, R. J., Caserotti, P., Chen, K. Y., et al. (2011). Sedentary activity associated with metabolic syndrome independent of physical activity. [Research Support, N.I.H., Intramural]. *Diabetes care*, 34(2), 497-503.

Banwell, C., Lim, L., Seubsmann, S. A., Bain, C., Dixon, J., & Sleigh, A. (2009). Body mass index and health-related behaviours in a national cohort of 87,134 Thai open university students. [Research Support, Non-U.S. Gov't]. *Journal of epidemiology and community health*, 63(5), 366-372.

Bertrais, S., Beyeme-Ondoua, J. P., Czernichow, S., Galan, P., Hercberg, S., & Oppert, J. M. (2005). Sedentary behaviors, physical activity, and metabolic syndrome in middle-aged French subjects. [Research Support, Non-U.S. Gov't]. *Obesity research*, 13(5), 936-944.

Beunza, J. J., Martinez-Gonzalez, M. A., Ebrahim, S., Bes-Rastrollo, M., Nunez, J., Martinez, J. A., et al. (2007). Sedentary behaviors and the risk of incident hypertension: the SUN Cohort. [Research Support, Non-U.S. Gov't]. *American journal of hypertension*, 20(11), 1156-1162.

Blanck, H. M., McCullough, M. L., Patel, A. V., Gillespie, C., Calle, E. E., Cokkinides, V. E., et al. (2007). Sedentary behavior, recreational physical activity, and 7-year weight gain among postmenopausal U.S. women. *Obesity*, 15(6), 1578-1588.

STILLASITTANDE OCH OHÄLSA 59

Burazeri, G., Goda, A., & Kark, J. D. (2008). Television viewing, leisure-time exercise and acute coronary syndrome in transitional Albania. [Research Support, Non-U.S. Gov't]. *Preventive medicine*, 47(1), 112-115.

Cameron, A. J., Welborn, T. A., Zimmet, P. Z., Dunstan, D. W., Owen, N., Salmon, J., et al. (2003). Overweight and obesity in Australia: the 1999-2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). [Research Support, Non-U.S. Gov't]. *The Medical journal of Australia*, 178(9), 427-432.

Carlsson, S., Andersson, T., Wolk, A., & Ahlbom, A. (2006). Low physical activity and mortality in women: baseline lifestyle and health as alternative explanations. [Comparative Study Research Support, Non-U.S. Gov't]. *Scandinavian journal of public health*, 34(5), 480-487.

Chang, P. C., Li, T. C., Wu, M. T., Liu, C. S., Li, C. I., Chen, C. C., et al. (2008). Association between television viewing and the risk of metabolic syndrome in a communitybased population. [Comparative Study Research Support, Non-U.S. Gov't]. *BMC public health*, 8, 193.

Choi, B., Schnall, P. L., Yang, H., Dobson, M., Landsbergis, P., Israel, L., et al. (2010). Sedentary work, low physical job demand, and obesity in US workers. [Research Support, Non-U.S. Gov't]. *American journal of industrial medicine*, 53(11), 1088-1101.

Clark, B. K., Healy, G. N., Winkler, E. A., Gardiner, P. A., Sugiyama, T., Dunstan, D. W., et al. (2011). Relationship of television time with accelerometer-derived sedentary time: NHANES. [Research Support, Non-U.S. Gov't]. *Medicine and science in sports and exercise*, 43(5), 822-828.

Clark, B. K., Sugiyama, T., Healy, G. N., Salmon, J., Dunstan, D. W., & Owen, N. (2009). Validity and reliability of measures of television viewing time and other non-occupational sedentary behaviour of adults: a review. [Research Support, Non-U.S. Gov't Review Validation Studies]. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 10(1), 7-16.

Cleland, V. J., Schmidt, M. D., Dwyer, T., & Venn, A. J. (2008). Television viewing and abdominal obesity in young adults: is the association mediated by food and beverage consumption during viewing time or reduced leisure-time physical activity? [Research Support, Non-U.S. Gov't]. *The American journal of clinical nutrition*, 87(5), 1148-1155. Coakley, E. H., Rimm, E. B., Colditz, G., Kawachi, I., & Willett, W. (1998). Predictors of weight change in men: results from the Health Professionals Follow-up Study. [Comparative Study Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *International journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity*, 22(2), 89-96.

Colbert, L. H., Hartman, T. J., Malila, N., Limburg, P. J., Pietinen, P., Virtamo, J., et al. (2001). Physical activity in relation to cancer of the colon and rectum in a cohort of male smokers. [Comparative Study Research Support, U.S. Gov't, P.H.S.]. *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*, 10(3), 265-268.

Crawford, D. A., Jeffery, R. W., & French, S. A. (1999). Television viewing, physical inactivity and obesity. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *International journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity*, 23(4), 437-440.

60 STILLASITTANDE OCH OHÄLSA

Dunstan, D. W., Barr, E. L., Healy, G. N., Salmon, J., Shaw, J. E., Balkau, B., et al. (2010). Television viewing time and mortality: the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). [Research Support, Non-U.S. Gov't]. *Circulation*, 121(3), 384-391. Dunstan, D. W., Salmon, J., Healy, G. N., Shaw, J. E., Jolley, D., Zimmet, P. Z., et al. (2007). Association of television viewing with fasting and 2-h postchallenge plasma glucose levels in adults without diagnosed diabetes. [Multicenter Study Research Support, Non-U.S. Gov't]. *Diabetes care*, 30(3), 516-522.

Ekelund, U., Brage, S., Besson, H., Sharp, S., & Wareham, N. J. (2008). Time spent being sedentary and weight gain in healthy adults: reverse or bidirectional causality? [Research Support, Non-U.S. Gov't]. *The American journal of clinical nutrition*, 88(3), 612-617. Ekelund, U., Brage, S., Griffin, S. J., & Wareham, N. J. (2009). Objectively measured moderate-and vigorous-intensity physical activity but not sedentary time predicts insulin resistance in high-risk individuals. [Research Support, Non-U.S. Gov't]. *Diabetes care*, 32(6), 1081-1086.

Faskunger, J. (2007). *Den byggda miljöns påverkan på fysisk aktivitet. En kunskapsammanställning för regeringsuppdraget "Byggd miljö och fysisk aktivitet"*. Stockholm: Statens folkhälsoinstitut.

Fernandes, R. A., Christofaro, D. G., Casonato, J., Costa Rosa, C. S., Costa, F. F., Freitas Junior, I. F., et al. (2010). Leisure time behaviors: prevalence, correlates and associations with overweight in Brazilian adults. A cross-sectional analysis. [Research Support, Non-U.S. Gov't]. *Revista medica de Chile*, 138(1), 29-35.

Ford, E. S., Kohl, H. W., 3rd, Mokdad, A. H., & Ajani, U. A. (2005). Sedentary behavior, physical activity, and the metabolic syndrome among U.S. adults. *Obesity research*, 13(3), 608-614.

Ford, E. S., Li, C., Zhao, G., Pearson, W. S., Tsai, J., & Churilla, J. R. (2010). Sedentary behavior, physical activity, and concentrations of insulin among US adults. *Metabolism: clinical and experimental*, 59(9), 1268-1275.

Ford, E. S., Schulze, M. B., Kroger, J., Pischon, T., Bergmann, M. M., & Boeing, H. (2010). Television watching and incident diabetes: Findings from the European Prospective Investigation into Cancer and Nutrition-Potsdam Study. [Research Support, Non-U.S. Gov't]. *Journal of diabetes*, 2(1), 23-27.

Frank, L. D., Andresen, M. A., & Schmid, T. L. (2004). Obesity relationships with community design, physical activity, and time spent in cars. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *American journal of preventive medicine*, 27(2), 87-96.

Friberg, E., Mantzoros, C. S., & Wolk, A. (2006). Physical activity and risk of endometrial cancer: a population-based prospective cohort study. [Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't]. *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*, 15(11), 2136-2140.

Friedenreich, C. M., Cook, L. S., Magliocco, A. M., Duggan, M. A., & Courneya, K. S. (2010). Case-control study of lifetime total physical activity and endometrial cancer risk. [Research Support, Non-U.S. Gov't]. *Cancer causes & control : CCC*, 21(7), 1105-1116.

Fung, T. T., Hu, F. B., Yu, J., Chu, N. F., Spiegelman, D., Tofler, G. H., et al. (2000). Leisuretime physical activity, television watching, and plasma biomarkers of obesity and cardiovascular disease risk. [Comparative Study Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *American journal of epidemiology*, 152(12), 1171-1178.

STILLASITTANDE OCH OHÄLSA 61

Gao, X., Nelson, M. E., & Tucker, K. L. (2007). Television viewing is associated with prevalence of metabolic syndrome in Hispanic elders. [Research Support, N.I.H., Extramural Research Support, U.S. Gov't, Non-P.H.S.]. *Diabetes care*, 30(3), 694-700.

Garber, C. E., Blissmer, B., Deschenes, M. R., Franklin, B. A., Lamonte, M. J., Lee, I. M., et al. (2011). American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. [Practice Guideline]. *Medicine and science in sports and exercise*, 43(7), 1334-1359.

Gardiner, P. A., Healy, G. N., Eakin, E. G., Clark, B. K., Dunstan, D. W., Shaw, J. E., et al. (2011). Associations between television viewing time and overall sitting time with the metabolic syndrome in older men and women: the Australian Diabetes, Obesity and Lifestyle study. [Research Support, Non-U.S. Gov't]. *Journal of the American Geriatrics Society*, 59(5), 788-796.

Gierach, G. L., Chang, S. C., Brinton, L. A., Lacey, J. V., Jr., Hollenbeck, A. R., Schatzkin, A., et al. (2009). Physical activity, sedentary behavior, and endometrial cancer risk in the NIH-AARP Diet and Health Study. [Research Support, N.I.H., Intramural]. *International journal of cancer. Journal international du cancer*, 124(9), 2139-2147.

Giles-Corti, B., Macintyre, S., Clarkson, J. P., Pikora, T., & Donovan, R. J. (2003). Environmental and lifestyle factors associated with overweight and obesity in Perth, Australia. [Comparative Study Research Support, Non-U.S. Gov't]. *American journal of health promotion : AJHP*, 18(1), 93-102.

Gill, J. M., Bhopal, R., Douglas, A., Wallia, S., Sheikh, A., Forbes, J. F., et al. (2011). Sitting time and waist circumference are associated with glycemia in U.K. South Asians: data from 1,228 adults screened for the PODOSA trial. [Research Support, Non-U.S. Gov't]. *Diabetes care*, 34(5), 1214-1218.

Graff-Iversen, S., Selmer, R., Sorensen, M., & Skurtveit, S. (2007). Occupational physical activity, overweight, and mortality: a follow-up study of 47,405 Norwegian women and men. *Research quarterly for exercise and sport*, 78(3), 151-161.

Gregg, E. W., Cauley, J. A., Seeley, D. G., Ensrud, K. E., & Bauer, D. C. (1998). Physical activity and osteoporotic fracture risk in older women. Study of Osteoporotic Fractures Research Group. [Research Support, U.S. Gov't, P.H.S.]. *Annals of internal medicine*, 129(2), 81-88.

Grontved, A., & Hu, F. B. (2011). Television viewing and risk of type 2 diabetes, cardiovascular disease, and all-cause mortality: a meta-analysis. [Meta-Analysis Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't]. *JAMA : the journal of the American Medical Association*, 305(23), 2448-2455.

Hamer, M., Stamatakis, E., & Mishra, G. D. (2010). Television- and screen-based activity and mental well-being in adults. [Research Support, Non-U.S. Gov't]. *American journal of preventive medicine*, 38(4), 375-380.

Hamilton, M. T., Hamilton, D. G., & Zderic, T. W. (2007). Role of low energy expenditure and sitting in obesity, metabolic syndrome, type 2 diabetes, and cardiovascular disease. [Research Support, N.I.H., Extramural Review]. *Diabetes*, 56(11), 2655-2667.

Healy, G. N., Dunstan, D. W., Salmon, J., Cerin, E., Shaw, J. E., Zimmet, P. Z., et al. (2008). Breaks in sedentary time: beneficial associations with metabolic risk. [Research Support, Non-U.S. Gov't]. *Diabetes care*, 31(4), 661-666.

Healy, G. N., Dunstan, D. W., Salmon, J., Shaw, J. E., Zimmet, P. Z., & Owen, N. (2008). Television time and continuous metabolic risk in physically active adults. [Research Support, Non-U.S. Gov't]. *Medicine and science in sports and exercise*, 40(4), 639-645.

62 STILLASITTANDE OCH OHÄLSA

Healy, G. N., Wijndaele, K., Dunstan, D. W., Shaw, J. E., Salmon, J., Zimmet, P. Z., et al. (2008). Objectively measured sedentary time, physical activity, and metabolic risk: the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). [Multicenter Study Research Support, Non-U.S. Gov't]. *Diabetes care*, 31(2), 369-371.

Healy et al. (2007). Objectively measured light-intensity physical activity is independently associated with 2-h plasma glucose. *Diabetes Care* 30(6), 1384-1389.

Helmerhorst, H. J., Wijndaele, K., Brage, S., Wareham, N. J., & Ekelund, U. (2009). Objectively measured sedentary time may predict insulin resistance independent of moderate and vigorous-intensity physical activity. [Research Support, Non-U.S. Gov't]. *Diabetes*, 58(8), 1776-1779.

Hemmingsson, E., & Ekelund, U. (2007). Is the association between physical activity and body mass index obesity dependent? [Research Support, Non-U.S. Gov't]. *International journal of obesity*, 31(4), 663-668.

Howard, R. A., Freedman, D. M., Park, Y., Hollenbeck, A., Schatzkin, A., & Leitzmann, M. F. (2008). Physical activity, sedentary behavior, and the risk of colon and rectal cancer in the NIH-AARP Diet and Health Study. *Cancer causes & control : CCC*, 19(9), 939-953.

Hu, F. B., Leitzmann, M. F., Stampfer, M. J., Colditz, G. A., Willett, W. C., & Rimm, E. B. (2001). Physical activity and television watching in relation to risk for type 2 diabetes mellitus in men. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *Archives of internal medicine*, 161(12), 1542-1548.

Hu, F. B., Li, T. Y., Colditz, G. A., Willett, W. C., & Manson, J. E. (2003). Television watching and other sedentary behaviors in relation to risk of obesity and type 2 diabetes mellitus in women. [Research Support, U.S. Gov't, P.H.S.]. *JAMA : the journal of the American Medical Association*, 289(14), 1785-1791.

Hu, G., Tuomilehto, J., Silventoinen, K., Barengo, N. C., Peltonen, M., & Jousilahti, P. (2005). The effects of physical activity and body mass index on cardiovascular, cancer and all-cause mortality among 47 212 middle-aged Finnish men and women. [Research Support, Non-U.S. Gov't]. *International journal of obesity*, 29(8), 894-902.

Inoue, M., Iso, H., Yamamoto, S., Kurahashi, N., Iwasaki, M., Sasazuki, S., et al. (2008). Daily total physical activity level and premature death in men and women: results from a large-scale population-based cohort study in Japan (JPHC study). [Research Support, Non-U.S. Gov't]. *Annals of epidemiology*, 18(7), 522-530.

Jakes, R. W., Day, N. E., Khaw, K. T., Luben, R., Oakes, S., Welch, A., et al. (2003). Television viewing and low participation in vigorous recreation are independently associated with obesity and markers of cardiovascular disease risk: EPIC-Norfolk population-based study. [Research Support, Non-U.S. Gov't]. *European journal of clinical nutrition*, 57(9), 1089-1096.

Jakes, R. W., Day, N. E., Patel, B., Khaw, K. T., Oakes, S., Luben, R., et al. (2002). Physical inactivity is associated with lower forced expiratory volume in 1 second : European Prospective Investigation into Cancer-Norfolk Prospective Population Study. [Research Support, Non-U.S. Gov't]. *American journal of epidemiology*, 156(2), 139-147.

Jeffery, R. W., & French, S. A. (1998). Epidemic obesity in the United States: are fast foods and television viewing contributing? [Research Support, U.S. Gov't, P.H.S.]. *American journal of public health*, 88(2), 277-280.

Kallings, L. V., Sierra Johnson, J., Fisher, R. M., Faire, U., Stahle, A., Hemmingsson, E., et al. (2009). Beneficial effects of individualized physical activity on prescription on body composition and cardiometabolic risk factors: results from a randomized controlled trial. [Randomized Controlled Trial Research Support, Non-U.S. Gov't]. *European journal of cardiovascular prevention and rehabilitation : official journal of the European Society of*

STILLASITTANDE OCH OHÄLSA 63

Cardiology, Working Groups on Epidemiology & Prevention and Cardiac Rehabilitation and Exercise Physiology, 16(1), 80-84.

Katzmarzyk, P. T., Church, T. S., Craig, C. L., & Bouchard, C. (2009). Sitting time and mortality from all causes, cardiovascular disease, and cancer. [Research Support, Non-U.S. Gov't]. *Medicine and science in sports and exercise*, 41(5), 998-1005.

Koh-Banerjee, P., Chu, N. F., Spiegelman, D., Rosner, B., Colditz, G., Willett, W., et al. (2003). Prospective study of the association of changes in dietary intake, physical activity, alcohol consumption, and smoking with 9-y gain in waist circumference among 16 587 US men. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *The American journal of clinical nutrition*, 78(4), 719-727.

Koster, A., Caserotti, P., Patel, K., Matthews, C., Berrigan, D., VanDomeken, D., et al. (2012). Association of sedentary time with mortality independent of moderate to vigorous physical activity. *PlosOne*, 7(6), e37696.

Kozakova, M., Palombo, C., Morizzo, C., Nolan, J. J., Konrad, T., & Balkau, B. (2010). Effect of sedentary behaviour and vigorous physical activity on segment-specific carotid wall thickness and its progression in a healthy population. [Multicenter Study Research Support, Non-U.S. Gov't]. *European heart journal*, 31(12), 1511-1519.

Krishnan, S., Rosenberg, L., & Palmer, J. R. (2009). Physical activity and television watching in relation to risk of type 2 diabetes: the Black Women's Health Study. [Research Support, N.I.H., Extramural]. *American journal of epidemiology*, 169(4), 428-434.

Kronenberg, F., Pereira, M. A., Schmitz, M. K., Arnett, D. K., Evenson, K. R., Crapo, R. O., et al. (2000). Influence of leisure time physical activity and television watching on atherosclerosis risk factors in the NHLBI Family Heart Study. [Clinical Trial Randomized Controlled Trial Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *Atherosclerosis*, 153(2), 433-443.

Lakerveld, J., Dunstan, D., Bot, S., Salmon, J., Dekker, J., Nijpels, G., et al. (2011). Abdominal obesity, tv-viewing time and prospective declines in physical activity. [Research Support, Non-U.S. Gov't]. *Preventive medicine*, 53(4-5), 299-302.

Le Marchand, L., Wilkens, L. R., Kolonel, L. N., Hankin, J. H., & Lyu, L. C. (1997). Associations of sedentary lifestyle, obesity, smoking, alcohol use, and diabetes with the risk of colorectal cancer. [Research Support, U.S. Gov't, P.H.S.]. *Cancer research*, 57(21), 4787-4794.

Leavy, J. E., Bull, F. C., Rosenberg, M., & Bauman, A. (2011). Physical activity mass media campaigns and their evaluation: a systematic review of the literature 2003-2010. [Research Support, Non-U.S. Gov't Review]. *Health education research*, 26(6), 1060-1085.

Leblanc, A. G., Spence, J. C., Carson, V., Connor Gorber, S., Dillman, C., Janssen, I., et al. (2012). Systematic review of sedentary behaviour and health indicators in the early years (aged 0-4 years). *Applied physiology, nutrition, and metabolism = Physiologie appliquée, nutrition et metabolisme*, 37(4), 753-772.

Leitzmann, M. F., Rimm, E. B., Willett, W. C., Spiegelman, D., Grodstein, F., Stampfer, M. J., et al. (1999). Recreational physical activity and the risk of cholecystectomy in women. [Research Support, U.S. Gov't, P.H.S.]. *The New England journal of medicine*, 341(11), 777-784.

Liebman, M., Pelican, S., Moore, S. A., Holmes, B., Wardlaw, M. K., Melcher, L. M., et al. (2003). Dietary intake, eating behavior, and physical activity-related determinants of high body mass index in rural communities in Wyoming, Montana, and Idaho. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, Non-P.H.S.]. *International*

64 STILLASITTANDE OCH OHÄLSA

journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity, 27(6), 684-692.

Lynch, B. M. (2010). Sedentary behavior and cancer: a systematic review of the literature and proposed biological mechanisms. [Research Support, Non-U.S. Gov't Review]. *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*, 19(11), 2691-2709.

Lynch, B. M., Cerin, E., Owen, N., Hawkes, A. L., & Aitken, J. F. (2011). Television viewing time of colorectal cancer survivors is associated prospectively with quality of life.

[Research Support, Non-U.S. Gov't]. *Cancer causes & control : CCC*, 22(8), 1111-1120.

Lynch, B. M., Dunstan, D. W., Winkler, E., Healy, G. N., Eakin, E., & Owen, N. (2011). Objectively assessed physical activity, sedentary time and waist circumference among prostate cancer survivors: findings from the National Health and Nutrition Examination Survey (2003-2006). [Research Support, Non-U.S. Gov't]. *European journal of cancer care*, 20(4), 514-519.

Lynch, B. M., Friedenreich, C. M., Winkler, E. A., Healy, G. N., Vallance, J. K., Eakin, E. G., et al. (2011). Associations of objectively assessed physical activity and sedentary time with biomarkers of breast cancer risk in postmenopausal women: findings from NHANES (2003-2006). [Research Support, Non-U.S. Gov't]. *Breast cancer research and treatment*, 130(1), 183-194.

Lynch, B. M., White, S. L., Owen, N., Healy, G. N., Chadban, S. J., Atkins, R. C., et al. (2010). Television viewing time and risk of chronic kidney disease in adults: the AusDiab Study. [Research Support, Non-U.S. Gov't]. *Annals of behavioral medicine : a publication of the Society of Behavioral Medicine*, 40(3), 265-274.

Ma, G., Luan, D., Li, Y., Liu, A., Hu, X., Cui, Z., et al. (2008). Physical activity level and its association with metabolic syndrome among an employed population in China. [Research Support, Non-U.S. Gov't]. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 9 Suppl 1, 113-118.

Manson, J. E., Greenland, P., LaCroix, A. Z., Stefanick, M. L., Mouton, C. P., Oberman, A., et al. (2002). Walking compared with vigorous exercise for the prevention of cardiovascular events in women. [Comparative Study Multicenter Study Research Support, U.S. Gov't, P.H.S.]. *The New England journal of medicine*, 347(10), 716-725.

Marshall, S. J., Biddle, S. J., Gorely, T., Cameron, N., & Murdey, I. (2004). Relationships between media use, body fatness and physical activity in children and youth: a metaanalysis. [Meta-Analysis Research Support, Non-U.S. Gov't Review]. *International journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity*, 28(10), 1238-1246.

Mathew, A., Gajalakshmi, V., Rajan, B., Kanimozhi, V. C., Brennan, P., Binukumar, B. P., et al. (2009). Physical activity levels among urban and rural women in south India and the risk of breast cancer: a case-control study. [Research Support, Non-U.S. Gov't]. *European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation*, 18(5), 368-376.

Matthews, C. E., George, S. M., Moore, S. C., Bowles, H. R., Blair, A., Park, Y., et al. (2012). Amount of time spent in sedentary behaviors and cause-specific mortality in US adults. [Research Support, N.I.H., Intramural]. *The American journal of clinical nutrition*, 95(2), 437-445.

Mediamatning i Skandinavien. (2010). Arsrapport 2010: www.mms.se.

STILLASITTANDE OCH OHÄLSA 65

Meyer, A. M., Evenson, K. R., Couper, D. J., Stevens, J., Pereria, M. A., & Heiss, G. (2008). Television, physical activity, diet, and body weight status: the ARIC cohort. *The international journal of behavioral nutrition and physical activity*, 5, 68.

Moore, S. C., Gierach, G. L., Schatzkin, A., & Matthews, C. E. (2010). Physical activity, sedentary behaviours, and the prevention of endometrial cancer. [Meta-Analysis Research Support, N.I.H., Intramural Review]. *British journal of cancer*, 103(7), 933-938.

Mortensen, L. H., Siegler, I. C., Barefoot, J. C., Gronbaek, M., & Sorensen, T. I. (2006). Prospective associations between sedentary lifestyle and BMI in midlife. [Research Support, N.I.H., Extramural]. *Obesity*, 14(8), 1462-1471.

Novak, M., Ahlgren, C., & Hammarstrom, A. (2006). A life-course approach in explaining social inequity in obesity among young adult men and women. [Research Support, Non-U.S. Gov't]. *International journal of obesity*, 30(1), 191-200.

Oken, E., Taveras, E. M., Popoola, F. A., Rich-Edwards, J. W., & Gillman, M. W. (2007). Television, walking, and diet: associations with postpartum weight retention. [Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't]. *American journal of preventive medicine*, 32(4), 305-311.

Orsini, N., Bellocchio, R., Bottai, M., Pagano, M., Andersson, S. O., Johansson, J. E., et al. (2009). A prospective study of lifetime physical activity and prostate cancer incidence and mortality. [Research Support, Non-U.S. Gov't]. *British journal of cancer*, 101(11), 1932-1938.

Owen, N., Bauman, A., & Brown, W. (2009). Too much sitting: a novel and important predictor of chronic disease risk? [Editorial Research Support, Non-U.S. Gov't]. *British journal of sports medicine*, 43(2), 81-83.

Owen, N., Healy, G. N., Matthews, C. E., & Dunstan, D. W. (2010). Too much sitting: the population health science of sedentary behavior. [Research Support, Non-U.S. Gov't]. *Exercise and sport sciences reviews*, 38(3), 105-113.

Parsons, T. J., Manor, O., & Power, C. (2008). Television viewing and obesity: a prospective study in the 1958 British birth cohort. [Research Support, Non-U.S. Gov't]. *European journal of clinical nutrition*, 62(12), 1355-1363.

Parsons, T. J., Power, C., & Manor, O. (2005). Physical activity, television viewing and body mass index: a cross-sectional analysis from childhood to adulthood in the 1958 British cohort. [Research Support, Non-U.S. Gov't]. *International journal of obesity*, 29(10), 1212-1221.

Pate, R. R., O'Neill, J. R., & Lobelo, F. (2008). The evolving definition of "sedentary". *Exercise and sport sciences reviews*, 36(4), 173-178.

Patel, A. V., Bernstein, L., Deka, A., Feigelson, H. S., Campbell, P. T., Gapstur, S. M., et al. (2010). Leisure time spent sitting in relation to total mortality in a prospective cohort of US adults. *American journal of epidemiology*, 172(4), 419-429.

Patel, A. V., Feigelson, H. S., Talbot, J. T., McCullough, M. L., Rodriguez, C., Patel, R. C., et al. (2008). The role of body weight in the relationship between physical activity and endometrial cancer: results from a large cohort of US women. *International journal of cancer. Journal international du cancer*, 123(8), 1877-1882.

Patel, A. V., Rodriguez, C., Pavlack, A. L., Thun, M. J., & Calle, E. E. (2006). Recreational physical activity and sedentary behavior in relation to ovarian cancer risk in a large cohort of US women. *American journal of epidemiology*, 163(8), 709-716.

Petersen, L., Schnohr, P., & Sorensen, T. I. (2004). Longitudinal study of the long-term relation between physical activity and obesity in adults. [Research Support, Non-U.S. Gov't]. *International journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity*, 28(1), 105-112.

66 STILLASITTANDE OCH OHÄLSA

Proper, K. I., Singh, A. S., van Mechelen, W., & Chinapaw, M. J. (2011). Sedentary behaviors and health outcomes among adults: a systematic review of prospective studies. [Review]. *American journal of preventive medicine*, 40(2), 174-182.

Raynor, D. A., Phelan, S., Hill, J. O., & Wing, R. R. (2006). Television viewing and long-term weight maintenance: results from the National Weight Control Registry. [Research Support, N.I.H., Extramural]. *Obesity*, 14(10), 1816-1824.

Safdar, A., Hamadeh, M. J., Kaczor, J. J., Raha, S., Debeer, J., & Tarnopolsky, M. A. (2010). Aberrant mitochondrial homeostasis in the skeletal muscle of sedentary older adults. [Research Support, Non-U.S. Gov't]. *PloS one*, 5(5), e10778.

Salmon, J., Bauman, A., Crawford, D., Timperio, A., & Owen, N. (2000). The association between television viewing and overweight among Australian adults participating in varying levels of leisure-time physical activity. [Research Support, Non-U.S. Gov't]. *International journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity*, 24(5), 600-606.

Stamatakis, E., Hamer, M., & Dunstan, D. W. (2011). Screen-based entertainment time, allcause mortality, and cardiovascular events: population-based study with ongoing mortality and hospital events follow-up. [Comparative Study Research Support, Non-U.S. Gov't]. *Journal of the American College of Cardiology*, 57(3), 292-299.

Steindorf, K., Tobiasz-Adamczyk, B., Popiela, T., Jedrychowski, W., Penar, A., Matyja, A., et al. (2000). Combined risk assessment of physical activity and dietary habits on the development of colorectal cancer. A hospital-based case-control study in Poland. [Research Support, Non-U.S. Gov't]. *European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation*, 9(5), 309-316.

Sugiyama, T., Healy, G. N., Dunstan, D. W., Salmon, J., & Owen, N. (2008). Is television viewing time a marker of a broader pattern of sedentary behavior? [Research Support, Non-U.S. Gov't]. *Annals of behavioral medicine : a publication of the Society of Behavioral Medicine*, 35(2), 245-250.

Svenska lakaresallskapet. (2011). *Rekommendationer om fysisk aktivitet för vuxna*. Stockholm: Yrkesforeningar för fysisk aktivitet.

Tremblay, M. S., LeBlanc, A. G., Kho, M. E., Saunders, T. J., Larouche, R., Colley, R. C., et al. (2011). Systematic review of sedentary behaviour and health indicators in school-aged children and youth. [Meta-Analysis Research Support, Non-U.S. Gov't Review]. *The international journal of behavioral nutrition and physical activity*, 8, 98.

Vallance, J. K., Winkler, E. A., Gardiner, P. A., Healy, G. N., Lynch, B. M., & Owen, N. (2011). Associations of objectively-assessed physical activity and sedentary time with depression: NHANES (2005-2006). [Research Support, Non-U.S. Gov't]. *Preventive medicine*, 53(4-5), 284-288.

van der Ploeg, H. P., Chey, T., Korda, R. J., Banks, E., & Bauman, A. (2012). Sitting time and all-cause mortality risk in 222 497 Australian adults. [Research Support, Non-U.S. Gov't]. *Archives of internal medicine*, 172(6), 494-500.

van Uffelen, J. G., Watson, M. J., Dobson, A. J., & Brown, W. J. (2010). Sitting time is associated with weight, but not with weight gain in mid-aged Australian women. *Obesity*, 18(9), 1788-1794.

van Uffelen, J. G., Wong, J., Chau, J. Y., van der Ploeg, H. P., Riphagen, I., Gilson, N. D., et al. (2010). Occupational sitting and health risks: a systematic review. [Research Support, Non-U.S. Gov't Review]. *American journal of preventive medicine*, 39(4), 379-388.

STILLASITTANDE OCH OHÄLSA 67

Vandelanotte, C., Sugiyama, T., Gardiner, P., & Owen, N. (2009). Associations of leisuretime internet and computer use with overweight and obesity, physical activity and sedentary behaviors: cross-sectional study. [Research Support, Non-U.S. Gov't]. *Journal of medical Internet research*, 11(3), e28.

Warren, T. Y., Barry, V., Hooker, S. P., Sui, X., Church, T. S., & Blair, S. N. (2010). Sedentary behaviors increase risk of cardiovascular disease mortality in men. [Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't]. *Medicine and science in sports and exercise*, 42(5), 879-885.

Wijndaele, K., Brage, S., Besson, H., Khaw, K. T., Sharp, S. J., Luben, R., et al. (2011). Television viewing and incident cardiovascular disease: prospective associations and mediation analysis in the EPIC Norfolk Study. [Research Support, Non-U.S. Gov't]. *PloS one*, 6(5), e20058.

Wijndaele, K., Brage, S., Besson, H., Khaw, K. T., Sharp, S. J., Luben, R., et al. (2011). Television viewing time independently predicts all-cause and cardiovascular mortality: the EPIC Norfolk study. [Multicenter Study Research Support, Non-U.S. Gov't]. *International journal of epidemiology*, 40(1), 150-159.

Wijndaele, K., Healy, G. N., Dunstan, D. W., Barnett, A. G., Salmon, J., Shaw, J. E., et al. (2010). Increased cardiometabolic risk is associated with increased tv viewing time. [Research Support, Non-U.S. Gov't]. *Medicine and science in sports and exercise*, 42(8), 1511-1518.

Wijndaele, K., Lynch, B. M., Owen, N., Dunstan, D. W., Sharp, S., & Aitken, J. F. (2009). Television viewing time and weight gain in colorectal cancer survivors: a prospective population-based study. [Research Support, Non-U.S. Gov't]. *Cancer causes & control : CCC*, 20(8), 1355-1362.

Williams, D., Raynor, H., & Ciccolo, J. (2008). A review of tv viewing and its association with health outcomes in adults. *American Journal of Lifestyle Medicine*, 2(3), 250-259.

Vioque, J., Torres, A., & Quiles, J. (2000). Time spent watching television, sleep duration and obesity in adults living in Valencia, Spain. [Research Support, Non-U.S. Gov't]. *International journal of obesity and related metabolic disorders : journal of the International Association for the Study of Obesity*, 24(12), 1683-1688.

YFA. (2008). *FYSS: Fysisk aktivitet i sjukdomsprevention och sjukdomsbehandling* (No. R2008:4). Östersund: Statens folkhälsoinstitut
Yrkesforeningar för fysisk aktivitet.

Zhang, M., Xie, X., Lee, A. H., & Binns, C. W. (2004). Sedentary behaviours and epithelial ovarian cancer risk. [Research Support, Non-U.S. Gov't]. *Cancer causes & control : CCC*, 15(1), 83-89.

From the metastudy **Sedentary Behaviors and Health Outcomes Among Adults**

A Systematic Review of Prospective Studies, AJPM, February 2011, Volume 40, Issue 2, Pages 174–182

[http://www.ajpmonline.org/article/S0749-3797\(10\)00608-2/abstract](http://www.ajpmonline.org/article/S0749-3797(10)00608-2/abstract)

Department of Public and Occupational Health and the EMGO Institute for Health and Care Research, VU University Medical Center, Amsterdam, The Netherlands

Owen, N., Leslie, E., Salmon, J., Fotheringham, M.J. Environmental determinants of physical activity and sedentary behaviour. *Exerc Sport Sci Rev.* 2000;28:153–158.

•[PubMed](#)

2.Biddle, S.J.H. **Sedentary behavior.** *Am J Prev Med.* 2007;33:502–504.

•[PubMed](#)

•|[Scopus \(47\)](#)

3.Pate, R.R., O'Neill, J.R., Lobelo, F. **The evolving definition of “sedentary.”.** *Exerc Sport Sci Rev.* 2008;36:173–178.

•[CrossRef](#)

•|[PubMed](#)

•|[Scopus \(339\)](#)

4.Jans, M.P., Proper, K.I., Hildebrandt, V.H. **Sedentary behavior in Dutch workers (Differences between occupations and business sectors).** *Am J Prev Med.* 2007;33:450–454.

•[PubMed](#)

•|[Scopus \(68\)](#)

5.Peters, T., Moore, S.C., Xiang, Y.B. et al, **Accelerometer-measured physical activity in Chinese adults.** *Am J Prev Med.* 2010;38:583–591.

•[PubMed](#)

•|[Scopus \(29\)](#)

6.Van Uffelen, J.G.Z., Wong, J., Chau, J.Y. et al, **Occupational sitting and health risks (A systematic review).** *Am J Prev Med.* 2010;39:379–388.

•[PubMed](#)

•|[Scopus \(94\)](#)

7.Dunstan, D.W., Salmon, J., Owen, N. et al, **Associations of TV viewing and physical activity with the metabolic syndrome in Australian adults.** *Diabetologia.* 2005;25:2254–2261.

•[CrossRef](#)

•|[Scopus \(184\)](#)

8.Mota, J., Ribeiro, J., Santos, M.P., Gomes, H. **Obesity, physical activity, computer use, and TV viewing in Portuguese adolescents.** *Pediatr Exerc Sci.* 2006;18:113–121.

9.Hamer, M., Stamatakis, E., Mishra, G.D. **Television- and screen-based activity and mental well-being in adults.** *Am J Prev Med.* 2010;38:375–380.

•[PubMed](#)

•|[Scopus \(40\)](#)

10.Foster, J.A., Gore, S.A., Smith West, D. **Altering TV viewing habits: an unexplored strategy for adult obesity intervention?.** *Am J Health Behav.* 2006;30:3–14.

•[CrossRef](#)

•|[PubMed](#)

•|[Scopus \(523\)](#)

11.Marshall, S.J., Biddle, S.J., Gorely, T., Cameron, N., Murdey, I. **Relationships between media use, body fatness and physical activity in children and youth: a meta-analysis.** *Int J Obes Relat Metab Disord.* 2004;28:1238–1246.

•[CrossRef](#)

•|[PubMed](#)

•|[Scopus \(523\)](#)

12.Hamilton, M.T., Hamilton, D.G., Zderic, T.W. **Role of low energy expenditure and sitting in obesity, metabolic syndrome, type 2 diabetes, and cardiovascular disease.** *Diabetes.* 2007;56:2655–2667.

•[CrossRef](#)

•|[PubMed](#)

•|[Scopus \(517\)](#)

13.Chen, S.-M., Lu, M.-F., Cook, J., Bass, S., Lo, S.K. **Sedentary lifestyle as a risk factor for low back pain: a systematic review.** *Int Arch Occup Environ Health.* 2009;82:797–806.

•[CrossRef](#)

•|[PubMed](#)

•|[Scopus \(30\)](#)

14.Hoogendoorn, W.E., van Poppel, M.N.M., Bongers, P.M., Koes, B.W., Bouter, L.M. **Systematic review of psychosocial factors at work and private life as risk factors for back pain.** *Spine.* 2000;25:2114–2125.

•[CrossRef](#)

•|[PubMed](#)

•|[Scopus \(456\)](#)

- 15.Hayden, J.A., Cote, P., Bombardier, C. **Evaluation of the quality of prognosis studies in systematic reviews.** *Ann Intern Med.* 2006;144:427–437.
•[CrossRef](#)
•[PubMed](#)
- 16.Singh, A.S., Mulder, C., Twisk, J.W., van Mechelen, W., Chinapaw, M.J. **Tracking of childhood overweight into adulthood: a systematic review of the literature.** *Obes Rev.* 2008;9:474–488.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(458\)](#)
- 17.Proper, K.I., Koning, M., Van der Beek, A.J., Hildebrandt, V.H., Bosscher, R., Van Mechelen, W. **The effectiveness of worksite physical activity programs on physical activity, physical fitness and health.** *Clin J Sport Med.* 2003;13:106–117.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(149\)](#)
- 18.Proper, K.I., Staal, J.B., Hildebrandt, V.H., Van der Beek, A.J., Van Mechelen, W. **Effectiveness of physical activity programs at worksites with respect to work-related outcomes.** *Scand J Work Environ Health.* 2002;28:75–84.
•[CrossRef](#)
•[PubMed](#)
- 19.Beunza, J.J., Martínez-González, M.A., Ebrahim, S. et al, **Sedentary behaviors and the risk of incident hypertension: the SUN Cohort.** *Am J Hypertens.* 2007;20:1156–1162.
•[PubMed](#)
- 20.Blanck, H.M., McCullough, M.L., Patel, A.V. et al, **Sedentary behavior, recreational physical activity, and 7-year weight gain among postmenopausal U.S. women.** *Obesity (Silver Spring).* 2007;15:1578–1588.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(39\)](#)
- 21.Coakley, E.H., Rimm, E.B., Colditz, G., Kawachi, I., Willett, W. **Predictors of weight change in men: results from the Health Professionals Follow-up Study.** *Int J Obes Relat Metab Disord.* 1998;22:89–96.
•[CrossRef](#)
•[PubMed](#)
- 22.Crawford, D.A., Jeffery, R.W., French, S.A. **Television viewing, physical inactivity and obesity.** *Int J Obes Relat Metab Disord.* 1999;23:437–440.
•[CrossRef](#)
•[PubMed](#)
- 23.Dunstan, D.W., Barr, E.L.M., Healy, G.N. et al, **Television viewing and mortality: The Australian diabetes, obesity and lifestyle study (Ausdiab).** *Circulation.* 2010;3:384–391.
•[CrossRef](#)
•[Scopus \(262\)](#)
- 24.Ekelund, U., Brage, S., Griffin, S.J., Wareham, N.J., ProActive UK Research Group. **Objectively measured moderate- and vigorous-intensity physical activity but not sedentary time predicts insulin resistance in high-risk individuals.** *Diabetes Care.* 2009;32:1081–1086.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(64\)](#)
- 25.Fung, T.T., Hu, F.B., Yu, J. et al, **Leisure-time physical activity, television watching, and plasma biomarkers of obesity and cardiovascular disease risk.** *Am J Epidemiol.* 2000;152:1171–1178.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(137\)](#)
- 26.Graff-Iversen, S., Selmer, R., Sørensen, M., Skurtveit, S. **Occupational physical activity, overweight, and mortality: a follow-up study of 47,405 Norwegian women and men.** *Res Q Exerc Sport.* 2007;78:151–161.
•[PubMed](#)
- 27.Gierach, G.L., Chang, S.C., Brinton, L.A. et al, **Physical activity, sedentary behavior, and endometrial cancer risk in the NIH-AARP Diet and Health Study.** *Int J Cancer.* 2009;124:2139–2147.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(50\)](#)
- 28.Helmerhorst, H.J.F., Wijndaele, K., Brage, S., Wareham, N.J., Ekelund, U. **Objectively measured sedentary time may predict insulin resistance independent of moderate- and vigorous-intensity physical activity.** *Diabetes.* 2009;58:1776–1779.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(86\)](#)

- 29.Hu, F.B., Leitzmann, M.F., Stampfer, M.J., Colditz, G.A., Willett, W.C., Rimm, E.B. **Physical activity and television watching in relation to risk for type 2 diabetes mellitus in men.** *Arch Intern Med.* 2001;161:1542–1548.
•[CrossRef](#)
•[PubMed](#)
- 30.Hu, F.B., Li, T.Y., Colditz, G.A., Willett, W.C., Manson, J.E. **Television watching and other sedentary behaviors in relation to risk of obesity and type 2 diabetes mellitus in women.** *JAMA.* 2003;289:1785–1791.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(709\)](#)
- 31.Jeffery, R.W., French, S.A. **Epidemic obesity in the U.S.: are fast foods and television viewing contributing?.** *Am J Public Health.* 1998;88:277–280.
•[CrossRef](#)
•[PubMed](#)
- 32.Katzmarzyk, P.T., Church, T.S., Craig, C.L., Bouchard, C. **Sitting time and mortality from all causes, cardiovascular disease, and cancer.** *Med Sci Sports Exerc.* 2009;41:998–1005.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(380\)](#)
- 33.Koh-Banerjee, P., Chu, N.F., Spiegelman, D. et al. **Prospective study of the association of changes in dietary intake, physical activity, alcohol consumption, and smoking with 9-y gain in waist circumference among 16 587 U.S. men.** *Am J Clin Nutr.* 2003;78:719–727.
•[PubMed](#)
- 34.Meyer, A.M., Evenson, K.R., Couper, D.J., Stevens, J., Pereria, M.A., Heiss, G. **Television, physical activity, diet, and body weight status: the ARIC cohort.** *Int J Behav Nutr Phys Act.* 2008;17:68.
•[CrossRef](#)
•[Scopus \(20\)](#)
- 35.Novak, M., Ahlgren, C., Hammarström, A. **A life-course approach in explaining social inequity in obesity among young adult men and women.** *Int J Obes (Lond).* 2006;30:191–200.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(45\)](#)
- 36.Patel, A.V., Feigelson, H.S., Talbot, J.T. et al. **The role of body weight in the relationship between physical activity and endometrial cancer: results from a large cohort of U.S. women.** *Int J Cancer.* 2008;123:1877–1882.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(49\)](#)
- 37.Raynor, D.A., Phelan, S., Hill, J.O., Wing, R.R. **Television viewing and long-term weight maintenance: results from the National Weight Control Registry.** *Obesity (Silver Spring).* 2006;14:1816–1824.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(50\)](#)
- 38.Williams, D.M., Raynor, H.A., Ciccolo, J.T. **A review of TV viewing and its association with health outcomes in adults.** *Am J Lifestyle Med.* 2008;2:250–259.
•[CrossRef](#)
- 39.Nyholm, M., Gullberg, B., Merlo, J. et al. **The validity of obesity based on self-reported weight and height: Implications for population studies.** *Obesity.* 2007;15:197–208.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(180\)](#)
- 40.Clark, B.K., Sugiyama, T., Healy, G.N., Salmon, J., Dunstan, D.W., Owen, N. **Validity and reliability of measures of television viewing time and other non-occupational sedentary behaviour of adults: a review.** *Obes Rev.* 2009;10:7–16.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(110\)](#)
- 41.Hamer, M. **The relative influence of fitness and fatness on inflammatory factors.** *Prev Med.* 2007;44:3–11.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(81\)](#)
- 42.Saltin, B., Blomqvist, G., Mitchell, J.H., Johnson, R.L. Jr, Wildenthal, K., Chapman, C.B. **Response to exercise after bed rest and after training.** *Circulation.* 1968;38:71–78.
•[CrossRef](#)
- 43.Hamilton, M.T., Healy, G.N., Dunstan, D.W., Zderic, T.W., Owen, N. **Too little exercise and too much sitting: inactivity physiology and the need for new recommendations on sedentary behaviour.** *Curr Cardiovasc Risk Rep.* 2008;2:292–298.
•[CrossRef](#)
•[PubMed](#)
•[Scopus \(206\)](#)