

Randers Kemiske Industri

Safety data sheet

Prepared 26-11-2012
Revision: (date) 07-10-2024
SDS version 2.0

ITEM 1: Identification of the substance/mixture and of the company/company

1.1. Product identifier

Trade name: Liquid floor soap without wax
Product no.: 874.001/-005
UFI: J9KA-EV36-U20U-XM0K

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

An alkaline floor cleaner with a mild floral scent. For all floors that can withstand water such as e.g. stone floors, tiled areas, linoleum, vinyl etc
Leaves a caring soap film on the treated surface.
Dosage: 0.3 - 0.5 dl. to 10 l. water.

Uses advised against:

May only be used as described above, other uses must be made in consultation with the supplier.

1.3. Details of the supplier of the safety data sheet *Company name and address:*

Randers Chemical Industry A/S
Kristrupvej 158
DK-8960 Randers SØ
Phone: 86 41 10 22
Fax. 86 41 11 45
www.rkimiljo.dk

Contact person and email:

post@rkimiljo.dk

The safety data sheet has been prepared and validated by:

Mediator ApS, Centervej 2, 6000 Kolding. Consultant: DH

1.4. Emergency

telephone line: +45 82 12 12 12

ITEM 2: Hazard identification

2.1. Classification of the substance or mixture CLP

(1272/2008):

Skin Irritation. 2; H315

Eye Dam. 1; H318

Wording of H-phrases - see below in point 16.

2.2. Marking elements



Signal word:

Danger

Causes skin irritation. (H315)

Causes serious eye damage. (H318)

Wear protective gloves/eye protection/face protection. (P280)

IF IN EYES: Rinse carefully with water for several minutes. Remove any contact lenses if this can be done easily. Continue rinsing.

Call a POISON CENTER/doctor immediately. (P305 + P351 + P338 + P310)

In case of skin irritation: Seek medical attention. (P332 + P313)



Safety data sheet

2.3. Other dangers

The product contains organic solvents. Repeated exposure to organic solvents can damage the central nervous system and internal organs, such as liver and kidneys.

Other marking:

-

Other

The product does not meet the criteria for PBT or vPvB.

SECTION 3: Composition of/information on ingredients**3.1/3.2. Substances / Mixtures**

Ingredient	Index no. / REACH Reg. no. - /	CAS no.	EC no.	CLP classification	wt/wt %	Note
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	01-2119488639-16-xxxx	68891-38-3	500-234-8	Skin Irritation. 2:H315, Eye Dam. 1:H318, Aquatic Chronic 3:H412	1 - 5	2
Fatty alcohol ethoxylate - /		160875-66-1	605-233-7	Acute Tox. 4:H302, Eye Dam. 1;H318 Flam.	1 - 5	-
Ethanol	603-002-00-5 / 01-2119457610-43-xxxx	64-17-5	200-578-6	Liq. 2:H225, Eye Irrit. 2; H319	1 - 3	1, 2
Potassium hydroxide	019-002-00-8 / 01-2119487136-33-xxxx	1310-58-3	215-181-3	Met. corr. 1;H290, Acute Tox. 4;H302, Skin Corr. 1A;H314, Eye Dam. 1; H318 Eye Irritation. 2; H319: 0.5% \dot{y} C < 2% Skin Corr. 1A; H314: C \dot{y} 5% Skin Corr. 1B; H314: 2% \dot{y} C < 5% Skin Irritation. 2; H315: 0.5% \dot{y} C < 2%	< 2	-

- 1) The substance is included on the Norwegian Working Environment Authority's list of organic solvents.
2) Specific concentration limits.

Wording of H-phrases - see below in point 16.

SECTION 4: First aid measures**4.1. Description of first aid measures *Inhalation:***

In case of discomfort: Seek fresh air.
Consult a doctor in case of persistent discomfort.

Intake:

Rinse your mouth thoroughly and drink 1-2 glasses of water in small sips.

Seek medical attention in case of discomfort.

Skin contact:

Remove contaminated clothing.

Wash the skin long and thoroughly with water.

Seek medical attention in case of discomfort.

Eye contact:

Wash the eye well, remove any contact lenses and rinse immediately with water (preferably from an eyewash) and seek medical attention immediately. Continue rinsing until the doctor takes over the treatment.

Other information:

When consulting a doctor, bring the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed Irritating

effects: The product contains substances that are local irritants in case of skin/eye contact or inhalation. Contact with local irritants can result in the contact area becoming more exposed to the absorption of harmful substances such as allergens.

Causes serious eye damage.

4.3. Indication of immediate medical attention and special treatment needed Show this safety data sheet to doctor or emergency department.



Safety data sheet

SECTION 5: Fire fighting

5.1. Extinguishing media

Extinguish with powder, foam, carbonic acid or water mist.
Do not use a water jet as this can spread the fire.

5.2. Special hazards associated with the substance or mixture The product is not immediately flammable. Avoid inhalation of vapors and fumes - seek fresh air.
In case of fire, dangerous flue gases are formed.
Exposure to decomposition products can cause health damage.

5.3. Instructions for firefighters Firefighters should use suitable protective equipment.

SECTION 6: Precautions against accidental release

6.1. Personal safety measures, personal protective equipment and emergency procedures Use personal protective equipment - see section 8.
Avoid contact with skin and eyes.

6.2. Environmental protection measures
Avoid unnecessary release to the environment.

6.3. Methods and equipment for containment and cleaning
Spills are contained and collected with sand or other absorbent material and transferred to suitable waste containers.
Rinse afterwards with water.

6.4. Reference to other points See point 8 for type of protective equipment.
See point 13 for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling See under point 8 for information on precautions for use and personal protective equipment.
There must be access to running water and eyewash.

7.2. Conditions for safe storage, including any incompatibility The product should be stored securely, out of the reach of children and not together with food, feed, medicines etc.
Should be stored in tightly closed original packaging.
Storage temperature: 10 - 20 °C.
Shelf life: 3 years under these conditions.

7.3. Special uses See use section 1.

SECTION 8: Exposure controls/personal protective equipment

8.1. Control parameters

Limit values according to executive order no. 291 of 19/03/2024 on limit values for substances and materials (chemical agents) in the working environment:

Content Short-term	8-hour		Note
	limit value ppm / mg/m ³	limit value ppm / mg/m ³	
Ethanol	1000 / 1900	2000 / 3800	-
Potassium hydroxide	- / -	- / 2	-

DNEL/PNEC values:

DNEL Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Workers 175	Consumers
	Inhalation - Chronic Systemic	mg/m ³ 2750
Dermal - Chronic Systemic	mg/kg bw/day 132 µg/cm ²	1650 mg/kg bw/day
Dermal - Chronic Local	cm ²	79 µg/cm ²
Oral - Chronic Systemic	-	15 mg/kg bw/day

Randers Kemiske Industri

Safety data sheet

DNEL Ethanol

	Workers	Consumers
Inhalation - Chronic Systemic	380 mg/ m ³ 8238 mg/	114 mg/m ³
Dermal - Chronic Systemic	kg bw/day	-

DNEL Potassium hydroxide

	Workers	Consumers
Inhalation - Chronic Local	1 mg/m ³	1 mg/m ³

PNEC Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Fresh water	0.24 mg/L
Intermittent releases (Freshwater)	0.071 mg/L
Sea water	0.024 mg/L
Land	7.5 mg/kg soil dw

PNEC Ethanol

Fresh water	0.96 mg/L
Intermittent releases (Freshwater)	2.75 mg/L
Sea water	0.79 mg/L
Land	0.63 mg/kg soil dw

8.2. Exposure controls There is no exposure scenario for this product.

Appropriate exposure control measures:

Use protective equipment as indicated below.
Wash hands before breaks, toilet visits and after finishing work.
Do not eat, drink or smoke while using this product.

Personal protective equipment:



Respiratory protection:

Not required.
Use respirator with A2/P2 filter in case of insufficient ventilation.

Protection of hands:

Recommended:
Use protective nitrile rubber gloves (>0.11 mm). Protective gloves must comply with EN 374.
Penetration time: > 480 min.

Eye/ face protection:

Use safety glasses or a face shield.

Protection of skin:

Not required.

Measures to limit environmental exposure:

It must be ensured that local regulations for discharge are observed.



Safety data sheet

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical form Color: Odor:

Melting point/	Liquid
Freezing	Light brown
point	Floral scent
(°C): Boiling point or initial boiling point	-
and boiling range (°C): Flammability: Lower and upper explosion limit (vol-%): Flash point	-
(°C): Autoignition	-
temperature (°C): Decomposition temperature (°C): pH:	-
Kinematic viscosity	-
(mm ² /s): Solubility: Partition coefficient n-	-
octanol/water (log value): Vapor	-
	9.6 ± 0.5
pressure: Density and/or relative density:	-
Relative vapor	Soluble in water
density: Particle properties:	-
	-
	-
	-
	-

9.2. Other information

No.

SECTION 10: Stability and reactivity

10.1. Reactivity No

data.

10.2. Chemical stability The

product is stable when used according to the supplier's instructions.

10.3. Risk of dangerous reactions

None known.

10.4. Conditions to avoid None

known.

10.5. Materials to avoid

No one known.

10.6. Hazardous decomposition products

None under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) no. 1272/2008

Acute toxicity:

The database does not give rise to classification.

Substance	Exposure route	Art	Testing	Result
Ethanol	Oral	Rat	LD50	10470 mg/kg bw
Ethanol	Inhalation	Rat	LC50/ 4 Hours	116.9 mg/L air
Potassium hydroxide	Oral	Rat	LD50	333 mg/kg bw

Skin corrosion/irritation:

Irritating to the skin - can cause redness.

Serious eye damage/eye irritation:

Causes serious eye damage.

Respiratory sensitization or skin sensitization:

The database does not give rise to classification.

Germ cell mutagenicity:

The database does not give rise to classification.

Carcinogenicity:

The database does not give rise to classification.



Safety data sheet

Reproductive toxicity:

The database does not give rise to classification.

Single STOT exposure:

The product contains small amounts of organic solvents. When working on large areas in poorly ventilated rooms, the fumes can cause headaches and dizziness.

Repeated STOT exposures:

Prolonged or repeated inhalation of vapors can cause damage to the central nervous system.

Aspiration hazard:

The database does not give rise to classification.

11.2. Information on other hazards

Test data not available.

SECTION 12: Environmental information

12.1. Toxicity

Substance	Duration of the test	Art	Testing	Result
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	96 Hours	Fish	LC50	7.1 mg/L
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	48 hours	Daphnia	EC50	7.4 mg/L
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	72 hours	Algae	EC50	27.7 mg/L
Ethanol	96 Hours	Fish	LC50	15.3 g/L
Ethanol	48 hours	Daphnia	LC50	5012 mg/L
Ethanol	72 hours	Algae	EC50	275 mg/L

12.2. Persistence and degradability

Substance	Degradability in the aquatic environment	Testing	Result
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Yes	OECD Guideline 301 D	28 Days >= 77%
Ethanol	Yes	BOD	5 days 74%

12.3. Bioaccumulative potential

Substance	Potential bioaccumulative	LogPow
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	No	0.3
Ethanol	No	-0.35

12.4. Mobility in soil

Test data not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Hormone-disrupting properties

Test data not available.

12.7. Other adverse effects

None.



Safety data sheet

SECTION 13: Disposal

13.1. Methods for waste treatment

The product is covered by the regulations on hazardous waste.

Spills and waste are collected in closed and tight containers, which are disposed of via the municipal waste scheme for hazardous waste with the specifications below.

EAK code	Description	Chemical waste group
20 01 29	Detergents containing dangerous substances	H

Special marking:**Contaminated packaging:**

Empty packaging and residues must be handed over to the municipal waste scheme for hazardous waste.

SECTION 14: Transport information

The product is not covered by the regulations on the transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 - 14.4.**ADR**

-

IMDG/IATA

-

14.5. Environmental hazards

-

14.6. Special precautions for the user

-

14.7. Bulk transport by sea according to IMO instruments

Not relevant.

SECTION 15: Information on regulation

15.1. Special regulations/specific legislation for the substance or mixture with regard to safety, health and the environment**Sources:**

The Norwegian Working Environment Authority's order no. 301 of 13 May 1993 on determining code numbers, with later amendments.

Order on work with substances and materials (chemical agents) - BEK no. 381 of 12/04/2023, with subsequent amendments.

The Norwegian Working Environment Authority's order no. 1049 of 30 May 2021 on youth work, with later amendments.

Executive order no. 1369 of 25 November 2015 on marketing and labeling of volatile organic compounds in certain paints and varnishes as well as products for car refinishing.

Executive order no. 1565 of 19 December 2022 on the import and sale of highly toxic and toxic substances and mixtures, etc., on the storage and reporting of theft of certain substances and mixtures and on the prohibition of misleading statements when marketing substances and mixtures.

Executive order no. 6 of 4 January 2023 of the Chemicals Act.

Executive order no. 1794 of 18/12/2015 on special duties for manufacturers, suppliers and importers etc. of substances and materials under the Act on the Working Environment, with subsequent amendments.

Executive order no. 291 of 19/03/2024 on limit values for substances and materials (chemical agents) in the working environment, with subsequent amendments.

Executive order no. 573 of 23/05/2024 on waste, with later amendments.

Other marking:

PR number: 2474008

Declaration according to EU Regulation no. 648/2004:**Below 5%:**

Phosphates

Anionic surfactants

Nonionic surfactants

Soap

Perfume (Benzyl Benzoate, Cinnamyl Alcohol, Citronellol, Hexyl Cinnama, Alpha-Isomethyl Ionone).



Safety data sheet

Limitations of use:

Young people under the age of 18 may not professionally use or be exposed to the product. However, young people over the age of 15 are exempt from this rule if the product is included as a necessary part of an education. (cf., however, the Norwegian Working Environment Authority's Executive Order on youth work).

During a workplace assessment, it must be ensured that employees are not exposed to influences that could entail a risk during pregnancy or breastfeeding (cf. BEK no. 1839 of 14/12/2023 on the performance of the work).

Requirements for special education:

-

15.2. Chemical Safety Assessment

No.

SECTION 16: Other information

Prepared on the basis of EU regulation 1907/2006 (REACH)

Other information:

Sources:

EU regulation no. 1907/2006 (REACH), with later adaptations.

EU regulation no. 1272/2008 (CLP), with later adaptations.

Directive 2008/98/EC

ECHA – The European Chemicals Agency.

The full wording of H sentences referred to in points 2+3:

H225 Highly flammable liquid and vapour.

H290 May corrode metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) no. 1272/2008:

Skin Irritation. 2;H315 Calculation method

Eye Dam. 1;H318 Calculation method

Abbreviations and acronyms used in the safety data sheet: REACH:

Registration, assessment and approval of and restrictions on chemicals. Regulation (EC) no. 1907/2006.

CLP: Regulation (EC) no. 1272/2008 on classification, labeling and packaging.

CAS No.: Chemical Abstracts Service number.

EC no.: EINECS and ELINCS number (see also EINECS and ELINCS).

DNEL: Derived No-Effect Level (Derived No-Effect Level).

PNEC: Predicted No Effect Concentration (Predicted No Effect Concentration).

STOT: Specific Target Organ Toxicity (Specific Target Organ Toxicity).

LD50: Lethal Dose for 50% of a test population.

LC50: Lethal concentration for 50% of a test population.

EC50: The effective drug concentration that causes 50% of maximal response.

PBT: Persistent, Bioaccumulative and Toxic substance (Persistent, Bioaccumulative and Toxic).

vPvB: Very persistent and very bioaccumulative (Very Persistent and Very Bioaccumulative).

NOEC: The highest tested concentration where, in a study, no statistically significant effect is observed in the exposed population compared to an appropriate control group (No Observed Effect Concentration).

NOAEL: The highest tested dose or the highest tested exposure level at which no statistically significant increases in the frequency or severity of adverse effects occur between the exposed population and an appropriate control group. Some effects may occur at this level, but they are not considered harmful or precursors of harmful effects.

Other:

The information in this safety data sheet only applies to the product mentioned in point 1 and is not necessarily valid when used together with other products.

Changes have been made in the following points:

General update.

This safety data sheet replaces version:

1.9