



21-in-1 Twist-a-Nut™ Screwdriver



- · Wire connector wrench prevents finger fatigue and gets in tight spots
- All metal ratchet, pro-quality, 28 tooth double action, twin-tooth ratchet
- Premium screwdriver ratchet mechanism can handle high torque without failure
- 225 lbs. of torque (stronger than human wrist can torque)
- · Ergonomic, slip-free comfort grip
- Multiple bit storage unit and wire-looping hole in handle

Includes: #1 Phillips, #2 Phillips, #3 Phillips, 3/16" Slotted, 1/4" Slotted, 5/16" Slotted, #1 Square, #2 Square, #15 Star, #20 Star, #25 Star, #30 Star, 3/32" Hex, 1/8" Hex, 3/16" Hex, 5/32" Hex, 1/4" Nut, 5/16" Nut and 7/16" Nut











9-in-1 Ratch-a-Nut™ **Screwdriver**

- Ratcheting Wire Connector Wrench prevents finger fatigue and gets in tight spots
- Premium screwdriver ratchet mechanism can handle high torque without failure
- Ergonomic, slip-free comfort grip
- Accepts Twist-a-Nut™ replacement bits
- Includes: 1/4 in. and 3/16 in. Slotted, #1 & #2 Phillips, 1/4 in., 5/16 in., 7/16 in. nutdrivers, ratcheting screwdriver end, ratcheting wire connector wrench and wire-looping hole in handle





(Lifetime warranty excludes bits)

Description	Cat. No.
9-in-1 Ratch-a-Nut™ Screwdriver	35-988

Twist-a-Nut[™] Pro Electrician's Screwdrivers

- Convenient Wire-Nut® Wire Connector Wrench in end of handle
- Wire-looping hole in handle
- Vapor-blasted tip prevents plate chipping
- Tough, chrome vanadium steel shank

Precision ground tip provides secure fit in screw slot



Description		Cat. No.
#2 x 6 in. Square	-	30-330
1/4 in. x 4 in. Slotted		30-331
#2 x 4 in. Phillips		30-332
1/4 in. x 6 in. Slotted Cabinet Tip		30-333

7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver

- Includes patented Wire-Nut® Wire Connector Wrench in handle to help install twist-on wire connectors
- Includes wire-looping hole in handle
- Includes #1 & #2 Phillips, 1/4 in. & 3/16 in. Slotted. 1/4 in. & 5/16 in. Nutdriver










- #35-909 includes #1 & #2 Square Recess in place of #1 & #2 Phillips
- Handle is interchangeable with conduit deburrer head (#35-096) and 6-in-1 Tap Tool (#35-922)

Description	Cat. No.
7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver	35-908
7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver with Square tip	35-909

Replacement Tips (for both Ratch-a-Nut™ and Twist-a-Nut™)

Description	Cat. No.
1/4 in. slotted – #2 Phillips	35-911
3/16 in. slotted – #1 Phillips	35-912
1/4 in. slotted – #2 Square	 35-913



Description	Cat. No.
3/16 in. slotted – #1 Square	35-914
#15 & #10 Star	35-915

6-in-1 Twist-a-Nut™ **Tap Tool**


- Forms new threads, re-forms burred threads and cleans out obstructions
- Reversible, high-carbon tap with three clearly marked thread sizes on each end
- Handle is interchangeable with 7-in-1 Screwdriver (#35-908) and Conduit Deburrer (#35-083)

(Lifetime warranty excludes taps)

Description	Cat. No.
Twist-a-Nut™ Tapping Tool includes: 6-32, 8-32 & 10-32 on one tapping side, 10-24, 12-24 & 1/4-20 on the other	35-922
Replacement collar and six taps	35-923

3-in-1 Twist-a-Nut™ **Tap Tool**

- Forms new threads, re-forms burred threads and cleans out obstructions
- Reversible, high-carbon tap with three clearly marked thread sizes on each end
- Handle is interchangeable with 7-in-1 Screwdriver (#35-908) and Conduit Deburrer (#35-083)











IDEAL

excludes taps)

Twist-a-Nut™ Conduit **Deburring Tools**

- Deburrs inside and outside edges of 1/2 in., 3/4 in. and 1 in. thin wall conduit
- Hooded tip tightens EMT fitting set screws without slipping
- Square tip "seats" much more quickly on fitting screws than slotted version





Patented Wire-Nut® Wire Connector Wrench in handle end eases installation of twist-on connectors







Description	Cat. No.
Conduit Deburring Tool, Slotted tip	35-083
Conduit Deburring Tool - #2 Square tip	35-075
Conduit Deburring Tool - head only, Slotted tip	35-096
Conduit Deburring Tool - head only, #2 Square tip	35-098
Replacement Blades (2/pack)	35-097

3-in-1 Tap Tool includes handle and three taps	35-412	
Twist-a-Nut™ Condui	it Wirin	g Kit

Description

- Twist-a-Nut[™] Screwdriver (35-908)
- Twist-a-Nut™ Deburring Head Square Tip (35-098)
- Twist-a-Nut[™] Tap Tool Shaft (35-923)
- Three Spare Bits (1/4 in. Slotted & #2 Square, 3/16 in. Slotted & #1 Square, #10 & #15 Star)
- 8-Pocket Carrying Pouch (35-927)
- Nylon carrying pouch holds all three Twist-a-Nut™ tools plus room for four replacement bits or taps
- Strong easy-slide metal belt clip

Description	Cat. No.
Twist-a-Nut™ Combo Pack	35-926
Twist-a-Nut™ Carrying Pouch only	35-927



6-in-1 Screwdriver/ **Nutdriver**

Includes: 5/16 in. Nutdriver, #1 Phillips, #2 Phillips, 9/32 in. Slotted and 3/16 in. Slotted

Cushioned grip for performance and comfort

Patented Accu-Loop™ Wire looping holes



Patented Wire-Nut® Wire Connector Wrench in handle

Description	Cat. No.
6-in-1 Screwdriver/Nutdriver	35-905
Replacement Bits (for 6-in-1 Screwdriver)	
Description	Cat. No.
#1 Phillins - 3/16 in Slotted	Ι Δ-4123



11-in-1 Screwdriver/ **Nutdriver**

Includes: 1/4 in. Slotted, #2 Phillips, 3/16 in. Slotted, #1 Phillips, #1 & #2 Square, #15 and #10 Star and 5/16 in. & 1/4 in. 3 Nutdriver

Patented Wire-Nut® Wire Connector Wrench in handle

- Cushioned grip for comfort and performance
- Patented Accu-Loop™ Wire looping holes

Description	Cat. No.
11-in-1 Screwdriver/Nutdriver	35-910
Replacement Bits (for 11-in-1 Screwdriver)	
Description	Cat. No.
1/4 in. Slotted - #2 Phillips (2/pack)	35-940
3/16 in. Slotted - #1 Phillips (2/pack)	35-941
#1 & #2 Square (2/pack)	35-942
#15 & #10 Star (2/pack)	35-943





Cushioned-Grip

FETIM

• IDEAL PARANT

(Lifetime warranty

excludes bits)



5-Piece Screwdriver Set



Description				Cat. No.
5-Piece Screwdriver Set				35-297
35-297 Includes	Blade Length	Handle Length	Overall Length	Cat. No.
Phillips	4 in.	4-5/16 in.	8-5/16 in.	35-194
Heavy-Duty Keystone	4 in.	4-5/16 in.	8-5/16 in.	35-154
Cabinet	6 in.	3-3/4 in.	9-3/4 in.	35-186
Heavy-Duty Cabinet	6 in.	4-5/16 in.	10-5/16 in.	35-151
Heavy-Duty Keystone	6 in.	5-11/32 in.	11-11/32 in.	35-166

7-Piece Screwdriver Set



_				
Description				Cat. No.
7-Piece Screwdriver Set				35-1298
35-1298 Includes	Blade Length	Handle Length	Overall Length	Cat. No.
#1 Phillips	3 in.	3-3/4 in.	6-3/4 in.	35-193
1/4 in. Heavy-Duty Cabinet	4 in.	4-5/16 in.	8-5/16 in.	35-150
#2 Phillips	4 in.	4-5/16 in.	8-5/16 in.	35-194
1/4 in.Heavy-Duty Keystone	4 in.	4-5/16 in.	8-5/16 in.	35-154
3/16 in. Slotted Cabinet	3 in.	3-3/4 in.	6-3/4 in.	35-183
5/16 in. Keystone	6 in.	5-11/32 in.	11-11/32 in.	35-156
3/16 in. Cabinet	6 in.	3-3/4 in.	9-3/4 in.	35-186

8-Piece Screwdriver Set



Description	Cat. No.			
8-Piece Screwdriver Set				35-298
35-298 Includes	Blade Length	Handle Length	Overall Length	Cat. No.
#1 Phillips	3 in.	3-3/4 in.	6-3/4 in.	35-193
3/16 in. Slotted	3 in.	3-3/4 in.	6-3/4 in.	35-183
#2 Phillips	4 in.	4-5/16 in.	8-5/16 in.	35-194
1/4 in. Heavy-Duty Keystone	4 in.	4-5/16 in.	8-5/16 in.	35-164
1/4 in. Heavy-Duty Keystone	4 in.	4-5/16 in.	8-5/16 in.	35-154
3/16 in. Cabinet	6 in.	3-3/4 in.	9-3/4 in.	35-186
1/4 in. Heavy-Duty Cabinet	6 in.	4-5/16 in.	10-5/16 in.	35-151
5/16 in. Keystone	6 in.	5-11/32 in.	11-11/32 in.	35-166

OF SALL RE

Tools & Supplies







Phillips





- Vapor-blasted tip prevents plate chipping
- Easy-to-read FastFinder[™] handle shows tip type on end of handle
- · Nickel Chrome plating for corrosion resistance
- Tough, chrome vanadium steel shank with cushioned-grip handle



Description	Blade Length	Handle Length	Overall Length	Cat. No.
#1 Phillips	3 in.	3-3/4 in.	6-3/4 in.	35-193
#2 Phillips	1-1/2 in.	1-15/16 in.	3-7/16 in.	35-191
#2 Phillips	4 in.	4-5/16 in.	8-5/16 in.	35-194
#2 Phillips	6 in.	4-5/16 in.	10-5/16 in.	35-195
#3 Phillips	6 in.	5-23/64 in.	11-23/64 in.	35-196

Square





- · Precise tip for square-recess screws
- Easy-to-read FastFinder[™] handle shows tip type on end of handle
- · Nickel Chrome plating for corrosion resistance
- Tough, chrome vanadium steel shank with cushioned-grip handle



Description	Blade Length	Handle Length	Overall Length	Cat. No.
#0 Square	4 in.	4-5/16 in.	8-5/16 in.	35-690
#1 Square	4 in.	4-5/16 in.	8-5/16 in.	35-691
#1 Square	8 in.	4-5/16 in.	12-5/16 in.	35-692
#2 Square	4 in.	4-5/16 in.	8-5/16 in.	35-693
#2 Square	8 in.	4-5/16 in.	12-5/16 in.	35-694
#3 Square	4 in.	4-5/16 in.	8-5/16 in.	35-695
#3 Square	8 in.	4-5/16 in.	12-5/16 in.	35-696

Cabinet





- · Vapor-blasted tip prevents plate chipping
- Easy-to-read FastFinder[™] handle shows tip type on end of handle
- Precision ground tip provides secure fit in screw slot
- Nickel Chrome plating for corrosion resistance
- Tough, vanadium steel shank with cushioned-grip handle



Description	Blade Length	Handle Length	Overall Length	Cat. No.
3/16 in. shank and tip	3 in.	3-3/4 in.	6-3/4 in.	35-183
3/16 in. shank and tip	4 in.	3-3/4 in.	7-3/4 in.	35-184
3/16 in. shank and tip	6 in.	3-3/4 in.	9-3/4 in.	35-186
3/16 in. shank and tip	8 in.	3-3/4 in.	11-3/4 in.	35-188
3/16 in. shank and tip	10 in.	3-3/4 in.	13-3/4 in.	35-190

Heavy-Duty Cabinet





- · Large diameter shank for tough applications
- Easy-to-read FastFinder[™] handle shows tip type on end of handle
- · Vapor-blasted tip prevents plate chipping
- · Precision ground tip provides secure fit in screw slot
- · Nickel Chrome plating for corrosion resistance
- Tough, chrome vanadium steel shank with cushioned-grip handle



Description	Blade Length	Handle Length	Overall Length	Cat. No.
1/4 in. shank and tip	4 in.	4-5/16 in.	8-3/8 in.	35-150
1/4 in. shank and tip	6 in.	4-5/16 in.	10-3/8 in.	35-151
1/4 in. shank and tip	8 in.	4-5/16 in.	12-3/8 in.	35-152



Heavy-Duty Round Shaft Keystone





- Larger shank for heavy-duty applications
- Identification mark on ends
- Vapor-blasted tip prevents plate chipping
- Precision ground tip provides secure fit in screw slot
- Large diameter shank for tough applications
- Tough, chrome vanadium steel shank with cushioned-grip handle



Round Shank	Blade Length	Handle Length	Overall Length	Cat. No.
1/4 in. shank and tip	1-1/2 in.	1-15/16 in.	3-7/16 in.	35-161
1/4 in. shank and tip	4 in.	4-5/16 in.	8-5/16 in.	35-164
5/16 in. shank and tip	6 in.	5-11/32 in.	11-11/32 in.	35-166
3/8 in. shank and tip	8 in.	5-11/32 in.	13-11/32 in.	35-168

Heavy-Duty Square Shaft Keystone





- Larger shank for heavy-duty applications
- Identification mark on ends
- Vapor-blasted tip prevents plate chipping
- Precision ground tip provides secure fit in screw slot
- Square-shank models offer wrench-assisted turning
- Tough, chrome vanadium steel shank with cushioned-grip handle



Square Shank	Blade Length	Handle Length	Overall Length	Cat. No.
1/4 in. shank and tip	4 in.	4-5/16 in.	8-5/16 in.	35-154
5/16 in. shank and tip	6 in.	5-11/32 in.	11-11/32 in.	35-156
3/8 in. shank and tip	8 in.	5-11/32 in.	13-11/32 in.	35-158

1-800-435-0705 Customer Assistance




Combo Head™



- Designed to accurately and securely fit most Combination Fasteners
- Easy-to-read FastFinder[™] handle shows tip type on end of handle
- Patented design
- Cushioned-Grip Cellulose Acetate handle provides maximum comfort and grip



Description	Blade Length	Handle Length	Overall Length	Cat. No.
Combo Head™ Cushioned-Grip Screwdriver	4 in.	4-5/16 in.	8-5/16 in.	35-204





Recessed Light Kit

- All the tools needed to install recessed lights
- Long spring tool easily installs and removes spring
- Compact Nutdriver is 2-1/4 in. - providing added clearance in recess lighting
- Cushioned-grip handle for added comfort



Description	Cat. No.
Recessed Light Kit	35-698

Quick-Rotating



- Ideal for threading screws in switches, fixtures and anchors
- Identification mark on ends
- One-handed crank action for quick and easy use
- Vapor-blasted tip prevents plate chipping
- Precision-ground tip provides secure fit in
- Nickel Chrome plating for corrosion resistance
- Tough, chrome vanadium steel shank with cushioned-grip handle



• IDEAL

Description	Blade Length	Handle Length	Overall Length	Cat. No.
Cabinet	5-9/16 in.	3-3/4 in.	9-3/8 in.	35-200
Phillips	5-5/8 in.	4-5/16 in.	9-15/16 in.	35-203

Awi



- Heavy-duty construction for piercing, punching and scribing
- Easy-to-read FastFinder[™] handle shows tip type on end of handle
- Cushioned-grip handle

Description		Handle Length		Cat. No.
Awl	3 in.	3-3/4 in.	6-3/4 in.	35-202

Grip-n-Screw™ Screwdriver




- Holds screw when collar is extended
- Non-magnetic screw-holding screwdriver
- Tough, chrome vanadium steel shank and cushioned-grip handle



Description	Blade Length	Handle Length	Total Length	Cat. No.
3/16 Slotted	5-7/8 in.	3-3/4 in.	9-5/8 in.	35-406
#2 Phillips	6-7/8 in.	4-15/16 in.	11-1/4 in.	35-404

Off-Set Screwdriver Set



- 1/4 in. x 1/4 in. Slotted tips
- #1 Phillips x #2 Phillips tips
- Designed to tighten fasteners in hard to reach places



Description	Overall Length	Cat. No.
Off-Set Screwdriver Set – 1/4 in. x 1/4 in. Slotted and #1 & #2 Phillips	4 in.	35-219

Quick Change Screwdriver

 Patented Sure-Loc[™] Quick Change chuck eliminates debris pick up as well as dropped bits

Built-in bit storage container in handle holds up to five extra insert bits

Bits fit all standard multi-bit screwdrivers

E-Z Spin™ high torque rotating flip cap

Patented design



(Lifetime warranty excludes bits)



of bits in blocks.

Description	Blade Length	Handle Length	Overall Length	Cat. No.
Quick Change Screwdriver (Driver only)	3-1/16 in.	4-3/16 in.	7-1/4 in.	35-932
33-Piece Quick Change Screwdriver Set - Quick Change Screwdriver and 32-Piece Tamper-Proof Bit Block	3-1/16 in.	4-3/16 in.	7-1/4 in.	35-933
33-Piece Quick Change Screwdriver Set - Quick Change Screwdriver and 32-Piece Standard Bit Block	3-1/16 in.	4-3/16 in.	7-1/4 in.	35-934
32-Piece Tamper-Proof Bit Block				35-933TP
32-Piece Standard Bit Block				35-933STD



4-Piece Mini Cushioned-Grip Screwdriver Set







Description	Blade Length	Handle Length	Overall Length	Cat. No.
Phillips, #0	2-31/32 in.	2-3/4 in.	5-23/32 in.	-
Keystone, 1/16 in.	1-31/32 in.	2-3/4 in.	4-23/32 in.	-
Cabinet, 3/32 in.	2-31/32 in.	2-3/4 in.	5-23/32 in.	-
Cabinet, 1/8 in.	2-31/32 in.	2-3/4 in.	5-23/32 in.	-
4-Piece Set				35-1301

2-Piece Stubby Screwdriver

Set



Description	Blade Length	Handle Length	Overall Length	Cat. No.
2-Piece Screwdriver Set	1-1/2 in.	2-1/8 in.	3-5/8 in.	35-1300

Slim Electronics

- Designed for maximum handling comfort when working in tight areas
- Tough, chrome vanadium steel shank
- Phosphate tip for longer
- Rotating cap for optimum control for precise centering
- Color-coded cap for easy identification



Description	Blade Length	Handle Length	Overall Length	Cat. No.
Cabinet, 3/32 in.	2-1/2 in.	3-9/16 in.	6-1/16 in.	36-240
Cabinet, 3/32 in.	3 in.	3-9/16 in.	6-9/16 in.	36-241
Cabinet, 1/8 in.	4 in.	3-9/16 in.	7-9/16 in.	36-242
Cabinet, 1/8 in.	6 in.	3-9/16 in.	9-9/16 in.	36-243
Cabinet, 5/32 in.	4 in.	3-9/16 in.	7-9/16 in.	36-244
Cabinet, 5/32 in.	6 in.	3-9/16 in.	9-9/16 in.	36-245
Phillips, #0	2-1/2 in.	3-9/16 in.	6-1/16 in.	36-246
7-Piece Set includes one each of 36-240 thru 36-246				
4-Piece Set includes one each of 36-240, -241, -242, & -246				

ARAN

Nutmaster® Nutdrivers



- Long, hollow shank accommodates longer bolts
- Easy-to-read FastFinder™ handle shows tip type on end of handle
- Nickel Chrome plated to resist rust and corrosion
- Cushioned grips
- Models 35-292 and 35-295 fit Tan & Blue Twister® Wire Connectors





Description	Shank Length	Handle Length	Overall Length	Cat. No.
3/16 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-290
1/4 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-291
5/16 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-292
11/32 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-293

Description	Shank Length	Handle Length	Overall Length	Cat. No.
3/8 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-294
7/16 in. x 4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-295
1/2 in. x 4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-296

7-Piece Nutdriver Set







Description	Cat. No.			
7-Piece Nutdriver Set				35-299
35-299 Includes	Shank Length	Handle Length	Overall Length	Cat. No.
3/16 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-290
1/4 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-291
5/16 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-292
11/32 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-293
3/8 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-294
7/16 in. x 4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-295
1/2 in. x 4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-296

2-Piece Hollow-Shaft **Nutdriver Set**



- Includes 1/4 in. & 5/16 in.
- Long, hollow shank accommodates longer bolts
- Nickel Chrome plated to resist rust and corrosion
- · Long shanks useful in deep electrical boxes



Description	Shank Length	Handle Length	Overall Length	Cat. No.
2-Piece Nutdriver Set	5-15/16 in.	4-5/16 in.	10-1/4 in.	35-1302

2-Piece Stubby Nutdriver Set



Description	Blade Length	Handle Length	Overall Length	Cat. No.
2-Piece Nutdriver Set	1-1/2 in.	2-1/8 in.	3-5/8 in.	35-1299