




# Tools and Totes





### Kinetic™ Reflex™ T<sup>®</sup>-Stripper Wire Stripper

Ergonomic handles with Santoprene™ grip and Thumb Valley™ make this the premier wire stripper in the market.



### Kinetic™ Super Wire Stripper

The ergonomic design and patented Santoprene™ grip wicks away perspiration and reduces muscle fatigue. The Thumb Valley™ guide and precision stripping holes promote the highest accuracy in the industry.



- Thumb Valley™ Protection
- Pocket Locket Locking Hasp
- Shear Cut Bolt Cutters
- Santoprene™
- Ergo Handles

### Reflex™ Super T<sup>®</sup>-Stripper Wire Stripper

The ergonomic design with curved handles reduces wrist fatigue. Features 6/32 and 8/32 self-chasing, bolt cutting holes and a locking pawl for safe storage.



- Thumb Valley™ Protection
- Pocket Locket Locking Hasp
- Shear Cut Bolt Cutters
- Santoprene™
- Curved Handles

### Reflex™ Premium T<sup>®</sup>-Stripper Wire Stripper

Designed for total-comfort and wire stripping. Ergonomic handles fit an electrician's natural grip and reduces hand fatigue. Textured, slip-resistant sleeves cushion thumb and fingers.



- Locking Pawl
- Bolt Cutting
- Extended Textured Comfort
- Ergo Handles

### Super T<sup>®</sup>-Stripper Wire Stripper

The traditional T<sup>®</sup>-Stripper wire stripper features with the added convenience of bolt-cutting holes and locking pawl. Curved comfort-grip handles accommodate high-volume wire stripping.



- Extended Textured
- Ergo Handles

### T<sup>®</sup>-Stripper Wire Stripper

The industry standard for almost 50 years. Compact, lightweight and easy to use. Features precision-ground, knife-type blades, built-in looping holes, wire cutters and a convenient plier nose.



- Straight Handles

- Locking Pawl
- Bolt Cutting
- Comfort
- Curved Handles

T<sup>®</sup>-Stripper Wire Stripper Selection Guide

T <sup>®</sup> -Stripper Wire Stripper Selection Guide																Wire Stripper	#45-100's	#45-300's	#45-400's	#45-600's	#45-700's	#45-900's	
6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36								
																Solid							
																Stranded	45-125	45-317	45-417	—	—	—	—
																Solid	45-121	45-316	45-416	45-616	45-716	—	
																Stranded	45-121	45-316	45-416	45-616	45-716	—	
																Solid	45-120	—	45-415	—	45-715	45-915	
																Stranded	45-120	—	45-415	—	45-715	45-915	
																Solid	—	45-315	—	45-615	—	—	
																Stranded	—	45-315	—	45-615	—	—	
																Solid	45-124	45-318	45-418	45-618	45-718	45-918	
																Stranded	45-124	45-318	45-418	45-618	45-718	45-918	
																T <sup>®</sup> -Cutter	45-123	—	—	—	—	—	

Static Disp

### Kinetic™ Super Wire Strippers



- Non-slip Santoprene™ textured grips
- Plier nose for holding and twisting wires
- Slide lock for safety and storage
- Thumb and finger valley makes stripping easier and more accurate
- “Shear-Cut™” bolt cutters

Description	Solid	Stranded	Cat. No.
Kinetic Super™ Wire Stripper	10-18	12-20	45-715
Kinetic Super™ Wire Stripper	14-24	16-26	45-716
Kinetic Super™ Wire Stripper	6-14	8-16	45-718

### Reflex™ Premium T®-Stripper Wire Strippers



- Ergonomic design for maximum comfort
- Curved handles reduce wrist fatigue
- Sleeves that extend to stripping head to cushion thumb and fingers
- Textured, no-slip sleeves provide a sure, easy grip

Description	Solid	Stranded	Cat. No.
Reflex™ Premium T®-Stripper	10-18	12-20	45-415
Reflex™ Premium T®-Stripper	14-24	16-26	45-416
Reflex™ Premium T®-Stripper	22-30	24-32	45-417
Reflex™ Premium T®-Stripper	6-14	8-16	45-418
Reflex™ Premium T®-Stripper - Mini	0.5mm <sup>2</sup> -4.0mm <sup>2</sup>		45-425-341
Reflex™ Premium T®-Stripper - Cutter			45-423

### Kinetic™ Reflex™ T®-Stripper Wire Strippers



- Non-slip Santoprene™ textured grips and thumb rest
- Plier nose for holding and twisting wires
- Slide lock for safety and storage
- Thumb and finger valley makes stripping easier and more accurate
- “Shear-Cut™” bolt cutters

Description	Solid	Stranded	Cat. No.
Kinetic Reflex™ T®-Stripper	10-18	12-20	45-915
Kinetic Reflex™ T®-Stripper	6-14	8-16	45-918

### Reflex™ Super T®-Stripper Wire Strippers



- 6/32 and 8/32 self-chasing screw-cutting holes
- Locking pawl for safe storage
- Ergonomic design for maximum comfort
- Curved handles reduce wrist fatigue
- Sleeves that extend to stripping head to cushion thumb and fingers
- Textured sleeves with extra cushioning for added comfort

Description	Solid	Stranded	Cat. No.
Reflex™ Super T®-Stripper	8-16	10-18	45-615
Reflex™ Super T®-Stripper w/static dissipative grips	14-24	16-26	45-616
Reflex™ Super T®-Stripper	8-14	8-16	45-618
Reflex™ Super 12/2 & 14/2	12-2 and 14-2	—	45-621
Reflex™ Super 12/3 & 14/3	12-3 and 14-3	—	45-622

Wire Strippers

## T<sup>®</sup>-Stripper Wire Strippers

- Form-ground, knife-type blades for accurate, easy stripping without nicking insulation
- Built-in wire cutter and looping holes
- Convenient plier nose for extra gripping strength
- Laser-etched wire gauge for easy-to-read visibility
- Spring-loaded automatic opening
- Corrosion-resistant, black oxide finish
- Tough steel construction



Description	Solid	Stranded	Cat. No.
T <sup>®</sup> -Stripper Wire Stripper	10-18	12-20	45-120
T <sup>®</sup> -Stripper Wire Stripper	14-24	16-26	45-121
T <sup>®</sup> -Stripper Wire Stripper	22-30	24-32	45-125
T <sup>®</sup> -Stripper Wire Stripper	6-14	8-16	45-124
T <sup>®</sup> -Stripper Wire Stripper – Metric	0.5-4mm <sup>2</sup>		45-120-341
T <sup>®</sup> -Stripper Wire Stripper – Metric	0.75-6mm <sup>2</sup>		45-125-341

## NM Cable T<sup>®</sup>-Stripper Wire Strippers

- Easy, one-step stripping of outer jacket of NM cable —no slitting required
- Versatility to strip, cut and loop conductor wires with precision and ease
- Stripping holes for 12 or 14 AWG solid wire
- Locking pawl for safe storage



Description	Cat. No.
12/14 NM Cable T <sup>®</sup> -Stripper Wire Stripper	45-248
12/14 NM Cable T <sup>®</sup> -Stripper Wire Stripper	45-249
12/14 Cable 12/2 & 14/2 NM Cable T <sup>®</sup> -Stripper Wire Stripper	45-621
12/14 Cable 12/3 & 14/3 NM Cable T <sup>®</sup> -Stripper Wire Stripper	45-622

## NM Cable Dual-Hole T<sup>®</sup>-Stripper Wire Stripper

- Stripping holes for stripping two 12 AWG or two 14 AWG wires simultaneously
- Ability to strip both conductor wires of NM cable at one time



Description	Wire Range	Cat. No.
Premium T <sup>®</sup> -14 T <sup>®</sup> -Stripper Wire Stripper	12 or 14 AWG solid	45-247

## Super T<sup>®</sup>-Stripper Wire Strippers

- 6-32 and 8-32 self-chasing screw-cutting holes (not available on metric stripper)
- Curved, cushion-grip handles for ergonomic comfort
- Locking pawl to keep stripper in closed position
- Built-in wire cutter and looping holes
- Convenient plier nose for extra gripping strength
- Laser-etched wire gauge for easy-to-read visibility
- Spring-loaded automatic opening
- Tough steel construction, corrosion-resistant, black oxide finish



Description	Solid	Stranded	Cat. No.
Super T <sup>®</sup> -Stripper Wire Stripper	6-18	10-18	45-315
Super T <sup>®</sup> -Stripper Wire Stripper	6-18	10-18	45-318
Super T <sup>®</sup> -Stripper Wire Stripper – Metric	0.5-4mm <sup>2</sup>		45-310-341
Super T <sup>®</sup> -Stripper Wire Stripper – Metric	0.75-6mm <sup>2</sup>		45-315-341
Super T <sup>®</sup> -Stripper Wire Stripper – Metric	0.5-4mm <sup>2</sup>		45-317-341

## Lil' Ripper Stripper™

- Rips Romex® outer jacket cleanly and quickly
- Clips outer sheathing to remove excess Romex® jacket
- Strips inner conduit wires
- Looping holes loop wire for screw-on connections
- Twist-Assist™ tightens most popular sizes of winged twist-on connectors
- Injection molded elastomer grip provides a comfortable, slip resistant grip
- Strip length measuring scale allows for quick and easy measurements
- Conveniently fits in your pocket



Description	Cat. No.
Lil' Ripper Stripper™	45-025

## Reflex™ Super T<sup>®</sup>-Stripper Wire Strippers

- 6/32 and 8/32 self-chasing screw-cutting holes
- Locking pawl for safe storage
- Ergonomic design for maximum comfort
- Curved handles reduce wrist fatigue
- Sleeves that extend to stripping head to cushion thumb and fingers
- Textured sleeves with extra cushioning for added comfort



Description	Solid	Stranded	Cat. No.
Reflex™ Super 12/2 & 14/2	12-2 and 14-2	—	45-621
Reflex™ Super 12/3 & 14/3	12-3 and 14-3	—	45-622

## Super T<sup>®</sup>-Stripper Wire Strippers—Static Dissipative

- Static dissipative grips for dispersing static charge buildup through the operator to the ground (operator must be grounded via wrist strap or other grounding device)



- Locking pawl to keep stripper in closed position

Description	Solid	Stranded	Cat. No.
Super T <sup>®</sup> -6 T <sup>®</sup> -Stripper Wire Stripper w/static dissipative grips	14-24	16-26	45-316
Super T <sup>®</sup> -7 T <sup>®</sup> -Stripper Wire Stripper w/static dissipative grips	22-30	24-32	45-317

## V-Notch Stripper

- Cuts copper or aluminum wire, solid or stranded
- Rotating cam wheel adjusts to strip 10-24 AWG wire
- Looping holes for solid wire
- Locking hasp



Description	Cat. No.
V-Notch Stripper	45-101

## 7-in-1 Stripper



- Versatile, seven-function tool features precision-ground stripping blades, cushioned grips and plier nose
- Strips 8 – 16 AWG solid and 10 – 18 AWG stranded wire
- Crimps bare and insulated terminals for 10 – 22 AWG wire, RG-59 coax connectors and 7 to 8mm auto ignition connectors
- Cuts unhardened wire, bolts and screws (4-40, 6-32, 8-32, 10-24 and 10-32) and reforms threads
- Cuts stranded, solid, Romex<sup>®</sup> and U.F. wire to 8 AWG
- Reams and de-burrs conduit
- Gauges and loops wire

Description	Cat. No.
7-in-1 Stripper	45-777

romex<sup>®</sup> is a registered trademark of Southwire.

## Ringer<sup>™</sup> Shielded Cable Stripper

- Precision stripping for most non-round cable, including extruded Teflon<sup>®</sup>, Kapton<sup>®</sup>, Tefzel<sup>®</sup>, Kynar<sup>®</sup> and high-temperature insulations
- Spring-loaded head provides even tension
- Heat-treated, stainless-steel blades resist wear
- Fixed blades are sized to insulation thickness, for accurate stripping
- V-notch jaw automatically positions and holds cable
- Wire guide roller maintains stripping head alignment, for square, clean cuts



Description	Blade	Color	Cat. No.
Cable Stripper, 5 Mil insulation, includes blade	K-6492	(Orange)	45-401
Cable Stripper, 8-10 Mil insulation, includes blade	K-6493	(Yellow)	45-402
Cable Stripper, Cable diameters up to 0.12 in.	sold separately	(Blue)	45-400
Cable Stripper, Cable diameters from 0.12 in. to 0.22 in.	sold separately	(Red)	45-403
Cable Stripper, w/"deep V" forcable diameters up to 0.30 in.	sold separately	(Green)	45-404

## Replacement Blades

Cutting Depth	Cat. No.	Cutting Depth	Cat. No.	Cutting Depth	Cat. No.
.0030 in.	K-6491	.0100 in.	K-6497	.0180 in.	K-6503
.0044 in.	K-6492	.0110 in.	K-6498	.0200 in.	K-6504
.0060 in.	K-6493	.0120 in.	K-6499	.0220 in.	K-6505
.0070 in.	K-6494	.0130 in.	K-6500	.0250 in.	45-2108-1
.0080 in.	K-6495	.0140 in.	K-6501		
.0090 in.	K-6496	.0160 in.	K-6502		

Select blade with cutting depth less than insulation thickness.

## Wire Stops



Description	Cat. No.
Up to 2-1/2 in.	LB-825
2-1/2 in. to 5 in.	LB-840

## IDEAL Gripper<sup>™</sup>



Description	Cat. No.
Slug Remover	45-333

romex<sup>®</sup> and kapton<sup>®</sup> are registered trademarks of E.I. du Pont de Nemours and Company. Kynar<sup>®</sup> is a registered trademark of Pennwell.