



Sewing

Machine needles for single and multihead embroidery





Find out more about sewing products from Groz-Beckert

Machine needles from Groz-Beckert for single and multihead embroidery

Groz-Beckert has been a renowned supplier of all types of sewing machine needles for over 30 years. The company not only serves the clothing and leather industry, but also offers a wide range of needles for single and multihead embroidery. Every production detail is scrutinized: high quality raw materials, optimized precision tools – and thereby tight manufacturing tolerances – as well as premium packaging.



People have been using embroidery to decorate all kinds of fabric for hundreds of years. Originally done by hand, machines now largely carry out embroidery. Then as now, the tool 'needle' plays a major role. Requirements for the needle, in fact, have increased as the machines have advanced. The demands made on needles have risen dramatically with the growing range of embroidery materials and ever-more sophisticated designs. Embroidery needles from Groz-Beckert deliver immaculate results even at very high embroidery speeds and when using different materials and yarns. The geometry and features of the needles are optimally aligned for use with embroidery machines. Not only you, but your customers will be impressed by the resulting product. Creativity thus has free rein.





Contents

Machine needles for single and multihead embroidery	2
Single and multihead embroidery	4
Different embroidery techniques	5
The needle system DB x K5	6
Special application needle DB x K5 SAN®1 GEBEDUR®	7
Point styles for single and multihead embroidery	8
The Groz-Beckert product range	9
Frequent application problems and troubleshooting	10
Other applications	12
Sewing and joining service	13
More highlights from Groz-Beckert	14

Single and multihead embroidery

Embroidery is used to decorate all kinds of fabrics by sewing thread in or onto it. Embroidery became a primarily mechanical task after the invention of the first embroidery machines in the 19th century. There are embroidery machines with only one head and others with several heads which can stitch the same motif onto several items at the same time.

Operation of embroidery machines

Nowadays embroidery machines are primarily used to embroider articles of clothing such as T-shirts, socks and caps. This is usually computer controlled. The fabric to be embroidered is first placed on an embroidery backing and then spanned into an embroidery frame. Based on the embroidery file, yarn rolls in various colors are laid in. Since embroidery heads are outfitted with several needles, yarn rolls need not be changed during the stitching process. The embroidery machine stitches the different yarns in succession.


Classification of embroidery machines

Embroidery machines are generally categorized as flatbed or free-arm machines. Larger panels (unfinished goods) are usually embroidered on flatbed machines. Here the embroidery frames are on a large, non-adjustable table. Flatbed embroidery machines can be equipped with up to 50 embroidery heads. Free-arm machines, on the other hand, are used to embroider finished goods, such as caps or T-shirts. The embroidery frame can be freely adjusted. These machines generally do not have more than twelve embroidery heads.

There is a further distinction between single- and multihead machines. Multihead machines are equipped with several embroidery heads, which simultaneously stitch the same motif on several articles of clothing.



Multihead machine: Free-arm machine from ZSK



Single-head machines: Flatbed machine from Tajima (left) and free-arm machine from ZSK (right)



Multihead machine: Flat-bed machine from Tajima

Different embroidery techniques

In addition to the traditional process, today's embroidery machines also allow for many other stitching techniques. This usually requires additional mechanical equipment.

Sequined embroidery

In sequined embroidery, very different sequins are attached to a backing. Sequins are fed to the embroidery machine on belts and backstitched onto the backing.




String and loop embroidery

In this stitching technique cord yarn is used to stitch a string onto embroidery backing. This technique is suited, for instance, to refined ornaments.



Moss embroidery

In contrast to traditional embroidery, moss embroidery is done with a single-thread system. The needle pierces the embroidery backing, picks up the thread under the needle plate and pulls it up. The loops that result from repeating the process create a surface on the top side.



3D embroidery

To create 3D effects in embroidery, foam material is glued to the plain cloth and stitched over. After over stitching, excess foam is removed from the embroidered fabric.



©ZSK Stickmaschinen GmbH

Needle system DB x K5 – for high functional reliability

The needle system DB x K5 has been specially designed for use in high performance machines. The main consideration was reducing skip stitches and thread breakage, maximum protection of thread and fabric, as well as loop pick-up.


The versions

With its bending resistance, even the standard version of needle system DB x K5 stands above conventional needle systems normally used in embroidery. The constructional features of the SAN® 1 GEBEDUR® and its titanium nitride coating provide maximum wear protection with high stability. The blade construction of DB x K5 KK is the same as the standard version, yet the shorter shank means that bending resistance is lower.

Further needle systems used for embroidery

Along with the DB x K5, the needle system DB x 1 is also often used in embroidery. These two systems differ only in the length of the points and in eye size (for details see diagram). Needle system DB x 1 is suited, in particular in size Nm 55, for stitching very small lettering and for sequined embroidery.

Especially for moss embroidery, needle CE x 3 is used. Having a hook instead of an eye, it perfectly copes with the special requirements of this embroidery technique.



Comparison of needle systems
DB x 1 and DB x K5

Special application needle DB x K5 SAN® 1 GEBEDUR®

The features of special application needle DB x K5 SAN® 1 GEBEDUR® provide many advantages over the standard version. It is particularly suited to embroidery of sturdy products such as baseball caps and leather.

Features:

1. The reinforced blade boosts needle stability, reducing needle deflection and breakage.
2. The new scarf design with scarf chamfer leads to better loop pick-up, thereby reducing skip stitches and needle breakage; moreover it protects the hook.
3. The optimized geometry between eye and scarf also improves loop pick-up and further reduces the number of skip stitches.
4. The larger eye simplifies threading and facilitates smoother sliding of the thread in the eye of the needle.
5. The GEBEDUR® coating provides maximum protection against wear.



Areas of application:


- DB x K5: universal use
- DB x K5 SAN® 1 GEBEDUR®: universal use, intended for sturdy materials such as hats and leather
- DB x K5 KK: for Pfaff KSM machines, caps, sequined embroidery and 3D effects
- DB x K5 SS: for sequined embroidery

Comparison of needle systems
DB x K5 and DB x K5 SAN® 1 GEBEDUR®
as well as DB x K5 KK

	DB x K5 Standard	DB x K5 SAN® 1 GEBEDUR®	DB x K5 KK
Shank length	Standard	Standard	Short
Point shape	RG (Standard)	RG (Standard)	RG (Standard)
Coating	Chrome	Titanium nitride	Chrome
Area of application	Standard needle for all common applications	Needle with very high stability and wear resistance; universal application	Needles for specific embroidery machines and applications, e.g. for 3D embroidery
Bending resistance			

Point styles for single and multihead embroidery


The standard point on the DB x K5 needle – the RG point – is the point most suited to many types of embroidery fabric. More demanding applications require other point styles.



More information in data sheet 'Cloth points'

Normal round point

For embroidery of textiles, leather, artificial leather and coated textiles




Example:
Delicate embroidery



Round point with small ball point

Universal point for embroidery of knitted and textile material such as microfiber




Example:
Conventional embroidery with no particular requirements



Light ball point

For embroidery of knitted fabrics




Example:
Logo embroidery on T-shirts



Medium ball point

For embroidery of elastic or coarsely-meshed sewing fabric and tulle



Example:
Embroidery on tulle



The Groz-Beckert product range for single and multihead embroidery

Groz-Beckert designation	Point	Surface	Size Nm									
			55 7	60 8	65 9	70 10	75 11	80 12	85 13	90 14	100 16	110 18
DB x K5	RG	Chrome		•	•	•	•	•	•	•	•	•
DB x K5	FFG	Chrome		•	•	•	•	•		•		
DB x K5	FG	Chrome			•	•	•	•		•	•	
DB x K5	RG	GEBEDUR®					•	•				
DB x K5	FFG	GEBEDUR®				•	•					
DB x K5 KK	RG	Chrome			•	•	•	•		•		
DB x K5 KK	FFG	Chrome				•	•	•				
DB x K5 KK	FG	Chrome		•	•	•	•	•				
DB x K5 R	R	Chrome		•	•	•	•	•		•		
DB x K5 SAN® 1	RG	GEBEDUR®		•	•	•	•	•				
DB x K5 SS	RG	Chrome			•	•	•					
DB x K5	TR	Chrome						•		•	•	•
DB x 1	R	Chrome	•	•	•	•	•	•	•	•	•	•
DB x 1	FFG	Chrome	•	•	•	•	•	•	•	•	•	•
DB x 1	FG	Chrome	•	•	•	•	•	•	•	•	•	•
DB x 1	R	GEBEDUR®		•	•	•	•	•		•	•	•
DB x 1	FFG	GEBEDUR®		•	•	•	•	•		•	•	
CE x 3	R	Chrome								•	•	•

Comprehensively customized

The Groz-Beckert range of machine needles specifically for single and multihead embroidery covers different point styles, surfaces and sizes.

Frequent application problems and troubleshooting


From material damage to puckering: With the right products and some helpful tips and tricks from Groz-Beckert, sewing problems are quickly remedied.

Fabric damage during embroidery of knitted material

One of the most common problems in the embroidery of knitted goods is damage to the fabric. The causes can vary:

- Needle is too thick
- Wrong point style
- Damaged needle point

Excessive stitch density, incorrect orientation of the fabric and bad yarn quality – due to fibers that are too short or twisted – can damage the fabric. To prevent this, a needle with ball point is required. The RG or FFG point is recommended for delicate knits, for more coarsely-knitted material the FG point.



Example:
Knitting yarns tear when pierced by needle points that are too sharp or damaged. Needles that are too thick stretch the loops too wide and they burst.




Solution:
With needle system DB x K5 Nm 65 with RG point, knitted fabrics can be embroidered smoothly and trouble-free.

Irregular embroidery appearance on woven fabric

Embroidery on woven fabric often results in irregular appearance of the embroidery design caused by irregular thread coverage. The causes include:

- Ball point too big
- Needle too thin
- Lettering too small
- Bad quality of fabric to be embroidered




Example:
Needle deflection due to a needle that is too thin or a ball point that is too big leads to irregular embroidery appearance.



Solution:
Using the DB x K5 Nm 75 with RG point ensures top results thanks to high stability and precise piercing of the needle.

Recommendations for the embroidery on leather

Cutting points are not suited to embroidery of leather. Thread cutting, leather perforation and uneven needle hole openings when changing stitch direction would result. The RG point is a proven performer for delicate to medium-hard leather, and the R point for very hard leather. Moreover, the force required for the needle to pierce leather is relatively high, thus the needle must be highly stable.




Example:

Using a cutting point, a length- and crosswise cut is made in the leather. In extreme cases, the already embroidered leather can end up cut out.

Irregular embroidery appearance on leather

A poor embroidery appearance on leather is often caused by lettering that is too small and stitch density that is too high. But a needle that is too thick or bad quality of the leather can also cause poor embroidery appearance.



Solution:

Using DB x K5 SAN® 1 GEB-EDUR® Nm 75 leads to trouble-free embroidery of leather. The embroidery is even and compact.

Puckering (distortion) during embroidery

Puckering occurs especially when very fine and dense fabric is embroidered, for example windbreaker jackets. Three factors must be considered:

- High stitch density: The more stitches there are in a design, the stronger the puckering.
- Thread size: The thicker the thread, the more pronounced is the puckering.
- Thread tension: The higher the thread tension, the more the fabric draws together, especially in long satin embroidery.

Needle size, however, hardly influences the degree of puckering.



Example: Puckering

Other applications

For 3D, delicate embroidery and applications with Lurex threads, Groz-Beckert will provide you with the right answers to common questions on everyday embroidery.

3D embroidery



3D embroidery embeds a foam material which is attached to the plain cloth to achieve the 3D effect. This leads to increased rubbing on the needle and on the thread. Furthermore, there is often cross stitching in the embroidered item around the embroidery motif, whereby piercing and thread-pull forces can vary greatly.

Solution:

Use DB x K5 SAN® 1 GEBEDUR®. Its characteristics include low penetration force, high wear resistance and high stability.

Delicate embroidery



The quality of delicate embroidery depends on several factors:

1. The finer the **embroidery base**, the better the stitching results. Fine lettering (≤ 5 mm) on knitted fabrics difficult or hardly possible.
2. Adapting the **stitching program** (has a huge influence on quality)
3. The finer the lettering selected, the finer the **thread**
- 4 **Needle size:** Nm 60-Nm 65
5. **Point shape:** fine fabric = R, knitted fabric = FFG or RG
6. Selection of suitable **backing (nonwoven)** (to stabilize)

Embroidery with Lurex thread




When Lurex thread is used for embroidery, needle size should be big enough for the Lurex thread to slide smoothly through the needle eye. Otherwise the thread may fray.

The quality of the embroidery program is also of major significance. Stitching density should not be set too high in order to prevent the Lurex threads from damaging one another in stitch formation.

Sewing and joining service

Groz-Beckert set new standards in customer service by setting up sewing technical centers worldwide for quick solutions to application problems. This is how Groz-Beckert fosters a closer relationship with customers. The sewing technical centers house comprehensive expertise in all areas of the sewing industry, from clothing and leather processing to technical textiles.



More information in data sheet
Sewing and joining service



Within the sewing and joining services, specialists in application engineering work out solutions to problems and provide support under worldwide uniform standards with regard to:

- needle selection
- process optimization
- quality assurance
- fault analysis
- employee training
- alternative joining processes


In order to serve all customer-specific requests, various service packages with different scopes of analysis and evaluation details are offered:

- base service
- expanded service
- customer-specific service


The sewing and joining service thus provides consultation in proximity to customers and, not to mention direct remedying of application issues. Moreover, there is an informed basis for further development and optimization of existing products.

More highlights from Groz-Beckert

Service at Groz-Beckert has many facets. In addition to the sewing and joining service it includes, for example, an innovative packaging system and, of course, the unique service concept Sewing⁵ and the digital customer portal. A technological highlight, on the other hand, is the needle geometry Loop Control®.



More information



The practical packaging system

The Groz-Beckert packaging system for sewing machine needles meets the precise requirements of the sewing and embroidery industry for user-friendly packaging: It protects the needles, prevents mix-ups, and is economical with regard to material, storage and transport space. The packaging is easily disposed of. The Data Matrix code on the label enables authenticity verification.

Sewing⁵

Since good product quality has become a minimum market demand, factors such as sustainable increases in productivity and efficiency, as well as additional service offerings, have moved to the fore. Groz-Beckert's response to these challenges is the service offering Sewing⁵, which stands for '5-Star concept in the sewing process' for continuous customer focus.

What's in the customer portal?

Groz-Beckert's Customer Portal provides a wealth of information on sewing technology and on various services, as well as on the new Product Catalog. All information and services in the Customer Portal are available round the clock and offer direct contact to Groz-Beckert. In addition to product details, you will also find impressive animations on different types of stitch formation.

Loop Control®

The one-of-a-kind Loop Control® geometry ensures stable loop formation with maximum sewing thread protection and high security against skip stitches – both for lock stitching and chain stitching applications.

Groz-Beckert KG

Parkweg 2


72458 Albstadt, Germany

Phone +49 7431 10 -0

Fax +49 7431 10-2777

contact-sewing@groz-beckert.com

www.groz-beckert.com



The depictions provided of our products are not to scale and are intended only for purposes of illustration. They do not accurately reflect the original.

® = Registered trademark of the Groz-Beckert Group.

© = This publication is protected by copyright.

All rights reserved, in particular the right of duplication, distribution and translation. This publication or any parts thereof may not be reproduced or stored, processed, duplicated or distributed using electronic systems in any form or by any means whatsoever without the express written consent of Groz-Beckert.

The following applies to all twelve pictographs of the technical textiles areas of application and their designations: © Techtexil, Messe Frankfurt Exhibition GmbH.

GROZ-BECKERT

KNITTING , WEAVING , FELTING , TUFTING , CARDING , SEWING

EN | 06.2019

