Vegetable Slicer TRS Vegetable Slicer - 1 Speed

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		



600464 (TRSYIV50)

Vegetable Slicer, 1 speed 340 rpm, 500 W. Lever operated hopper in stainless steel for intense

use

600467 (TRSY1V503)

Vegetable Slicer, 1 speed 340 rpm, 500 W. Lever operated hopper in stainless steel for intense

use

Short Form Specification

Item No.

Universal vegetable slicer for more than 80 different types of cuts, thanks to several stainless steel dw safe discs.

Parts in contact with food - stainless steel lever, stainless steel hopper and cutting chamber - can be removed without tools and placed in a dishwasher for fast cleaning.

Compact and ergonomic design, user-friendly lever (better pressure control, with less effort for arms and shoulder), designed for right and left handed users.

Angled base (20°) facilitates loading and unloading operations. Long vegetable hopper (55,5mm diameter), integrated in the wide 3/4 moon round hopper (215cm²) in stainless steel. Asynchronous industrial motor for heavy duty and longer life. High discharge zone (up to 20cm) for GN containers. 1 speed (340rpm) and pulse control for precise slicing. Automatic start/stop function will stop the machine when the lever hopper is lifted and will restart automatically when lowered. Waterproof (IP55) control panel and aluminium alloy motor base completely closed for complete protection against strong jets of water.

Main Features

- Suitable for 100-400 meals for table service and up to 800 meals for catering service.
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Ergonomically designed for right and left-handed users, frontal working and to reduce working space around the machine.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Hopper easily removed for cleaning.
- Base inclined at 20° to provide easy loading and unloading.
- High discharge zone permits the use of deep GN containers (up to 20cm).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- · Pulse function for precise cutting.
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Continuous feed model.
- Delivered with:
- -All stainless steel vegetable prep attachment with a lever-integrated long vegetable hopper (55,5mm diameter) and a large round hopper (215cm²)

Construction

- All blades (available on request) are made in stainless steel and dishwasher safe.
- Power: 500 W single or three-phase.
- 1 speed 340 rpm for precise cutting, slicing and dicing.
- Compact and portable design.
- Feeding arm and hopper are made entirely in stainless steel. Aluminum motor housing.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Improved ventilation system to manage smoothly heavy duty use.
- Reinforced basement and feet to withstand the continuous movements of the unit.
- Improved fixing of long vegetable hopper pusher.

Included Accessories

• 1 of Ejector disc PNC 653772

Optional Accessories

 Stainless steel shredding disc with S-blades 4x4 mm

PNC 650077 □

 Stainless steel shredding disc with S-blades 6x6 mm (can also be used for French fries)

PNC 650078 🗖

APPROVAL:



Vegetable Slicer TRS Vegetable Slicer - 1 Speed



Vegetable Slicer TRS Vegetable Slicer - 1 Speed

•	Stainless steel shredding disc with S- blades 8x8 mm (can also be used	PNC 650079		Stainless steel shredding disc with S- Pl blades 2x10 mm	NC 650159	
•	for French fries) Stainless steel shredding disc with S-blades 10x10 mm (can also be used	PNC 650080	<u> </u>	 Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with grids) 	NC 650160	
•	for French fries) Stainless steel pressing/slicing disc	PNC 650081	<u> </u>	Stainless steel pressing/slicing disc with PI S-blades 12 mm (can be used for slicing	NC 650161	
	with S-blades 0,6 mm (can be used for slicing or combined with grids) Stainless steel pressing/slicing disc	PNC 650082		or combined with grids) Stainless steel pressing/slicing disc with Pl corrugated S-blades 8 mm (can be	NC 650162	
	with S-blades I mm (can be used for slicing or combined with grids)			used for slicing or combined with grids)		
	Stainless steel pressing/slicing disc with S-blades 2 mm (can be used for slicing or combined with grids)	PNC 650083		 Stainless steel pressing/slicing disc with PI corrugated S-blades 10 mm (can be used for slicing or combined with grids) 	NC 650164	
•	Stainless steel pressing/slicing disc	PNC 650084				
	with S-blades 3 mm (can be used for slicing or combined with grids)	D) 10 / 50005		Stainless steel pressing/slicing disc with PI S-blades 13 mm (can be used for slicing	NC 650165	
•	Stainless steel pressing/slicing disc	PNC 650085		or combined with grids)	NC 450144	\Box
	with S-blades 4 mm (can be used for slicing or combined with grids) Stainless steel pressing/slicing disc	PNC 650086		blades 2x2 mm		
	with S-blades 5 mm (can be used for slicing or combined with grids)	1110 030000		blades 3x3 mm		
	Stainless steel pressing/slicing disc with S-blades 6 mm (can be used	PNC 650087		5mm slicing pressing discs, 2mm and 7mm grating discs)		
	for slicing or combined with grids)	D. I.O. / E0000			NC 650179	
•	Stainless steel pressing/slicing disc with S-blades 8 mm (can be used for slicing or combined with grids)	PNC 650088		and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid)		
•	Stainless steel pressing/slicing disc with corrugated S-blades 2 mm	PNC 650089		Stainless steel work table with folding Pl shelves and disk rack for TRK, TRS and	NC 653283	
	(can be used for slicing or combined			TR210 table top models		
	with grids)			Dicing grid 5x5 mm PI	NC 653566	
•	Stainless steel pressing/slicing disc	PNC 650090	- ,	Dicing grid 8x8 mm PI	NC 653567	
	with corrugated S-blades 3 mm (can be used for slicing or combined with		•	Dicing grid 10x10 mm PI	NC 653568	
	grids)			Dicing grid 12x12 mm PI	NC 653569	
	Stainless steel pressing/slicing disc	PNC 650091		Dicing grid 20x20 mm Pl	NC 653570	
	with corrugated S-blades 6 mm (can	1110 000071	_			
	be used for slicing or combined with			,		
	grids)			·		_
•		PNC 650092	 			
	(2mm and 5mm slicing pressing			0 0		
	disc, 2mm grating disc)	DNIC / E0007				
•	Gastronomy Pack-set stainless steel discs (2mm, 5mm and 10mm slicing	PNC 000090				
	pressing discs, 2mm grating disc,			0 0		
	4x4mm shredding disc, 10x10mm			5 5		
	dicing grid)		•	Stainless steel grating disc for knoedeln Pl	NC 653778	
•	Set of 3 stainless steel discs for Pizza	PNC 650107		and bread	NC / 57770	$\overline{}$
	(2mm and 4mm pressing/slicing discs with S-blades, 7mm grating disc)		•	 Stainless steel grating disc for parmesan Pl and bread 	NC 653779	
_	Cleaning tool for TRS, TRK & TR210	PNC 650110				
	5-8-10 mm dicing grids					
•	Dicing set 10X10X10MM (10mm aluminum slicing pressing disc with 205mm diam. and 10mm grid)	PNC 650112				
•	Aluminum pressing/slicing disc with straight blades 10 mm - for dicing	PNC 650115				
	Aluminum pressing/slicing disc with straight blades 8 mm - for dicing	PNC 650116				
•	Stainless steel shredding disc with S-blades 2x8 mm	PNC 650158				










Vegetable Slicer TRS Vegetable Slicer - 1 Speed



Electric

Supply voltage:

600464 (TRSYIV50) 220-240 V/1N ph/50 Hz 200-240/380-440 V/3

600467 (TRSYIV503) ph/50/60 Hz

Electrical power max.: 0.5 kW
Total Watts: 0.5 kW

Capacity:

Performance (up to): 550 - kg/hour

Key Information:

External dimensions, Width: 252 mm
External dimensions, Height: 515 mm
External dimensions, Depth: 500 mm

Shipping weight:

600464 (TRSYIV50) 24 kg **600467 (TRSYIV503)** 23 kg



EI



←252 mm*→*





Top





Optional Accessories • Stainless steel work table with

 Stainless steel work table with folding shelves and disk rack for TRK, TRS and TR210 table top models 	PNC 653283 □
 Dicing grid 5x5 mm 	PNC 653566 🗖
Dicing grid 8x8 mm	PNC 653567 🗖
Dicing grid 10x10 mm	PNC 653568 🗆
 Dicing grid 12x12 mm 	PNC 653569 🗖
 Dicing grid 20x20 mm 	PNC 653570 🗖
 Grid for chips 6x6 mm 	PNC 653571 🗖
 Grid for chips 8x8 mm 	PNC 653572 🗖
 Grid for chips 10x10 mm 	PNC 653573 🗖
 Stainless steel grating disc 2 mm 	PNC 653773 🗖
 Stainless steel grating disc 3 mm 	PNC 653774 🗖
 Stainless steel grating disc 4 mm 	PNC 653775 🗖
 Stainless steel grating disc 7 mm 	PNC 653776 🗖
 Stainless steel grating disc 9 mm 	PNC 653777 🗖
 Stainless steel grating disc for knoedeln and bread 	PNC 653778 🗖

 \bullet Stainless steel grating disc for $$\operatorname{PNC}$$ 653779 \square parmesan and bread







