

Machine Offer

LEADER MIRACLE

Coordinate Measuring Machine

Ref no. 18565



Manufacturer: LEADER

Model: MIRACLE 081507

With RATIONAL-DMIS CAD version 6.9

Measurement range:

X = 800 mm, Y = 1500 mm, Z = 700 mm

Accuracy:

LEADER MIRACLE incl. PH10 head + SP25 – MPEe

SP25 E=2,7+3L/1000 L=mm

Temperature range:

Degrees: 20 – Total temperature variation +/-1°C over 48 hours.

Otherwise according to the technical documentation

Renishaw probe system:

Renishaw PH10M

Renishaw SP25 Body scanning

Renishaw TM-20 "gentle" module incl. 1 pcs. Module

Renishaw SP25-1 incl. 1 pcs. Holder

Renishaw SP35-2 incl. 1 pcs. Holder

Key/probe set – Renishaw M2

Renishaw S3 Plus controller

Calibration ball Ø25.000 incl. Stand

Renishaw Rack for FCR25 incl. 6 pcs. Gates

Incl. Option "Tip changer"

Renishaw Joystick

Rational DMIS for Windows is an interactive graphics software that provides advanced options such as:

- User-friendly operating system WIN7 or WIN8
- Unique interactive 3D graphic engine import of Iges and Step format
- Off-line programming and support of a simulated measuring machine environment
- Powerful analytical report generation
- Automatic intelligent naming of the measured object
- Possibility of connecting a measuring machine to an optional CAD system that uses either IGES, STEP or DMIS
- RATIONAL-DMIS CAD option for measuring and analyzing contours and form tolerances

Year: 2000



