

ELITE COSMETIX KFT.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier: Crystal Nails UV Filter

1.2. Relevant identified uses of the mixture and uses advised against:

Lacquer with UV filter effect for natural and acrylic nails for cosmetic use.

1.3. Details of the supplier of the safety data sheet:

Elite Cosmetix Ltd.

1085 Budapest, Jozsef krt. 44.

Phone: +36-1-461 0144 fax: +36-1-461 0145

lab2@elitecosmetix.com

1.4. Emergency telephone number:

Country	Name	Phone No.	Availability
Hungary	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)	+36 80201199	call around the clock
Austria	Vergiftungsinformationszentrale	+43 14064343	call around the clock
Belgium	Antigifzentrum	+32 070245245	call around the clock
Czech Republic	Toxikologického informačního střediska	+420 224919293	call around the clock
Denmark	Giftlinjen	+45 82121212	call around the clock
France	Centre Antipoison et de Toxicovigilance	+ 33 0140054848	call around the clock
Germany	Giftnotruf Berlin Institut für Toxikologie	+49 3019240	call around the clock
Ireland	National Poisons Information Centre	+353 018092566	call around the clock
Italy	S.C. Centro Antiveneni di Milano (CAV)	+39 0266101029	call around the clock
Spain	Instituto Nacional de Toxicología y Ciencias Forenses	+34 915620420	call around the clock
The Netherlands	Vergiftigingen	+31 0302748888	call around the clock

ELITE COSMETIX KFT.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

If in eyes	P305 + P351 + P338: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If inhaled	P304 + P340: Remove person to fresh air and keep comfortable for breathing.
Storage	P403 + P235: Store in a well-ventilated place. Keep cool.
Dispose	P501: Dispose of contents and container in accordance with all local, regional, national and international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product is considered dangerous and contains the following hazardous substances

Chemical name	CAS No.	EU No.	INCI name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard statements	m %
Isobutyl Acetate	110-19-0	203-745-1	Isobutyl Acetate	Flam. Liq. 2 Eye Irrit. 2	H225 H319	25-50
n-Butyl Acetate	123-86-4	204-658-1	Butyl Acetate	Flam. Liq. 3 Acute tox. 2 Eye Irrit. 2 STOT SE 3 Aquatic Chronic 3	H226 H330 H319 H336 H412	25-50

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

4. FIRST AID MEASURE

4.1. Description of first aid measures

If inhaled	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
In case of skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
In case of eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
If swallowed	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	No action shall be taken involving any personal risk or

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2. Most important symptoms and effects associated with exposure

Potential acute health effect

If inhaled	Toxic if inhaled. May cause drowsiness or dizziness. Can cause central nervous system (CNS) depression
In case of skin contact	No known significant effect or critical hazards.
In case of eye contact	Causes serious eye irritation.
If swallowed	Can cause central nervous system (CNS) depression

Over-exposure signs/symptoms

If inhaled	No specific data.
In case of skin contact	Adverse symptoms may include the following: irritation, redness.
In case of eye contact	Adverse symptoms may include the following: irritation, watering, redness.
If swallowed	No specific data.

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatment	No specific treatment.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Recommended	Use dry chemical, CO ₂ , water spray (fog) or foam.
To avoid	Do not use water jet.

5.2. Specific hazards during fire fighting

Hazards from the substance Highly flammable liquid and vapor. In a fire or if heated, a

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

unsuitable materials. See also the information in For “non-emergency personnel”.

6.2. Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Harmful to aquatic life with long lasting effects.

6.3. Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

6.4. Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a

ELITE COSMETIX KFT.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

Advice on general occupational hygiene

compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2. Conditions for safe storage

Requirements for storage areas and containers

Do not store above the following temperature: 20°C (68°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Ground / bond container and receiving equipment. Use only non-sparking tools. Wear protective gloves, clothing, eye and face protection. Use only in a well-ventilated area and use appropriate containment to avoid environmental contamination.

7.3. Specific end uses

Recommendations

Not available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Occupational exposure limits

OELs (Occupational Exposure Limit values) for Hungary ¹		
Component	TWA (Time Weighted Average)	PC (Peak Concentration)
n-Butyl Acetate	950 mg / m ³	950 mg / m ³

¹For other local/national OEL values visit the following website: <http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp>

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

8.2. Exposure controls

Engineering controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing.
Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

	time of the gloves cannot be accurately estimated.
Skin and body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Slight violet.
Odour	Fruity, ester.
Melting / freezing point	No data available.
Initial boiling point	77 °C
Flash point	Closed cup: 18-23°C
Vapour pressure	No data available.
Vapour density	>1 [Air = 1]
Relative density	No data available.
Auto ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity:	No data available.
Explosive properties	Highly explosive in the presence of the following materials or conditions: open flames, sparks and static discharge and heat.

9.2. Other information

No additional information.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

10. STABILITY AND REACTIVITY

- 10.1. Reactivity** No specific test data related to reactivity available for this product or its ingredients.
- 10.2. Chemical stability** Stable under normal conditions of storage and use.
- 10.3. Possibility of hazardous reactions** Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4. Conditions to avoid** Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
- 10.5. Incompatible materials** Reactive or incompatible with the following materials:
oxidizing materials
- 10.6. Hazardous decomposition products** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Ingredient name	Result	Species	Dose	Exposure
n-Butyl Acetate	LC50 Inhalation, Gas	Rat	390 ppm	4 hrs
	LD50 Dermal	Rabbit	17600 mg / kg	-
	LD50 Oral	Rat	10768 mg / kg	-
Isobutyl Acetate	LD50 Dermal	Rabbit	17400 mg / kg	-
	LD50 Oral	Rat	13400 mg / kg	-

Acute toxicity estimate

Route	ATE value
Inhalation (gases)	740.3 ppm

ELITE COSMETIX KFT.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

Irritation / Corrosion

Ingredient name	Result	Species	Exposure	Observation
n-Butyl Acetate	Eyes - Moderate Irritant	Rabbit	100 mg 24 hrs	-
Isobutyl Acetate	Eyes - Moderate Irritant	Rabbit	500 mg 24 hrs	-

Specific target organ toxicity (single exposure)

Ingredient name	Category	Route of exposure	Target organs
n-Butyl Acetate	Category 3	Not applicable.	Narcotic effects

11.2. Most important symptoms and effects associated with exposure

Potential acute health effect

If inhaled	Toxic if inhaled. May cause drowsiness or dizziness. Can cause central nervous system (CNS) depression
In case of skin contact	No known significant effect or critical hazards.
In case of eye contact	Causes serious eye irritation.
If swallowed	Can cause central nervous system (CNS) depression

Over-exposure signs/symptoms

If inhaled	No specific data.
In case of skin contact	Adverse symptoms may include the following: irritation, redness.
In case of eye contact	Adverse symptoms may include the following: irritation, watering, redness.
If swallowed	No specific data.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure	No information available.
Long term exposure	No information available.

ELITE COSMETIX KFT.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

11.4. Potential chronic health effects No information available.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ingredient name	Result	Species	Exposure
n-Butyl Acetate	Acute LC50 32000 µg/l Marine water	Crustaceans - Artemia salina - Nauplii	48 hours
	Acute LC50 18000 µg/l Fresh water	Fish - Pimephales promelas	96 hours

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential

Ingredient name	LogPow	BCF	Potential
n-Butyl Acetate	2.3	-	low
Isobutyl Acetate	2.3	-	low

12.4. Mobility in soil

Soil / water partition coefficient (Koc) Not available.

Mobility Not available.

12.5. Results of PBT and vPvB assessment

PBT Not applicable.

vPvB Not applicable.

12.6 Other adverse effects: No known significant effects or critical hazards.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product

Methods of disposal The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapors from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

ELITE COSMETIX KFT.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

14. TRANSPORT INFORMATION

This product is not classified as dangerous goods

14.1. UN No. 1993

14.2. Proper shipping name FLAMMABLE LIQUID, N.O.S.(ester mixture)

14.3. Transport hazard class 3



14.4. Packing group II.

14.5. Environmental hazards No.

14.6. Special precautions Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not available.

15. REGULATORY INFORMATION

15.1. Other regulation 1223/2009/EEC: Regulation on cosmetic products

15.2. Chemical Safety Assessment Chemical safety assessment was prepared neither for the ingredients, nor for the product itself.

16. OTHER INFORMATION

Note of supplier of material safety data sheet

Note: Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included.

The product is labelled in accordance with 1223/2009/EEC.

This MSDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The

ELITE COSMETIX KFT.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 12.05.2010.

Revision date: 10.05.2017. Version: 2.0

information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Elite Cosmetix Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product.