


**DVT
LIGHT**

Menu Structure

MB-4



Level 1	Level 2	Level 3	Function	
Mode		---	Activate the different DMX modes	
	Test All	---	Tests all colors	
	Test Red	---	Tests Red color	
Test	Test Green	---	Tests Green color	
	Test Blue	---	Tests Blue color	
	Test White	---	Tests White color	
	DMX	ADR	Info about all DMX channels	
Info	Sensors	Sensors	Info about Main board- and Humidity sensors	
	Wireless Info	CRMX	Info screen for wireless function	
	Software Version	Software Version	Info about current software version	
	Manual	Static Color	Red	Manual control of red color
Green			Manual control of green color	
Blue			Manual control of blue color	
CTC			Manual control of CTC	
Diffuser			Manual control of diffuser	
Static Cinema		Dimmer	Manual control of dimmer	
		Fan	Manual control of fan (Not implemented yet)	
		Diffuser	Manual control of diffuser	
		CTC	Manual control of CTC	
		CTC DUV	Manual control of CTC DUV	
		GEL	Manual control of GEL	
		Macro	Manual control of Macro	
		Red	Manual control of red color	
		Green	Manual control of green color	
		Blue	Manual control of blue color	
Settings		Factory Default	Factory Default	Activation of factory default settings
		Wireless	Unlink	Unlink wireless DMX
			DMX Enable	Enable wireless DMX
			DMX Disable	Disable wireless DMX
	Startup Mode	Off	Choose Off as startup mode	
		Static Color	Choose Static Color as startup mode	
		Static Cinema	Choose Static Cinema as startup mode	
	DMX Lost	Blackout	Choose Blackout when DMX is lost	
		Static Color	Choose Static Color when DMX is lost	
		Hold	Choose Hold DMX values when DMX is lost	
		Static Cinema	Choose Static Cinema when DMX is lost	
	Display	Orientation		Normal Display orientation
				Flip Display orientation
		Backlight		Level Manual control of backlight
	Soft Dimming	On		Provides smoother brightness adjustments. (Default)
Off			Uses standard brightness control.	
Service Menu	Service Menu Pin		Set pin for Service menu, to access service parameters	

DVT LIGHT

Birkegaardsvej 36D

8361 Hasselager

Denmark

+45 48 80 38 36

sales@dvtlight.com

www.dvtlight.com

The logo consists of the words "DVT" and "LIGHT" stacked vertically in a bold, white, sans-serif font. The text is centered within a solid black rounded square. A thick black horizontal line extends from the left edge of the square across the page.

**DVT
LIGHT**