

### Stuv 21 – 65H SF

Fitted device or open fire without a hot water supply  
complying with the EN 13229: 2001 / A2: 2004 standard  
Recommended fuel: wooden logs only

Manufactured by:

#### Stuv s.a

Rue Jules Borbouse, 4 B-5170 Bois-de-Villers  
Tel.: +32(0)81.43.47.96 – Fax: +32(0)81.43.48.74  
info@stuv.com www.stuv.com

Approved certifying body:

2013 – Laboratory KVBV – ARGB  
Rodestraat 125 B-1630 Linkebeek

System to assess and check the consistency of performance: 3  
Test report number: 10116/1  
Document number: 10 QA 101322907-EN

This device complies with CE regulations



European standards	EN 13229:2001/A2:2004/AC:2007		
Main features	Performance		
CO emissions	0,06 %		
Smoke temperature at nominal power	329 °C		
Heating power	Nominal:	12 kW	
	Distributed in the room:	12 kW	
	Distributed in water:	– kW	
Output	78 %		
Maximum water pressure when operating	–		
Surface temperature	Pass		
Surface temperature	Pass		
Electrical safety	Pass		
Mechanical resistance (for the pipe to withstand)	NPD		
<b>Fire safety</b>			
Reaction to fire	A1		
Minimum distances in relation to combustible materials	Rear insulation thickness	120 mm	
	Side insulation thickness	120 mm	
	Top insulation thickness	80 mm	
	Front insulation thickness	800 mm	
	Insulation thickness in relation to the floor	0 mm	
Fire risk after burning fuel has fallen	Pass		

Bois-de-Villers, 2014

Gérard Pitance

Chief Executive and Founder

Jean-François Sidler

Managing Director and Chief Executive