## Declaration of performance EU 305/2011

## Stûv 16/78-IN

Fitted device or open fire without a hot water supply complying with the EN 13229: 2001 / A2: 2004 standard Recommended fuel: wooden logs only

Manufactured by:

## Stûv s.a

Rue Jules Borbouse, 4 B-5170 Bois-de-Villers Tel.: +32(0)81.43.47.96 - Fax: +32(0)81.43.48.74 info@stuv.com www.stuv.com

Approved certifying body:

European standards

0608 - SGS Nederland bv Leemansweg 51 NL-6827 BX Amhem

System to assess and check the consistency of performance: 3 Test report number: EZKA/2016-07/00018-1 Document number: 10 QA 101322906-EN

EN 13229:2001/A2:2004/AC:2007

Main features		Performance
CO emissions		0,09 %
Smoke temperature at nominal power		318 °C
Heating power	Nominal:	8 kW
	Distributed in the room:	8 kW
	Distributed in water:	– kW
Output		75 %
Maximum water pressure when operating		-
Surface temperature		Pass
Surface temperature		Pass
Electrical safety		Pass
Mechanical resistance (for the pipe to withs	tand)	NPD
Fire safety		
Reaction to fire		A1
Minimum distances in relation	Rear insulation thickness	90 mm
to combustible materials	Side insulation thickness	100 mm

90 mm Mi 100 mm to combustible materials Side insulation thickness Top insulation thickness 90 mm 1500 mm Minimum distance to the front Insulation thickness in relation to the floor 0 mm Fire risk after burning fuel has fallen Pass

Bois-de-Villers, 2017

**Gérard Pitance** 

Chief Executive and Founder

Jean-François Sidler

Managing Director and Chief Executive

