# HELIDECK INFORMATION TEMPLATE

EASA AMC1 / GM1 SPA.HOFO.115

BORKUM RIFFGRUND 1 OFFSHORE WINDPARK A/S GMBH & CO. OHG

## OWF BORKUM RIFFGRUND 01

# BKR-Z01 WINDFARM

**HELIDECK ON FIXED NORMALLY UNATTENDED INSTALLATION (BKR-Z01)**

**EDYB**

REFERENCE POINT

**N 53° 57.85'  E 006° 33.94'**

| HEIGHT (MSL) | D-VALUE | MTOW |
|---|---|---|
| **129 ft** | **23 m** | **9.3 t** |

| WEATHER INFORMATION | ØRSTED OPERATIONS | LIGHT CONTROL |
|---|---|---|
| **7x 131.440 MHz** | **131.905 MHz** | **3 / 4 / 5x 131.440 MHz 100 / 30 / 10%** |

| CORRIDOR ORIENTATION | HLD HEADING / BISECTOR |
|---|---|
| **090° / 270°** | **360°** |

| HIGHEST OBSTACLE ON INSTALLATION | HIGHEST OBSTACLE IN THE VICINITY |
|---|---|
| **ANTENNA MAST 25 ft AHLD** | **WTG BKR 01 502 ft MSL** |

| REFUELLING | EXTERNAL PWR | LANDING NET | STATUS LIGHT |
|---|---|---|---|
| **NO** | **YES** | **NO** | **NO** |

| PRIMARY SYSTEM | SECONDARY SYSTEM | CO2 | DRY POWDER |
|---|---|---|---|
| **DIFFS** (H2O + 1% AFFF) | **2x HYDRANTS** (H2O + 1% AFFF) | **2x 10 kg** | **2x 25 kg** |

| LIMITATIONS & NON-COMPLIANCES | REMARKS |
|---|---|
| • **VFR DAY ONLY**<br>• **NO DANGEROUS GOODS TRANSPORT BY AIR TO OSS** | • **CONTACT ØRSTED OPS FOR PERMISSIONS**<br>• **FLIGHT OPS ONLY WITH CRANE RESTING CLEAR OF OBSTACLE PROTECTED SURFACES** |

## OWF BORKUM RIFFGRUND 01

# BKR-Z01 WINDFARM

**OFFSHORE WINDFARM LAYOUT**




**CORRIDOR ORIENTATION**
090° / 270°

**BISECTOR**
360°

## OWF BORKUM RIFFGRUND 01

# BKR-Z01 WINDFARM

**CORRIDOR 270°**




**BR1EW** (BKR01 EXIT WEST)

N 53° 57.85'
E 006° 30.38'

**CORRIDOR 090°**




**BR1EE** (BKR01 EXIT EAST)

N 53° 57.85'
E 006° 37.50'

## OWF BORKUM RIFFGRUND 01

# BKR-Z01 WINDFARM

**TOP VIEW**




**CORRIDOR ORIENTATION**
090° / 270°

**BISECTOR**
360°

## OWF BORKUM RIFFGRUND 01

# BKR-Z01 WINDFARM

**PROFILE VIEW (EAST)**




**CORRIDOR ORIENTATION**
090° / 270°

**BISECTOR**
360°