











Shelving Range ■



Variety in all storage situations - the HUPFER® shelving range.

The demands of logistics today pose a challenge for every modern kitchen. The logistics function of **Storage** is of critical importance as it is the basis for continuous and hygienically safe kitchen procedures. As the Specialist in kitchen logistics HUPFER® has the right solution for each specific storage problem, especially for food storage. An extensive number of additional fittings mean that the shelving range can be minutely adapted to individual requirements and can thereby make a valuable contribution to daily working operations.

	Page	
Norm 20 shelving unit Aluminium	4 - 6	
Norm 12 shelving unit Aluminium/polymer	7 - 9	
Norm 5 shelving unit Stainless steel	10 - 12	
Norm 25 shelving unit Stainless steel	13 - 15	
Shelved transport trolleys RTWz and RTWs unit Stainless steel	16 - 18	
Easy rider shelving unit Stainless steel	19 - 21	
Norm 35 shelving unit Stainless steel	22 - 24	
Norm 40 shelving unit Aluminium	25 - 27	
Wall-mounted shelving unit Stainless steel	28 - 30	
Norm 28 shelving unit Polished galvanised steel/ polymer	31 - 33	

HUPFER® standardised shelving - the principle.

HUPFER® standardised shelving can be precisely adapted to all kinds of spaces and therefore makes optimal and economical use of the available storage area. The principle: All HUPFER® standardised shelving consists of the basic shelving unit (2 uprights, 4 shelves, 1 cross brace). This basic shelving unit is extended with an extension shelving unit (1 upright, 4 shelves). If you plan to build around a 90° corner, this requires the use of corner hooks but no further upright, this would take up space unnecessarily.




The basic shelving unit

Two uprights are required for each basic shelving unit which is to be set up individually.




The extension shelving unit

When extending the shelving (extension shelving unit), you need only one upright (i.e. 3 uprights for 2 sections of shelving, see figure) for each additional shelving section.



Building around a 90° corner

It is possible to build around a 90° corner using the corner hooks (2 per shelf) which can be supplied for every shelving system. No extra upright required.



Double-depth shelving unit


Placing shelving units back to back increases the usable depth of the shelf section. There is no need for a cross brace in addition to that of the basic structure because the uprights are screwed to each other.



The cross brace

Up to 3 successive shelving sections are assembled with only one cross brace providing excellent rigidity.

The shelf load is the loading capacity of an individual shelf with a uniformly distributed load. The total of all the shelf loads of a shelving section must not exceed the section load of the same shelving section.



NORM 20 aluminium shelving unit



The Norm 20 aluminium shelving unit is very user-friendly and can be installed in numerous ways in commercial kitchens, hospitals, residential homes and restaurants. The shelving system is ideal for use in dry storage or even for stored items such as vegetables, meat, dairy products and drinks. This shelving unit is also highly suitable for situations where unpackaged foods are placed in direct contact with the shelf. The different shelf types and the wide range of accessories allow you to extend the system to suit you.

**The light-weight solution for heavy daily use -
the NORM 20 shelving unit from HUPFER®!**

Clean

Plastic closure caps keep dust out.

Flexible

Bracing bars as an alternative to cross braces allow maximum access to the stored items from all sides when the shelving is mounted away from the wall.

Safe

Aluminium slatted shelf.

Specialised

Ranging from the solid aluminium shelf to the crate rack and the bottle shelf. Hanging rails made from anodised aluminium and hooks for correct, hygienic storage of meat and sausages can be supplied as additional fittings.

Modifiable

Depending on what you want to store, the individual shelves can be replaced and positioned without the need for tools, at any time, even after assembly.

Clear

Label holders can be mounted on the ends or long sides for optimum ease of reference.

Extendable

Can be built around a 90° corner using corner hooks, no need for an additional upright - providing greater storage capacity, freely accessible storage areas and better use of space.

Optimised

Support bars especially for use on ships, and also side push-through guards for uprights, prevent stored items falling out.

Stable

The captive, height-adjustable screw feet provided as standard compensate for any unevenness in the floor of up to 25 mm. If the local conditions of the storage space require it, ceiling, floor and wall fastenings are available.

Helpful




The floor stand (300 mm high, loading capacity 200 kg) permits food to be stored according to HACCP regulations.

Moveable optional equipment

When fitted with castors, the position of the shelving can easily be changed, for instance, to allow cleaning.

Detailed

You can find all the technical details of this product range at eng.hupfer.de/norm20 or use the QR code.



NORM 12 **aluminium/polymer shelving unit**




The combination of aluminium and polymer makes the Norm 12 shelving unit the ideal solution for storing vegetables, meat or dairy products. This shelving system can also be used for cold storage down to -30°C. Its high-quality finish and easy-cleaning properties meet the most stringent hygiene requirements. These are also surely the reasons why the Norm 12 shelving unit is so highly prized in commercial kitchens, hospitals, residential homes, restaurants and hotels.

**Hygienic storage in a wide variety of applications -
the NORM 12 shelving unit from HUPFER®!**

Flexible
Bracing bars as an alternative to cross braces, for maximum access to the stored items from all sides when the shelving is mounted away from the wall.



Clean
Plastic closure caps keep dust out.



Safe
Solid polymer shelf and polymer slatted shelf made from individual segments of heavy-duty polystyrene.

Modifiable
Depending on what you want to store, the individual shelves can be replaced and positioned without the need for tools, at any time, even after assembly.



Convenient
The individual segments of the solid polymer shelf and the polymer louvred shelf can easily be placed on the aluminium support bars.




Hygienic
To ensure maximum hygiene, the individual segments of the polymer shelves can be thoroughly cleaned in a dishwasher.




Rigid
Cross braces on every third shelf section ensure that the whole shelving unit is stable.



Extendable
Can be built around a 90° corner using corner hooks, no need for an additional upright - providing greater storage capacity, freely accessible storage areas and better use of space.



Stable
The captive, height-adjustable screw feet provided as standard compensate for any unevenness in the floor of up to 25 mm. If the local conditions of the storage space require it, ceiling, floor and wall fastenings are available.




Helpful
The floor stand permits food to be stored according to HACCP regulations. It is 300 mm high, has a jointless grouted louvred shelf and a loading capacity of 200 kg.



Moveable optional equipment
When fitted with castors, the position of the shelving can easily be changed, for instance, to allow cleaning.



Detailed
You can find all the technical details of this product range at eng.hupfer.de/norm12 or use the QR code.



NORM 5 stainless steel shelving unit



For space-saving storage with everything easily visible, including salted food, the Norm 5 stainless steel shelving unit with its special surface qualities is the ideal choice. It can be used in a variety of ways for many different goods from dry storage to cold storage and even deep freezing. This usefulness and economy and the high-quality manufacture ensuring long service are the reasons for its popularity in commercial kitchens, hospitals, residential homes, hotels and restaurants.


Strong
The strong overall construction from stainless steel, high-quality components and a high level of manufacturing quality ensure reliable and long-term use - even under the most demanding conditions.



Clean
With hygiene in mind, the uprights are provided with plastic closure caps.



Flexible
Bracing bars as an alternative to cross braces, for maximum access to the stored items from all sides when the shelving is mounted away from the wall.



Safe
Optimum suitability for all stored items is ensured by stainless steel shelves including solid shelves, louvred shelves, wire shelves and wire shelves for GN lids. Hanging rails made from anodised aluminium and hooks for correct, hygienic storage of meat and sausages can be supplied as additional fittings.



Clear
The label holder in DIN A5 format, landscape, can be mounted on the ends or long sides - available as an accessory.



Extendable
Can be built around a 90° corner with all available Norm 5 shelf types.



Flexible
Depending on what you want to store, the individual shelves can be replaced and positioned without the need for tools, at any time, even after assembly.



Optimised
Support bars especially for use on ships, and also side push-through guards for uprights, prevent stored items falling out.



Helpful
A stainless steel floor stand with a loading capacity of 200 kg can be supplied for the storage of bagged goods.



Stable
The captive, height-adjustable screw feet provided as standard compensate for any unevenness in the floor of up to 2.5 mm. If the local conditions of the storage space require it, ceiling, floor and wall fastenings are available.




Moveable optional equipment
When fitted with castors, the position of the shelving can easily be changed, for instance, to allow cleaning.



Detailed
You can find all the technical details of this product range at eng.hupfer.de/norm5 or use the QR code.



The great all-rounder with that something special - the NORM 5 shelving unit from HUPFER®!



NORM 25 **stainless steel shelving unit**




When it comes to hygienic storage the Norm 25 stainless steel shelving unit meets the highest expectations. In food storage within commercial kitchens, hospitals, residential homes, hotels and restaurants, wherever food may be stored in direct contact with the shelving, Norm 25 has what it takes. The Norm 25 shelving unit can be extended as desired and is also especially suitable for use in cold stores.

**Special equipment to meet specific requirements -
the NORM 25 shelving unit from HUPFER®!**

Strong
The strong overall construction from stainless steel, high-quality components and a high level of manufacturing quality ensure reliable and long-term use - even under the most demanding conditions.




Hygienic
The flat cross-connectors are positively integrated into the upright posts by a state of the art, patented connection process. There are no hidden angles or cavities - to ensure optimum cleaning of all parts.




Clear
The choice of our tried-and-tested stainless steel material 1.4509 means that contents labels can easily be attached to the shelving unit of this shelving range by magnets.



Safe
Different shelf types for a wide variety of stored items extend your range of options.




Extendable
Can be built around corners using special corner hooks.



Rigid
Cross braces on every third shelving section ensure maximum stability.



Modifiable
Depending on what you want to store, the individual shelves can be replaced and positioned without the need for tools, at any time, even after assembly.



Flexible
Shelf support studs spaced 150 mm apart permit optimised, variable placement.

Stable
The captive, height-adjustable screw feet provided as standard compensate for any unevenness in the floor of up to 25 mm. If the local conditions of the storage space require it, ceiling, floor and wall fastenings are available.



Moveable optional equipment
When fitted with castors, the position of the shelving can easily be changed, for instance, to allow cleaning.



Detailed
You can find all the technical details of this product range at eng.hupfer.de/norm25 or use the QR code.



Stainless steel shelved transport trolleys RTWz and RTWs




The shelved transport trolley range from HUPFER® makes work easier and saves you time. A shelved transport trolley and the different shelf types allow you to place, transport and store a large number of items with just one unit. In addition to the screw-connected version RTWz, there is also a welded version RTWs which has a higher overall weight-bearing capacity. This allows you, for instance, to take items direct from the lorry to the cold storage facility without repacking - really makes work easier.

**Optimised logistics and flexible storage -
the shelved transport trolleys from HUPFER®!**


Strong
The strong overall construction from stainless steel, high-quality components and a high level of manufacturing quality ensure reliable and long-term use - even under the most demanding conditions.



Safe
The solid stainless steel shelves and louvered shelves and wire shelves, which ensure optimum air circulation under the items stored on them, provide for maximum hygiene and safe storage.



Specialised
With the special wire grating shelf of the shelved transport trolley RTWz / 18-10-6 GNDR up to 23 GN 1/1, 46 GN 1/2 or 69 GN 1/3 covers can be temporarily stored and transported on each level.



Flexible
All shelves can be adjusted in height, replaced or removed without dismantling the shelved transport trolley and without the need for tools.



Manoeuvrable
The RTW models are fitted with four rustproof steering castors in galvanised-chromated housings, Ø 125 mm, two being lockable.



Detailed
You can find all the technical details of this product range at eng.hupfer.de/mobileshelving or use the QR code.



Stainless steel easy rider system



Make optimum use of the storage space available and increase the useable storage capacity by up to 100% with the easy rider system from HUPFER®. The unused aisle space between shelving units in conventional shelving systems is exploited and turned into storage space. Existing Norm 5, 25, 20, 12 and 28 shelving arrangements can be practically enhanced by the use of the easy rider shelving system. The roller chassis run with maximum smoothness and are designed for heavy daily use. For greater efficiency and economy, this is the answer.

**Easy rider shelving from HUPFER® -
truly amazing for improved use of storage space!**


Strong
The strong overall construction from stainless steel, high-quality components and a high level of manufacturing quality ensure reliable and long-term use - even under the most demanding conditions.



Modifiable
The HUPFER® Norm 5, 25, 20, 12 and 28 shelving units are suitable for fitting onto the easy rider system - even as double-depth shelving units. Using bracing bars instead of cross braces on the shelving superstructures creates free access to the stored items on both sides of the individual moveable blocks of easy rider shelving. It can thereby be optimised to all storage requirements.




Simple
Mounting the shelving superstructures on the roller chassis system is an easy task that anyone can do. The rails do not need to be screwed to the floor.




Flexible
All shelves can be adjusted in height, replaced or removed without dismantling the shelving unit, and without the need for tools.



Rigid
Two roller chassis are connected by a universal cross brace and thus form the basic travel frame for optimum stability. Use of a further roller chassis and an additional universal cross brace allows the easy rider shelving system to be extended to 2 sections - up to a total length of 3 m.



Securely mounted
The HUPFER® easy rider shelving system is easy to assemble. The only requirement is an even floor surface in the storage area. The ground rails are simply placed on the floor, they don't necessarily have to be screwed down. End stops for securing the easy rider shelving system are each firmly connected to the rail ends.



Detailed
You can find all the technical details of this product range at eng.hupfer.de/easyrider or use the QR code.



NORM 35 **stainless steel shelving unit**



The Norm 35 stainless steel shelving unit from HUPFER® is a true weight-bearer which can best be used wherever heavy items need to be stored, especially as a pan rack in the cookware store. Its excellent hygiene properties also make it suitable for storing food in cold storage or in the freezer. The Norm 35 shelving unit is accessible from both sides as its great stability is achieved by four bracing bars instead of a cross brace. This means that storage space is optimised and heavy loads are carried over short distances.

Strong enough for even the heavy loads encountered in a commercial kitchen - the NORM 35 shelving unit from HUPFER®!


Strong
The strong overall construction from stainless steel, high-quality components and a high level of manufacturing quality ensure reliable and long-term use - even under the most demanding conditions.





Rigid
Bracing bars to give two-sided access to the stored items when the shelving is mounted away from the wall.



Simple
The uprights made from square tubing are available in lengths of 1800 and 2000 mm. The shelves can be placed easily.



Safe
The wire shelf with bent-over wires and the solid shelf with bent-over edges on all sides make it easy to place and remove items to be stored.



Supported
Bracing bars for shelves with substruts.



Flexible
All shelves can be adjusted in height, replaced or removed without dismantling the shelving unit and without the need for tools.



Stable
Height-adjustable, aluminium screw feet make it possible to compensate for any unevenness in the floor of up to 25 mm.



Helpful
The floor stand enables food to be stored according to HACCP regulations. It is 300 mm high, has a fixedly welded slatted shelf and a loading capacity of 200 kg.



Detailed
You can find all the technical details of this product range at eng.hupfer.de/norm35 or use the QR code.




NORM 40 **aluminium shelving unit**




Norm 40 is a shelving unit made from anodised aluminium and intended for heavy loads. In spite of its light-weight construction, the Norm 40 shelving is a true heavy-weight contender. The use of bracing bars instead of a cross brace means that this shelving can also be mounted away from the wall and therefore be loaded from both sides. This saves time and optimises use of the storage areas. The heavy-duty shelving is very versatile and can be used for the widest variety of stored items such as china or other heavy loads in all types of storage or cold storage areas and, of course, it meets the requirements of HACCP guidelines.

Particularly light-weight but tough -
the NORM 40 shelving from HUPFER®!


Rigid
Bracing bars to give two-sided access to the stored items when the shelving is mounted away from the wall. Upright rests to receive the shelves are individually positioned according to customer requirements.



Simple
The uprights made from square tubing are available in a height of 1800 mm. The shelves can easily be placed into the fixedly inserted upright rests.



Safe
Where aluminium slatted shelves are used, the transverse tubes are tightly pressed together with the support bars so that, in addition to hygienic properties, a high level of loading capacity is achieved. The shelves made from solid aluminium sheet also enable heavy loads to be supported.



Flexible
All shelves can be adjusted in height, replaced or removed without dismantling the shelving and without the need for tools.



Stable
Height-adjustable, aluminium screw feet make it possible to compensate for any unevenness in the floor of up to 30 mm.



Helpful
The floor stand enables food to be stored according to HACCP regulations. It is 300 mm high, has a jointless grouted louvred shelf and a loading capacity of 200 kg. The screw-fastened slatted shelf is 300 mm high and has a loading capacity of 200 kg.



Detailed
You can find all the technical details of this product range at eng.hupfer.de/norm40 or use the QR code.



Stainless steel wall-mounted shelving



The stainless steel wall-mounted shelving can be used for storage, temporary storage and provision of equipment and ingredients needed in food preparation and other operations of a commercial kitchen. Procedures are improved, for instance, by storing utensils and ingredients within reach of the preparation table while keeping the working surface clear. The adjustable rails make it possible to adjust the individual shelves without the need for tools so that, in addition to optimal adjustment to the items stored, the height of the user can also be ergonomically accommodated in the best possible way.

Everything to hand, just where you need it -
wall-mounted shelving from HUPFER®!


Strong
The strong overall construction from stainless steel, high-quality components and a high level of manufacturing quality ensure reliable and long-term use - even under the most demanding conditions.




Quick
The position of the brackets on the adjustment rail can be changed, in 75 mm steps, quickly and without the need for tools.




Safe
The shelves are simply inserted into the brackets, where the construction ensures that they are rigidly connected to prevent tilting and slipping. The wall-mounted shelves are chamfered, folded and welded and ground at the corners to prevent injury and to ensure hygiene is maintained during use.



Adaptable
The tubular shelves can be ordered in different lengths. The width of the wall-mounted shelving can thus be adapted to suit the site. The brackets for tubular shelves are inserted into the rails. The brackets are then fitted with the individual tubes.



Versatile
Brackets for use with standardised shelves extend the range of usage options.



Simple
Brackets for mounting directly on the wall, without adjustment rails, complete the range.



Rigid
Elongate holes permit simple mounting of the adjustment rails on the wall. These screw fastenings are hygienically covered by plastic caps. For 2 shelves, 750 mm adjustment rails are available, and for 3 shelves 1200 mm rails are available.



Detailed
You can find all the technical details of this product range at eng.hupfer.de/wallshelving or use the QR code.



NORM 28 shelving unit made from polished galvanised steel/polymer




The sheer flexibility of use of the Norm 28 shelving speaks for itself. This polished galvanised steel shelving unit is used in many different storage areas in hospitals, residential homes, hotels and restaurants particularly because of the wide selection of shelf variations. A comprehensive range of fittings optimises the usage options of this shelving system.

**Your reliable workday companion -
the NORM 28 shelving unit from HUPFER®!**


Clean

Plastic upper closure caps ensure that the uprights are hygienically closed. The flat cross-connectors are positively connected to the upright posts by a state of the art, patented connection process.



Safe

Solid polished galvanised steel shelf. Solid polymer shelf and polymer louvred shelf made from individual segments of heavy-duty polystyrene, support bars themselves made from aluminium.




Specialised

The box storage shelf is coated with a tough silver-grey plastic. It is suitable for storing all commercial bottle crates either standing upright or on their side. Steel wire bottle shelf coated with tough silver-grey plastic. Push-through guard to prevent bottles falling out.




Useful

The accessory range includes easily clamped-on dividers for shelves in 500 mm and 600 mm depths.



Flexible

All shelves can be adjusted in height, replaced or removed without dismantling the shelf and without the need for tools.



Extendable

Can be built around a 90° corner using corner hooks, no need for an additional upright, for increased space, better access and lower costs.



Flexible

The shelf support studs of 7 mm round rod bar are cleanly welded on.




Stable

The captive, height-adjustable screw feet provided as standard compensate for any unevenness in the floor of up to 25 mm. If the local conditions of the storage space require it, ceiling, floor and wall fastenings are available.



Detailed

You can find all the technical details of this product range at eng.hupfer.de/norm28 or use the QR code.



Kitchen logistics from the Specialists - like your own task force supporting you!

Kitchen logistics have a key role in the management task of successfully running a commercial kitchen operation. HUPFER® is the specialist in kitchen logistics and is committed to helping you meet the challenges of each day - it's just like sending in a kitchen logistics task force. The HUPFER® shelving range assists you in the logistics functions of storage and organisation. It is not the individual components but the system as a whole which guarantees a complete process chain. Thus HUPFER® offers an extensive, well-developed product range for all kitchen logistics areas, for logistics functions such as storage, transportation, preparation, organisation, distribution, keeping warm, keeping cold, regeneration and service. HUPFER® leads the way with all aspects of kitchen logistics handled from a single source, with its task force commitment and readiness to provide you with specialist advice on site.



HUB 07 / 14 · VK 08 / 14