

SERVICE / UPGRADES

Any Service or additional Upgrades must be handled by IWCS


Do not try to open or modify the IWCS product

Call our Hot-Line at +45 43 43 26 26 or send us an email at support@iwcs.eu

IRIDIUM WATERPROOF COMMUNICATION SYSTEMS APS

PORTHUSVEJ 7A - 3490 KVISTGAARD - DENMARK

+45 43 43 26 26 - WWW.IWCS.EU - INFO@IWCS.EU



Headset Connection Panel

IR-40-4011-01-XXXXX

CONGRATULATIONS ON YOUR NEW PRODUCT FROM
IRIDIUM WATERPROOF COMMUNICATION SYSTEMS

Headset Connection Panel

*IWCS HOPE YOU WILL ENJOY THE BENEFITS OF
TROUBLE FREE HIGH QUALITY INTERCOM.
PLEASE READ THESE INSTRUCTIONS CAREFULLY
BEFORE FIRST USE. IF INSTALLED, OPERATED
AND MAINTAINED ACCORDING TO THIS MANU-
AL, YOUR IWCS HEADSET CONNECTION PANEL
WILL BE A RELIABLE PARTNER IN MANY YEARS
TO COME.*



THOMAS B SVENNINGSEN
CO-FOUNDER OF IWCS



4.2 SPECIFICATIONS

Specifications	Headset connection panel
Model	IR-40-4011-01-XXXXX
Diameter	60 mm
Weight	Depends on radio termination
Mounting plate material	POM
Temp. range	-20 to +65
IP Rating	IP67 from front side
Interface	Various
Release	March 2019

CLEANING / MAINTENANCE

Do not use chemicals or solvents to clean your Headset Connection Panel. Use only fresh water. Pressure, friction, sharp objects, etc. can damage the product and the warranty may be void.

WARRANTY

Headset Connection Panel is covered by a limited warranty. A two (2) year full warranty *



3.1 INSTRUCTIONS FOR USE

Cap

The Headset Connection Panel Connector should always be left with its protection cap on, covering the connector, when not in use.

Remove the protection cap and align the red dots on both the connector on the Headset Connection Panel and the Headset Connector.

Gently press the Headset connector into the Headset Connection Panel Connector, until the Push-Pull clicks.

The headset is now ready to use.

Do not break or twist the connectors while in use.

Do not use unintended force to connect or disconnect the connectors.

CONTENT

CHAPTER 1	INTRODUCTION		
	1.1	Disclaimer	Page 4
	1.2	Copyright	Page 4
	1.3	Trademark	Page 4
	1.4	Safety Warning	Page 5
CHAPTER 2	INSTALLATION		
	2.1	Unboxing	Page 6
	2.2	Tools	Page 6
	2.3	Drill Template	Page 7
	2.4	Installation	Page 9
CHAPTER 3	OPERATION		
	3.1	Instructions for use	Page 10
CHAPTER 4	SERVICE AND MAINTENANCE		
	4.2	Specifications	Page 11

Document number: IR-UM-HCP-01

Release date: July 30, 2019

1.1 DISCLAIMER

Any responsibility or liability for loss or damage in connection with the use of this product and the accompanying documentation is disclaimed by IWCS. The information in this manual is provided for information purposes only, is subject to change without notice and may contain errors or inaccuracies.

Manuals issued by IWCS are periodically revised and updated. Anyone relying on this information should acquire the most current version e.g. upon request at info@iwcs.eu

IWCS is not responsible for the content or accuracy of any translations or reproductions, in the whole or in part, of this manual from any other source.

1.2 COPYRIGHT


2019 Iridium Waterproof Communication Systems ApS. All right reserved. Printed in Denmark.

1.3 TRADEMARK ACKNOWLEDGEMENTS

IWCS Headset Connection Panel is a Trademark  by Iridium Waterproof Communication Systems ApS

2.4 INSTALLATION

Apply silicone based sealant in the 3 mounting holes and around to the center hole. Lead the radio interface connector through the hole from the outside and in. Be careful and avoid sealant touching the parts. Place the connector plate exactly aligned with the 3 mounting holes, and fasten them with screws, either self-tapping or machine screws, depending on surface.



BACKSIDE OF DRILL TEMPLATE

1.4 SAFETY WARNING

The following general safety precautions must be observed during all phases of operation, service and repair of this equipment. Failure to comply with these precautions or with specific warning elsewhere in this manual violates safety standards of design, manufacture and intended use of the equipment. IWCS assumes no liability for the customer's failure to comply with these requirements.

FIRE

In case of fire, harmful gases and fumes may occur. One should immediately leave the area and seek help. In case of suspected smoke in the lungs, a doctor should be consulted.

WARRANTY LIMITATIONS

IMPORTANT - This unit is a sealed waterproof unit (classified IP67 from the outside). To create and maintain its waterproof integrity it has been assembled in a controlled environment using special equipment. This unit is NOT a user serviceable unit, and under no circumstances should the unit be opened except by authorized personnel. Unauthorized opening of the unit will invalidate the warranty.

DISPOSAL

When disposing of the Headset Connection Panel and related equipment, it must happen in accordance with applicable national law. There are no batteries inside the Headset Connection Panel.



2.1 UNBOXING

The following items are included in the delivery of your new Headset Connection Panel from IWCS

- Headset Connection Panel incl. external radio termination.
- User manual

2.2 TOOLS

- Drill
- 3,2 mm drill for self tapping screws or
- 4,3 mm drill for machine screws
- Sealant silicone based for outdoor use

2.3 DRILL TEMPLATE

The Headset Connection Panel

