

# **CABLE TIES / DETACTABLE**

Food & Medical

## **DETACTABLE**

These cable ties are particularly suitable for applications in the food, pharmaceutical, animal feedingstuffs and chemical industry. In these industries, special attention is paid to prevent product contamination by metal, X-ray and visual detection devices. Cut ends of cable ties must be avoided here.

#### Optimal safety / Highest detectability

A unique manufacturing process, in which small metal parts are evenly mixed with the common used raw material for cable ties (Polyamide 6.6), makes it possible to detect small fragments of a cable tie. It should be noted that the density of the small metal parts in the Kacab detectable cable ties is higher than in other types of detectable cable ties. This ensures that these cable ties have the largest magnetic attraction. A striking blue color of the cable tie makes visual detection possible. Both detection ways take care of an optimal safety / detectability.

#### Comply with European regulations for HACCP

Detectable cable ties can help users to achieve European regulations for HACCP. HACCP is a systematic, preventive approach of food safety which tackles physical, chemical and biological risks by way of prevention rather than inspection of finished products.





#### **Product information**

Material : Polyamide 6.6 containing the highest concentration evenly mixed

: small metal parts

Color : Blue

Temperature range : -40 °C up to +85 °C
Other properties : Halogen and silicone free

### **Specifications**

Typenr.	Length (mm)	Width (mm)	Max. bundle diameter (mm)	Tensile strength (kg)	Packing (pcs)
DETECTABLE 150x3,6mm	150	3,6	35	14,6	100
DETECTABLE 200x4,8mm	200	4,8	50	17,8	100
DETECTABLE 300x4,8mm	300	4,8	76	17,8	100
DETECTABLE 370x4,8mm	370	4,8	102	17,8	100
DETECTABLE 370x7,6mm	370	7,6	102	43,5	100



We certify that the values provided are as accurate as possible. Use of these values, however, remains the sole responsibility of the customer and cannot in any way substitute for testing the product under real conditions of use. The user must assess wether this product is suitable for a particular use. KACAB shall not be held responsible for any loss or anomaly resulting from the correct or incorrect use of this product.