



KACABFIX
Fixing system for expandable braided sleeve

Features/Applications

KACABFIX SYSTEM is a protection system made of a braided sleeve with a KACABFIX dual wall (adhesive) heat shrink tubing at one (A) or two ends (B). KACABFIX SYSTEM offers a continuous working temperature of -50°C up to +125°C, open end(s) facilitate the easy slipping over the of cables, pipes or hoses and offers a secured fixing of the braid over the object to be protected. KACABFIX SYSTEM is suitable for the protection of fuel lines, pipes, hoses, and cable assemblies within the automotive and industrial sectors.

Various

Standard colours: Black, grey for the braid.
Black for the heat shrink tubing. Other colours available on request.

Dimensions

Reference KACABFIX PET-DW	Recommended range of use (mm)	Heat shrink tubing length before shrinkage (mm)
006,0	5 to 9	20,0
008,0	7 to 11	20,0
010,0	9 to 15	20,0
012,0	11 to 17	20,0
015,0	14 to 21	20,0
020,0	19 to 27	20,0
025,0	24 to 35	20,0

These parts are tailor-made to each customer's application.

KACAB's engineering department has significant application and design expertise. The designer teams will work with the customer to identify the best design in order to achieve the specified requirements.

KACABFIX PET-DW-A



KACABFIX PET-DW-B



We certify that the values provided are as accurate as possible. Use of these values, however, remains the sole responsibility of the customer and cannot in any way substitute for testing the product under real conditions of use. The user must assess whether this product is suitable for a particular use. KACAB shall not be held responsible for any loss or anomaly resulting from the correct or incorrect use of this product.