

## POLYAMIDE PA6 GF25 JACOB CABLE GLANDS ELBOW, METRIC

Material	Polyamide PA6 GF25
Connecting thread	Metric (EN 60423)
Temperature range	-20 °C up to +100 °C
Protection grade	Max. IP68
Standard color	Dependent on the combination with other components Light grey (RAL 7035)



Typenr.	Connecting thread	Thread length (mm)	Height (mm)	Diameter (mm)	Packing (pcs)
M16 PA6 GF25 cable gland elbow	M16 x 1,5	12,0	38,0	12,2	100
M20 PA6 GF25 cable gland elbow	M20 x 1,5	12,0	42,0	16,0	50
M25 PA6 GF25 cable gland elbow	M25 x 1,5	12,0	48,5	21,0	50
M32 PA6 GF25 cable gland elbow	M32 x 1,5	14,0	57,5	27,6	25
M40 PA6 GF25 cable gland elbow	M40 x 1,5	14,0	67,0	35,0	10

## POLYAMIDE PA6 GF25 JACOB CABLE GLANDS ELBOW, PG

Material	Polyamide PA6 GF25
Connecting thread	PG (DIN 40430)
Temperature range	-20 °C up to +100 °C
Protection grade	Max. IP68
Standard color	Dependent on the combination with other components Light grey (RAL 7035)



Typenr.	Connecting thread	Thread length (mm)	Height (mm)	Diameter (mm)	Packing (pcs)
PG9 PA6 GF25 cable gland elbow	PG9	11,0	30,0	11,5	100
PG11 PA6 GF25 cable gland elbow	PG11	11,0	33,0	14,5	50
PG13,5 PA6 GF25 cable gland elbow	PG13,5	11,5	35,5	16,0	50
PG16 PA6 GF25 cable gland elbow	PG16	11,5	38,5	18,5	50
PG21 PA6 GF25 cable gland elbow	PG21	13,0	46,0	24,0	25
PG29 PA6 GF25 cable gland elbow	PG29	15,0	59,0	32,0	10

In addition to our standard range of cable glands and accessories, we can also supply all other Jacob products (on request).  
For this, we refer you to the website of Jacob GmbH: [www.jacob-gmbh.de/en/](http://www.jacob-gmbh.de/en/)