

STAINLESS STEEL JACOB CABLE GLANDS, METRIC

Material	Stainless steel 1.4305
Connecting thread	Metric (EN 60423)
Temperature range	-20 °C up to +100 °C
Protection grade	IP68 / IP69K (tested for M12 - M25, M50, M63)
Test standard	UL 514B
UL / CSA-File	E140310



Typenr.	Connecting thread	Cable diameter (mm)	Thread length (mm)	Packing (pcs)
M12 stainless steel cable gland	M12 x 1,5	3,0 - 6,0	5,0	50
M16 stainless steel cable gland	M16 x 1,5	5,0 - 9,0	5,0	50
M20 stainless steel cable gland	M20 x 1,5	9,0 - 13,0	6,0	50
M25 stainless steel cable gland	M25 x 1,5	11,0 - 16,0	7,0	50
M32 stainless steel cable gland	M32 x 1,5	14,0 - 21,0	8,0	25
M40 stainless steel cable gland	M40 x 1,5	19,0 - 27,0	8,0	10
M50 stainless steel cable gland	M50 x 1,5	24,0 - 35,0	9,0	5
M63 stainless steel cable gland	M63 x 1,5	32,0 - 42,0	10,0	5

STAINLESS STEEL JACOB HEXAGONAL LOCKNUTS, METRIC

Material	Stainless steel 1.4305
Connecting thread	Metric (EN 60423)
Temperature range	-60 °C up to +200 °C



Hexagonal

Typenr.	Connecting thread	Height (mm)	Packing (pcs)
M12 stainless steel locknut	M12 x 1,5	2,8	50
M16 stainless steel locknut	M16 x 1,5	2,8	50
M20 stainless steel locknut	M20 x 1,5	3,0	50
M25 stainless steel locknut	M25 x 1,5	3,5	50
M32 stainless steel locknut	M32 x 1,5	4,0	25
M40 stainless steel locknut	M40 x 1,5	5,0	10
M50 stainless steel locknut	M50 x 1,5	5,0	5
M63 stainless steel locknut	M63 x 1,5	6,0	5

In addition to our standard range of cable glands and accessories, we can also supply all other Jacob products (on request).
For this, we refer you to the website of Jacob GmbH: www.jacob-gmbh.de/en/