



Key

Application Boundary
1.97 acres / 0.797 hectares

Parking Numbers
92 Proposed parking spaces (2.7 x 5.0m)
inc. 6 disabled, 9 parent & child,
2 EVCs and 8 Motorcycle spaces.

Areas

Sales floor - 1,411 SqM (15,188 SqFt)
Warehouse - 587 SqM (6,318 SqFt)
Ancillary - 278 SqM (2,992 SqFt)
GIA - 2,275 SqM (24,488 SqFt)
GEA - 2,368 SqM (25,489 SqFt)



Hazard Warning Schedule	
HAZARD	COMMENTS / ACTION
Falling from height	Temporary access and edge protection required. Access by trained persons only. Safe working method statement to be provided before works commence.
Contamination/ UXOs	Site investigation required to determine extent of any contamination.
Existing services	Relevant authorities to be consulted prior to commencement of works to determine location and extent of existing services. Ground penetrating radar to be completed prior to any works onsite.
Asbestos	Asbestos survey to be carried out by trained persons if necessary, if found confirmation of prior removal of asbestos from site to be obtained.
Risk of collapse	All excavation and retaining work to be carried out by trained persons. Contractor to ensure adequate design of temporary works prior to commencing.
Difference in levels	Provision of appropriate vehicle protection barriers to embankment/ retaining structures where the height difference presents a risk.
Ecology / Biodiversity / aboriginal	Specialist to be consulted / appointed to determine the extent of any impacting factors such as TPOs, protected / invasive species etc
Works to highway	All work pertaining to the highway to be carried out by trained persons only and in accordance with a pre-prepared safe working method statement.
Noise, vibration & disturbance to neighbours	All work to be carried out within agreed working hours in order to limit disturbance to neighbours
Levels	Proposal is subject to a detailed levels plan upon receipt of a current topographical survey, which may have an impact on the proposed site layout and numbers provided.
Plant access	Access to plant to be reviewed once plant requirements are reviewed and confirmed by Mechanical & Electrical Engineer.
Duties under CDM	Client to appoint Principal Designer to undertake duties under CDM 2015. Client to advise on the appointment and contact information of the Principal Designer.

A (BROWN) Car park layout updated to reflect SCP amendments. WF/DC

by Date Description Drawn by

CLIENT
Lidl Great Britain Limited

PROJECT
Wolverhampton
Bushbury Lane

TITLE
Proposed Site Plan

DRAWING STATUS
Planning

DRAWN WF CHECKED DC

SCALE 1:250 @ A1 / 1:500 @ A3

DATE May 2022

Whittam Cox ARCHITECTS
Chesterfield / 01246 260261
London / 020 3388 0019
Leeds / 0113 468 2450
whittamcox.com

JOB NO. 210006 DRAWING NO. PL-03 REV A