



PERUN X16

TINCKARMS



TINCKARMS PERUN X16
CAL MULTI
MADE IN SLOVENIA

PERUN X16 platform combines all the advantages of a modern weapon system packed into one single compact platform.

Our new rifle platform is highly modular and infinitely accessorizeable while still retaining backwards compatibility with a lot of standard, off the shelf AR parts.

PERUN X16 fully disassembled

CNC machined upper receiver from T7075 Aluminium with integrated steel rails, anodized surface treatment in semi matt finish. Enlarged ejection port for reliable ejection and special shape deflector for nice ejection pattern.

CNC machined upper rail form T7075 Aluminium. The full lenght picatinny design enables a lot of options for optic and other accessories placement.

CNC machined handguard from T6061 Aluminium designe to perfectly blend with the upper rail. M-Lock capability for easy use of attachments. Optimized gas block that would be reliably with standard or sub ammunition.

gas chamber

Mil-Spec AR bolt.

Piston rod available in different lenghts to work best with correspondend barrel lengths.

Patented bolt carrier with integrated recoil spring. Can be used with any Mil-Spec AR bolt.


Cold hammer forged barrel with threaded muzzle, for use with muzzle devices such as flash hidrs, compensators or suppressors.

Folding stock or adapter compatible with AR carbine buffer tube. Fixed or folding stock adjustable for length and height.

Three port compensator designed for reducing recoil and to work with suppressors.

CNC machined lower receiver from T7075 Aluminium with anodized surface treatment in semi matt finish. Compatible with Mil-Spec AR15 triggers and AR style magazines.

AR style 10 or 30 rounds magazine, compatible with any other AR magazines on the market.



PERUN X16 features



Non-reciprocating charging handle, held in place with detent spring. Reversible for left or right side with easy process instalment without any special tools.

Compatible with SAS – SCAR Adaptable Stock Kit

Flip up front sight.

Top picatinny rail available in 3 dimensions. Robust design with integrated Picatinny rails

Flip up rear sight, adjustable for height and windage.

Rifle with the corresponding handguards.

Impingement system for light recoil impulse with benefit of piston operation.

30 rounds AR magazine.

Ambidextrous safety with click on style levers held in place by detent spring.

Crisp tactical trigger that brakes at 1,5-2kg. Replaceable with Mil-Spec AR triggers.

Grip compatible with any AR grip that could be switched effortlessly.

AVAILABLE CALIBERS

5.56x45 (223Rem)

.300AAC (Sub or supersonic)


6.5 Grendel

7.62x39

5.45x39




PERUN X16 basic options



PERUN X 16 PDW
Barrel 8.5"



PERUN X 16 Carbine
Barrel 12.5"



PERUN X 16 Carbine
Barrel 14.5"



PERUN X 16 PDW
Barrel 10.5"



PERUN X 16 mid lenght
Barrel 14.5", 16"
or longer standard AR15 barrel.

available combinations for PERUN X16

PDW lenght upper picatinny rail








Carbine lenght upper picatinny rail

Mid lenght upper picatinny rail

Picatinny rail with no stock attached

AR15 buffer tube stock with adapter

Folding stock lenght adjustable with raisable cheekpiece

-  16" barrel with 14,5" handguard
-  14,5" barrel with 14,5" handguard
-  12,5" barrel with 12,5" handguard
-  11,5" barrel with 11,5" handguard
-  10,5" barrel with 10,5" handguard
-  8,5" barrel with 8,5" handguard
-  6,7" barrel with 6,7" handguard

Standard AR9 barrel


blow back bolt carrier group

AVAILABLE PARTS FOR PERUN X 9 CONVERSION KIT in cal.9 x19


Glock magazine

Perun X9 lower receiver

PERUN X9 Cal. 9x19



PERUN X9 PDW
Barrel 8,5"



PERUN X9 PDW
Barrel 10,5"



PERUN X9 CARBINE
Barrel 12,5"



PERUN X9 CARBINE
Barrel 14,5"

Perun X9 is the next generation, upgraded and enhanced from the Perun X16 platform. Close bolt blow back operating system, with classic AR15 or competition trigger, 8,5 to 14,5" lightweight standard AR9 barrels, factory designed muzzle brake, factory designed floating CNC hand guard, buffer tube or masada folding stock, ambi safety, flip up sights, Non-Reciprocating Charging Handle and it accepts Glock mags.



TINCK d.o.o.

Platiševa ulica 39,
5282 Cerkno, Slovenia

+386 31 582 186

info@tinck-ar.com



<https://www.tinck-ar.com/>



46.1324375000835, 13.987831091646777