


MODE FÜR PORZELLAN

SUPER STONE

# SUPER STONE

EXTRA-LARGE FORMAT  
PORZELANIPANEL



[www.my-fliesen-quadrat.de](http://www.my-fliesen-quadrat.de)  
[info@my-fliesen-quadrat.de](mailto:info@my-fliesen-quadrat.de)



## INDEX

- 007 Sintered Stone  
**1600x3600**  
-64"x144"
- 031 Sintered Stone  
**760x2550**  
-30.4"x102"
- 045 Super Stone  
**1200x2400**  
-48"x96"
- 081 Super Stone  
**900x1800**  
-36"x72"

## MODE FÜR PORZELLAN

- 3D Planung
- Alle Angebote mit unseren Porzellanplatten werden nach Anfrage Objekt bezogen erstellt.





**MODE FÜR PORZELLAN**


# SUPER STONE

MAKE AN  
EXTRA LARGE DIFFERENCE


INNOVATIVE · GREEN · AESTHETIC

# APPLICATION WITHOUT LIMITATION

Super Stone is an innovative porcelain panel  
which can be used in various areas.




HIGH-RISE BUILDING FACADE



HOTELS



RESTAURANTS




AIRPORTS

## MODE FÜR PORZELLAN



Shopping Mall




Lounge



Büro



Wohnwelt



BADELANDSCHAFT



Küchen



Tische



MÖBEL

# FÜNF GUTE GRÜNDE



## XXL-Format für außergewöhnliche Eindrücke

In vier Größen:  
900x1800 mm, 760x2550 mm,  
1200x2400 mm, 1600x3600mm  
Die XXL-Fliesenpanels verbessern den räumlichen Eindruck und lassen den Raum großzügig und luftig erscheinen. Damit sind sie auch hervorragend geeignet für große Räume und öffentliche Einrichtungen.



## Authentische Maserung

Durch 3-D-Technologie ist es erstmals gelungen, die Maserung des Marmors authentisch nachzuempfinden. In Verbindung mit glatten Flächen, zartem Glanz und hoher Stabilität sind sie hervorragend geeignet für Räume in trendigem Style.



## Mehr Flexibilität für kreative Ideen

Anders als bei Kollektionen früherer Jahrzehnte mit kleinen Fliesen bieten wir unsere modernen XXL-Panels in mehreren Stärken an: 5,5mm, 10,5mm und 13,5mm, 15,5mm, je nach räumlichen Gegebenheiten. Dabei überzeugen sie nicht nur als Wand- und Bodenpanels im Innen- und Außenbereich. Auch als Tischoberfläche, zur Küchenausstattung und bei vielen weiteren Einrichtungsideen sind Ihrer Kreativität keine Grenzen gesetzt.



## Top Qualität durch High-Technology


Unsere Hochleistungspressen arbeiten mit 16, 8 Tonnen und garantieren höchste Dichte und Härte. Als Weltmarktführer erreichen wir dadurch höchste Bruchsicherheit. Im direkten Vergleich zu Marmor bieten die Panels bessere physikalische und chemische Eigenschaften. Sie sind wetterresistent und eignen sich dadurch hervorragend sowohl im Innen- als auch im Außenbereich.




## Hervorragende Performance und Flexibilität

Vier Standard-Größen 900x1800 mm, 760x2550mm, 1200x2400mm und 1600x3600mm. Die XXL-Panels verbessern den räumlichen Eindruck und sorgen für Weite und fließende Formen. Das erhöht den Wohlfühlfaktor – egal, ob zu Hause oder in großen öffentlichen Räumen!

## MODE FÜR PORZELLAN



Glazed-Matt



Glazed-Matt




Glazed-Polished



Glazed-Polished



# MODE FÜR PORZELLAN



**160-360 15212** 15.5mm  
Glazed-Matt Pattern: 1

**160-360 15850** 15.5mm  
Glazed-Polished Patterns: 3

**160-360 15330** 15.5mm  
Glazed-Matt Pattern: 1

**160-360 15207** 15.5mm  
Glazed-Matt Pattern: 1

**160-360 15211** 15.5mm  
Glazed-Matt Pattern: 1

**160-360 15809** 15.5mm  
Glazed-Polished Patterns: 3


**76-255 13207** 13.5mm  
Glazed-Matt Pattern: 1

**76-255 13211** 13.5mm  
Glazed-Matt Pattern: 1

**120-240 13809** 13.5mm  
Glazed-Matt Patterns: 3

**120-240 05207** 5.5mm  
Glazed-Matt Pattern: 1

**120-240 05211** 5.5mm  
Glazed-Matt Pattern: 1





# MODE FÜR PORZELLAN



160-360 15803 15.5mm  
Glazed-Polished Pattern:1

160-360 15802 15.5mm  
Glazed-Polished Pattern:1

160-360 15806 15.5mm  
Glazed-Polished Patterns:2


160-360 15805 15.5mm  
Glazed-Polished Patterns:2

160-360 15206 15.5mm  
Glazed-Matt Pattern:1

160-360 15801 15.5mm  
Glazed-Polished Patterns:4

76-255 13206 13.5mm  
Glazed-Matt Pattern:1

120-240 05206 5.5mm  
Glazed-Matt Pattern:1








160-360 15332 15.5mm  
Glazed-Matt Pattern:1

160-360 15331 15.5mm  
Glazed-Matt Pattern:1



Residential

Item: 160-360 15332 1600x3600-64"x144"

1600x3600  
64"x144"





Residential / 

Item: 160-360 15331 1600x3600-64"x144"

1600x3600  
64"x144"



Residential / 

Item: 160-360DB15212M 1600x3600-64"x144"

Residential / 

Item: 160-360DB15330M 1600x3600-64"x144"





Residential 

Item: 160-360 15850 1600x3600-64"x144"



Residential / 

Item: 160-360 15206 1600x3600-64"x144"

021


Residential / 

Item: 160-360 15211 1600x3600-64"x144"

022

1600x3600  
00930009





Commercial 

Item: 160-360 15809 1600x3600-64"x144"





Commercial / 

Item: 160-360 15802 1600x3600-64"x144"

Commercial / 

Item: 160-360 15806 1600x3600-64"x144"

1600x3600  
64"x144"





Commercial 

Item: 160-360 15207 1600x3600-64'x144"

1600x3600  
64'x144"





Commercial / 

Item: 160-360 15805 1600x3600-64"x144"

Commercial / 

Item: 160-360 15803 1600x3600-64"x144"

# MODE FÜR PORZELLAN



031

032

Residential / 

Item: 160-360 15801 1600x3600-64"x144"

1600x3600  
009x3000





**76-255 13213** 13.5mm  
Glazed-Matt Patterns:4


**76-255 13222** 13.5mm  
Glazed-Matt Pattern:1

**76-255 13205** 13.5mm  
Glazed-Matt Pattern:1

**120-240 13112** 13.5mm  
Glazed-Matt Patterns:4

**120-240 13205** 13.5mm  
Glazed-Matt Pattern:1

**MODE FÜR PORZELLAN**




**76-255 13212** 13.5mm  
Glazed-Matt Patterns:4

**76-255 13221** 13.5mm  
Glazed-Matt Pattern:1

**76-255 13223** 13.5mm  
Glazed-Matt Pattern:1

**120-240 13111** 13.5mm  
Glazed-Matt Patterns:4



# MODE FÜR PORZELLAN




**76-255 13225** 13.5mm  
Glazed-Matt Pattern:1

**76-255 13209** 13.5mm  
Glazed-Matt Pattern:1

**76-255 13220** 13.5mm  
Glazed-Matt Pattern:1

**160-360 15212** 15.5mm  
Glazed-Matt Pattern:1

**120-240 13209** 13.5mm  
Glazed-Matt Pattern:1



**76-255 13211** 13.5mm  
Glazed-Matt Pattern:1

**76-255 13226** 13.5mm  
Glazed-Matt Pattern:1

**76-255 13206** 13.5mm  
Glazed-Matt Pattern:1

**160-360 15211** 15.5mm  
Glazed-Matt Pattern:1

**160-360 15206** 15.5mm  
Glazed-Matt Pattern:1

**120-240 13211** 13.5mm  
Glazed-Matt Pattern:1

**120-240 13206** 13.5mm  
Glazed-Matt Pattern:1

**120-240 05211** 5.5mm  
Glazed-Matt Pattern:1

**120-240 05206** 5.5mm  
Glazed-Matt Pattern:1

## MODE FÜR PORZELLAN



**76-255 13207** 13.5mm  
Glazed-Matt Pattern:1

**160-360 15207** 15.5mm  
Glazed-Matt Pattern:1

**120-240 13207** 13.5mm  
Glazed-Matt Pattern:1

**120-240 05207** 5.5mm  
Glazed-Matt Pattern:1

**76-255 13208** 13.5mm  
Glazed-Matt Pattern:1

**160-360 15208** 15.5mm  
Glazed-Matt Pattern:1

**120-240 13208** 13.5mm  
Glazed-Matt Pattern:1

**120-240 05208** 5.5mm  
Glazed-Matt Pattern:1

037




**76-255 13210** 13.5mm  
Glazed-Matt Pattern:1

**120-240 13210** 13.5mm  
Glazed-Matt Pattern:1

**76-255 13317** 13.5mm  
Glazed-Matt Pattern:1

**160-360 15317** 15.5mm  
Glazed-Matt Pattern:1


**120-240 13117** 13.5mm  
Glazed-Matt Pattern:1



038





DESIGNER 

Item: 76-255 13220 760x2550x30,4x102"

**MODE FÜR PORZELLAN**



Residential / 

Item: 76-255 13221 760x2550-30.4"x102"

041

Residential / 

Item: 76-255 13210 760x2550-30.4"x102"

042

760x2550  
30.4"x102"



Residential / 

Item: 76-255 13208 760x2550-30.4"x102"

Residential / 

Item: 76-255 13209 760x2550-30.4"x102"





Commercial 

Item: 76-255 13223 760x2550-30.4"x102"

# SUPER STONE

120-240 05528 5.5mm  
Glazed-Polished Patterns:3

120-240 5528 5.5mm  
Glazed-Polished Patterns:2

### Recommended Application



### Thickness



120-240 05528

120-240 05528

120-240 05528



Residential / 

Item: 120-240 05528 1200x2400-48"x96"

1200x2400  
48"x96"



# SUPER STONE

<b>120-240</b>	<b>5501</b>	5.5mm
Glazed-Polished		Patterns:9
<b>120-240</b>	<b>5501</b>	5.5mm
Glazed-Polished		Patterns:9
<b>120-240</b>	<b>5501</b>	5.5mm
Glazed-Matt		Patterns:9
<b>120-240</b>	<b>5501</b>	5.5mm
Glazed-Matt		Patterns:9
<b>120-240</b>	<b>13601</b>	13.5mm
Glazed-Polished		Patterns:9
<b>120-240</b>	<b>13601</b>	13.5mm
Glazed-Polished		Patterns:9
<b>90-180</b>	<b>5668</b>	5.5mm
Glazed-Polished		Patterns:16

## Recommended Application




## Thickness



120-240 5501

120-240 5501

120-240 5501



Commercial / 

Item: 120-240 5501 1200x2400-48"x96"

053

Commercial / 

Item: 120-240 5501 1200x2400-48"x96"

054

1200x2400  
48"x96"

# SUPER STONE

120-240 5521 5.5mm  
Glazed-Polished Patterns: 2



### Recommended Application



### Thickness



Commercial

Item: 120-240 5521 1200x2400-48"x96"

1200x2400  
48"x96"



# SUPER STONE

120-240 5503 5.5mm  
Glazed-Polished Patterns: 7

120-240 13603 13.5mm  
Glazed-Polished Patterns: 7

## Recommended Application



## Thickness



057

# SUPER STONE

120-240 5379 5.5mm  
Glazed-Matt Patterns: 6



120-240 5522 5.5mm  
Glazed-Polished Patterns: 6

120-240 13605 13.5mm  
Glazed-Polished Patterns: 6

## Recommended Application



## Thickness



058

# SUPER STONE

120-240 5508 5.5mm  
Glazed-Polished *Pattern: 1*


120-240 13608 13.5mm  
Glazed-Polished *Pattern: 1*



### Recommended Application



### Thickness



# SUPER STONE

120-240 5510 5.5mm  
Glazed-Polished *Patterns: 4*



### Recommended Application



### Thickness





# SUPER STONE

120-240 5520 5.5mm  
Glazed-Polished Patterns:2



### Recommended Application



### Thickness



061

# SUPER STONE

120-240 5517 5.5mm  
Glazed-Polished Patterns:2



### Recommended Application



### Thickness



062

1200x2400  
48x96

# SUPER STONE


120-240 5502 5.5mm  
Glazed-Polished Patterns:6

120-240 13602 13.5mm  
Glazed-Polished Patterns:6

### Recommended Application



### Thickness




# SUPER STONE

120-240 05374 5.5mm  
Glazed-Polished Patterns:3

### Recommended Application




### Thickness







Commercial 

Item: 120-240 05374 1200x2400-48"x96"



# SUPER STONE


120-240 5516 5.5mm  
Glazed-Polished Patterns: 2



### Recommended Application



### Thickness



Commercial

Item: 120-240 5516 1200x2400-48"x96"

1200x2400  
48"x96"



# MODE FÜR PORZELLAN

## SUPER STONE

120-240 13610 13.5mm  
Glazed-Polished Patterns: 5

### Recommended Application



### Thickness



Thickness



070

Residential

Item: 120-240 13610

120x240  
48x48

# SUPER STONE

120-240 13111 13.5mm  
Glazed-Matt Patterns: 4

76-255 13212 13.5mm  
Glazed-Matt

**Project Only** Patterns: 4



### Recommended Application



### Thickness




# SUPER STONE

120-240 13112 13.5mm  
Glazed-Matt Patterns: 4

76-255 13213 13.5mm  
Glazed-Matt Patterns: 4

**Project Only** Patterns: 4



### Recommended Application



### Thickness







Residential / 

Item: 120-240 13112 1200x2400-48"x96"

073

Residential / 

Item: 120-240 13111 1200x2400-48"x96"

074

1200x2400  
48"x96"



# SUPER STONE

120-240 13313 13.5mm  
Glazed-Matt Patterns:4

Project Only

## Recommended Application



## Thickness



# SUPER STONE


120-240 13316 13.5mm  
Glazed-Matt Patterns:2

Project Only

## Recommended Application



## Thickness





# SUPER STONE

120-240 13117 13.5mm  
Glazed-Matt Pattern: 1

76-255 13317 13.5mm  
Glazed-Matt Pattern: 1

160-360 15317 15.5mm  
Glazed-Matt Pattern: 1

Project Only

### Recommended Application



### Thickness



# SUPER STONE

120-240 13315 13.5mm  
Glazed-Matt Patterns: 2

Project Only

### Recommended Application



### Thickness





# MODE FÜR PORZELLAN

## SUPER STONE



120-240 13318 13.5mm  
Glazed-Matt Patterns:3

Project Only

### Recommended Application



### Thickness



Residential

Item: 120-240 13318 1200x2400-48"x96"  
Item: 120-240 5379 1200x2400-48"x96"

1200x2400  
48"x96"



# SUPER STONE

120-240 13310 13.5mm  
Glazed-Matt Pattern:1

### Recommended Application



### Thickness



Thickness

081

# SUPER STONE

120-240 13319 13.5mm  
Glazed-Matt Pattern:1

Project Only

### Recommended Application



### Thickness



Thickness

082

# SUPER STONE

<b>90-180 5006</b>	5.5mm
Glazed-Polished	Pattern:1
<b>90-180 5006</b>	5.5mm
Glazed-Matt	Pattern:1
<b>90-180 5006</b>	5.5mm
Semi-Polished	Pattern:1

<b>90-180 5001</b>	5.5mm
Glazed-Polished	Pattern:1
<b>90-180 5001</b>	5.5mm
Glazed-Matt	Pattern:1
<b>90-180 5001</b>	5.5mm
Semi-Polished	Pattern:1

<b>90-180 5008</b>	5.5mm
Glazed-Polished	Pattern:1
<b>90-180 5008</b>	5.5mm
Glazed-Matt	Pattern:1
<b>90-180 5008</b>	5.5mm
Semi-Polished	Pattern:1

## MODE FÜR PORZELLAN

Recommended  
Application






Color Body

Thickness



Thickness

<b>90-180 5007</b>	5.5mm
Glazed-Matt	Pattern:1
<b>90-180 5007</b>	5.5mm
Semi-Polished	Pattern:1



900X1800  
30x127



# SUPER STONE

Recommended  
Application



Thickness



90-180 05320 5.5mm  
Glazed-Matt Patterns:4

90-180 10113 10.5mm  
Glazed-Polished Patterns:4

90-180 5662 5.5mm  
Glazed-Polished Patterns:6



Residential

Item: 90-180 5662 900x1800.36"x72"

900x1800  
36"x72"

# SUPER STONE

## MODE FÜR PORZELLAN

Recommended  
Application



White Body

Thickness



Thickness

90-180 5657 5.5mm  
Glazed-Polished



90-180 5653 5.5mm  
Glazed-Polished



90-180 5651 5.5mm  
Glazed-Polished



90-180 5652 5.5mm  
Glazed-Polished





# SUPER STONE

## MODE FÜR PORZELLAN

Recommended  
Application



White Body

Thickness



Thickness

90-180 5671 5.5mm  
Glazed-Polished Patterns: 4



90-180 5673 5.5mm  
Glazed-Polished Patterns: 3



90-180 5672 5.5mm  
Glazed-Polished Patterns: 3



90-180 05565 5.5mm  
Glazed-Polished Patterns: 3





Commercial / 

Item: 90-180 5671 900x1800-36"x72"

091

Residential / 

Item: 90-180 5673 900x1800-36"x72"

092

900x1800  
36"x72"



# SUPER STONE

Recommended Application



White Body

Thickness



Thickness

90-180 05563

5.5mm

Glazed-Polished

Patterns: 4



90-180 05567

5.5mm

Glazed-Polished

Patterns: 6



Residential

Item: 90-180 05567 900x1800-36"x72"

900x1800  
36"x72"

# SUPER STONE

## MODE FÜR PORZELLAN

Recommended  
Application



White Body

Thickness



Thickness

90-180 05561

5.5mm

Glazed-Polished

Patterns: 4



90-180 05560

5.5mm

Glazed-Polished

Patterns: 6



90-180 05566

5.5mm

Glazed-Polished

Patterns: 6




90-180 05562

5.5mm

Glazed-Polished

Patterns: 4




095

096

900x1800  
30x72"





Commercial / 

Item: 90-180 05566 900x1800-36"x72"

Residential / 

Item: 90-180 05560 900x1800-36"x72"

# SUPER STONE

Recommended  
Application



Thickness



90-180 5917 5.5mm  
Glazed-Matt Pattern:1

90-180 10917 10.5mm  
Glazed-Matt Patterns:4

90-180 5918 5.5mm  
Glazed-Matt Pattern:1



Residential

Item: 90-180 5918 900x1800-36"x72"

900x1800  
36"x72"



# SUPER STONE

Recommended Application



White Body

Thickness



Thickness

90-180 10221 10.5mm  
Glazed-Polished Patterns:3



101

## MODE FÜR PORZELLAN



Residential

Item: 90-180 10221 900x1800-36"x72"

900x1800  
36"x72"

102

# SUPER STONE

## MODE FÜR PORZELLAN

Recommended  
Application



Thickness



90-180 10222 10.5mm  
Glazed-Polished Patterns:3



90-180 10223 10.5mm  
Glazed-Polished Patterns:3



90-180 10225 10.5mm  
Glazed-Polished Patterns:6



90-180 10220 10.5mm  
Glazed-Polished Patterns:5







Residential / 

Item: 90-180 10225 900x1800-36"x72"

Residential / 

Item: 90-180 10220 900x1800-36"x72"

# SUPER STONE

Recommended Application


Wall Facade Floor

commercial Light Traffic Residential

White body

Thickness 10.5mm

90-180 10226 10.5mm  
Glazed-Polished Patterns:5



90-180 10227 10.5mm  
Glazed-Polished Patterns:6



Commercial

Item: 90-180 10226 900x1800.36"x72"

900x1800  
36"x72"



# SUPER STONE

Recommended  
Application



Thickness



# SUPER STONE

## MODE FÜR PORZELLAN

Recommended  
Application



White Body

Thickness



90-180 10115 10.5mm  
Glazed-Polished Patterns:3



90-180 10118 10.5mm  
Glazed-Polished Patterns:3



90-180 10116 10.5mm  
Glazed-Polished Patterns:3



# MODE FÜR PORZELLAN



111

112

Residential / 

Item: 90-180 10115 900x1800-36"x72"

900x1800  
36"x72"



# SUPER STONE

Recommended  
Application



White Body White Body


Thickness



Thickness

# MODE FÜR PORZELLAN

Recommended  
Application



White body White Body

Thickness



Thickness

90-180 0006

10.5mm

Glazed-Polished

Patterns: 6



90-180 0101

10.5mm

Glazed-Polished

Patterns: 6



90-180 0105

10.5mm

Glazed-Polished

Patterns: 6



90-180 0106

10.5mm

Glazed-Polished

Patterns: 6





Commercial / 

Item: 90-180 0101 900x1800-36"x72"

Residential / 

Item: 90-180 0106 900x1800-36"x72"



# SUPER STONE

Recommended  
Application



Thickness



# SUPER STONE

Recommended  
Application



Thickness



## MODE FÜR PORZELLAN

90-180 0103 10.5mm  
Glazed-Polished Patterns:6




90-180 0108 10.5mm  
Glazed-Polished Patterns:6



90-180 10117 10.5mm  
Glazed-Polished Patterns:3



90-180 0109 10.5mm  
Glazed-Polished Patterns:6





Commercial / 

Item: 90-180 0103 900x1800-36"x72"



Residential / 

Item: 90-180 0108 900x1800-36"x72"

900x1800  
36"x72"





Commercial / 

Item: 90-180 0109 900x1800-36"x72"



Commercial / 

Item: 90-180 10117 900x1800-36"x72"

# SUPER STONE

## MODE FÜR PORZELLAN

Recommended  
Application



Color Body

Thickness



Thickness

90-180 0102

Glazed-Polished

10.5mm

Patterns: 6

90-180 0107

Glazed-Polished

10.5mm


Patterns: 6

90-180 0110

Glazed-Polished

10.5mm

Patterns: 6





# SUPER STONE

Recommended  
Application



Thickness



90-180 10801 10.5mm  
Glazed-Polished Patterns:6

FULLY -BODY MARBLE



90-180 10809 10.5mm  
Glazed-Polished Patterns:4

FULLY -BODY MARBLE



# MODE FÜR PORZELLAN

Recommended  
Application



Thickness



90-180 10802 10.5mm  
Glazed-Polished Patterns:8

FULLY -BODY MARBLE





# SUPER STONE

Recommended  
Application



Thickness



# SUPER STONE

Recommended  
Application




Thickness




90-180 10805 10.5mm  
Glazed-Polished Patterns:4

FULLY -BODY MARBLE




90-180 10803 10.5mm  
Glazed-Polished Patterns:6

FULLY -BODY MARBLE



90-180 10808 10.5mm  
Glazed-Polished Patterns:6

FULLY -BODY MARBLE



90-180 10806 10.5mm  
Glazed-Polished Patterns:6

FULLY -BODY MARBLE







Commercial / 

Item: 90-180 10801 900x1800-36"x72"



Residential / 

Item: 90-180 10806 900x1800-36"x72"

# SUPER STONE

Recommended  
Application



Thickness



90-180 10001 10.5mm  
Soft-Polished (Patterns:4)

FULLY -BODY MARBLE




90-180 10002 10.5mm  
Soft-Polished (Patterns:4)

FULLY -BODY MARBLE



# MODE FÜR PORZELLAN

Recommended  
Application



Thickness



# SUPER STONE


90-180 10003 10.5mm  
Soft-Polished (Patterns:4)

FULLY -BODY MARBLE



90-180 10005 10.5mm  
Soft-Polished (Patterns:4)

FULLY -BODY MARBLE







Residential / 

Item: 90-180 10001 900x1800-36"x72"

Residential / 

Item: 90-180 10002 900x1800-36"x72"

900x1800  
36"x72"

# SUPER STONE

Recommended  
Application



Color Body Color Body

Thickness



Thickness

90-180 10009 10.5mm  
Soft-Polished Patterns:4

FULLY -BODY MARBLE



90-180 10007 10.5mm  
Soft-Polished Patterns:4

FULLY -BODY MARBLE



# MODE FÜR PORZELLAN

Recommended  
Application



Color Body Color Body

Thickness



Thickness

90-180 10006 10.5mm  
Soft-Polished Patterns:4

FULLY -BODY MARBLE



90-180 10008 10.5mm  
Soft-Polished Patterns:4

FULLY -BODY MARBLE





# MODE FÜR PORZELLAN



Residential 

Item: 90-180 10009 900x1800,36"x72"

900x1800  
36"x72"

# SUPER STONE

Recommended Application




Color Body

Thickness



90-180 10010 10.5mm  
Soft-Polished Patterns:4

FULLY -BODY MARBLE



Residential

Item: 90-180 10010 900x1800-36"x72"

900x1800  
36"x72"



# MODE FÜR PORZELLAN

1600x3600



64' x144"

SINTERED STONE

1200x2400

48' x96"

SUPER STONE



760x2550







30.4' x102"

SINTERED STONE

900x1800

35' x72"


SUPER STONE



900x1800

36 x 72


SUPER STONE



105 107 107 108 111 111 112 112 115 115 116



116 121 121 122 123 123 124 125 125 126 126



129 129 130 130 133 133 134 134 137

# MODE FÜR PORZELLAN

## INSTALLATION TOOLS



Suction Cup Handling Bars/  
Frames



Cutter Guide With Scorer



T-Shape Cutter



Manual Glass Cutter



Diamond Pads



Diamond Core Drilling Bits



Electric Mixer



Smooth Trowel & Notched Trowel



Rubber Mallet



Flat Vibrator



Clips, wedges  
and traction-adjustable plier



Level



Rubber Trowel



Gloves



Goggles



## Schlankes Setting – mit Methode!

### 1. Vorbereitung des Trägermaterials – Teil 1

Die Oberfläche des Trägermaterials sollte absolut rein und frei von allem sein, was die Haftung oder die Performance beeinträchtigen könnten. Überzeugen Sie sich zu Beginn: waschen Sie das Trägermaterial vor der Verlegung und sehen Sie, dass es keine Rückstände größer als 10 Millimeter im Durchmesser gibt. Warten Sie, bis kein Wasser mehr auf dem Trägermaterial aufliegt. Teilen Sie das Trägermaterial so auf, wie es das Design erfordert und markieren Sie einen Fixpunkt an der Oberfläche. Damit kontrollieren Sie die Größe der Fläche und die Dicke in der Vertikalen. (siehe Bild 1+3)



FIGURE 1



FIGURE 3

### 2. Mischen des Klebmaterials

Gießen Sie etwas Wasser in einen Eimer und rühren Sie das pulverförmige Klebmaterial unter. Rühren Sie es mit einem langsamen elektrischen Rührbohrer, bis die Masse die Konsistenz von Zahnpasta hat. (siehe Bild 4+5)



FIGURE 4



FIGURE 5

### 3. Klebema

Benutzen Sie die flache Seite der Zahnkelle, um eine flache Lage des Klebmaterials auf dem Trägermaterial auszubringen. Dann ziehen Sie zunächst mit der flachen Seite in einem 45-60° Winkel durch das Klebmaterial und danach kontinuierlich mit den Rippen der Kelle. Wenden Sie dieses Verfahren für die Rückseiten jeder einzelnen Fliese an. (siehe Bild 6+7)



FIGURE 6



FIGURE 7

## Schlankes Setting – mit Methode!

### 4. Vorbereitung des Trägermaterials – Teil 2

Legen Sie die auf der Rückseite bearbeitete Fliese eine nach der anderen an das vorbereitete Klebmaterial. Zur Sicherheit für die Flies und für eine exakte Verlegung empfehlen wir die Verwendung von Saugnäpfen. Damit lassen sich die Fliesen einfach bewegen und sind gleichzeitig vor Bruch geschützt. (siehe Bild 8+9)



FIGURE 8



FIGURE 9

### 5. Ausrichten und setzen der Fliesen

Klopfen Sie die Fliese mit einem Gummihammer am Untergrund fest, damit das Klebemittel optimal zwischen Fliese und Untergrund verbindet. (siehe Bild 10+11)



FIGURE 10



FIGURE 11

### 6. Ausrichtung

Zur perfekten Ausrichtung der Fliese in Fläche und Tiefe sollte ein Nivellierclip verwendet werden. (siehe Bild 12)



FIGURE 12

## MODE FÜR PORZELLAN

### 7. Fliesen verfugen und reinigen

Nach dem Verlegen der Fliesen fügen Sie unter der Fliese und dann an den übrigen Seiten Clips ein. Danach stecken Sie Keile in die Schlitzlöcher und passen mit einer Zange die Verbindungen an. Überzeugen Sie sich dabei noch einmal davon, dass die Fliesen eben verlegt sind.



FIGURE 13



FIGURE 14

### 8. Herausziehen der Clips

Wenn das Klebematerial ausgehärtet ist, entfernen Sie die hervorstehenden Teile der Clips mit einem Gummihammer.



FIGURE 15

### 9. Paneele und Platten Verfugen

Sind die Fliesen fertig verlegt, entfernen Sie Reste des Klebematerials auf der Oberfläche der Fliesen. Damit schützen Sie die Fliese vor Abdrücken und Flecken. Dann tragen Sie den Mörtel auf und reinigen die Fliese danach nach Bedarf.



FIGURE 16



FIGURE 17

## Tipps für den perfekten Zuschnitt

### 1. Schneiden und bohren

Sie können Porzellan-Fliesen mit einer Stärke von 5,5mm leicht mit einem Diamant-Schneider oder einem Glasschneider, die in jedem Baumarkt erhältlich sind, schneiden.

1. Markieren Sie die Fliese von einem Rand bis zum anderen mit einer geraden Linie. Achten Sie darauf, die Linie kontinuierlich und mit gleichmäßigem Druck durchzuziehen. (siehe Bild 1)



FIGURE 1



FIGURE 2



FIGURE 3

2. Ist die Schnittlinie vorbereitet, legen Sie die Fliese auf eine gerade und feste Fläche. Wichtig: Sie müssen für einen geraden Schnitt die Fliese gut mit einer Hand greifen können und während des Schneidevorgangs mit einer Hand die Fliese ruhig halten. (siehe Bild 2)




FIGURE 4

3. Komplizierte Rundungen können mit einem Glasschneider realisiert werden, speziell, wenn die Fliese in komplizierte Flächen integriert werden muss. (siehe Bild 3 und 4)



FIGURE 5.1



FIGURE 5.2

4. Manuelle oder elektrische Trennscheiben schneiden Ränder besonders sauber mit einer Diamantscheibe. (siehe Bild 5.1. und 5.2.)



FIGURE 6



**PACKING**

**2. Muster und Formen schneiden**

2-1. Bogen: Erstellen Sie eine Schablone und folgen dieser beim Ausschneiden der Fliese. Verwenden Sie einen hochleistungsfähigen Bogenschneider und ziehen ihn mit sanftem Druck über die vorgezeichneten Linien. (siehe Bild 7 und 8)

2-2. Rechtwinkliger Schnitt: Bereiten Sie den Schnitt vor, indem Sie vier Markierungen bohren. Verbinden Sie die Bohrungen mit Linien und schneiden Sie mit einer Trennscheibe entlang der Linien. (siehe Bild 9 und 10)



FIGURE 7



FIGURE 8



FIGURE 9



FIGURE 10


**3. Bohren**

3-1. Markieren Sie das Loch, das gebohrt werden soll und bohren Sie mit einer elektrischen Bohrmaschine mit für Fliesen geeigneten Diamantbohrern in gutem Zustand. Wählen Sie den Bohrer in der passenden Stärke. Dabei sollten in jedem Fall Porzellan-Fliesen mit größter Sorgfalt behandelt werden.




FIGURE 11


**LOADING**




Standard Wooden Crate




A-Frame Pallet  
(Non-standard Packing)



Flat Wooden Crate  
(Non-standard Packing)



900x1800-36''x72''



1200x2400-48''x96''

**PACKING DATA**

900x1800-36''x72''

Product	Pallet	Weight (kg)	Size (mm)			
900x1800	 Standard Wooden Crate	50	1900x750x1100	Number of boxes	28	38
				Number of pieces per box	3	1
				Total number of pieces	84	38
				Kg / Piece	20	40
				Kg / Crate	1730	1570

1200x2400-48''x96''

Product	Pallet	Weight (kg)	Size (mm)				
1200x2400	 Standard Wooden Crate	100	2515x730x1420	boxes / Crate	26	30	24
				Pieces / Box	2	1	1
				Pieces / Crate	52	30	24
				Kg / Piece	38	58	90
				Kg / Crate	2076	1840	2260

1600X3600-64''x144''

Product	Pallet	Weight (kg)	Size (mm)		
1600X3600	 A-Frame Pallet (Non-standard Packing)	120	3630x740x1810	Number of boxes	1
				Number of pieces per box	12
				Total number of pieces	12
				Kg / Piece	220
				Kg / Crate	2760





- 3D Planung
- Alle Angebote mit unseren Porzellanplatten werden nach Anfrage Objekt bezogen erstellt.