

Material Safety Data Sheet

 Regulation (EC) No. 1907/2006, 1272/2008

 Version No.: 1.0
 Printing Date: July 1, 2021
 Page 1/1

MSDS REPORT

GW Investments B.V.

Olen 26, 5474 Nuenen The Netherlands		
SDS Report No	:	SDS202108300001
Compilation Date	:	30-08-2021
Trade Name	:	Gelosophy Color Gel(s): Numbers 1 through500
		Gelosophy Colors: Numbers 1 through500
		Gelosophy Gel (s): Numbers 1 through500
Product Names	:	Gelosophy: Numbers 1 through 500
		Gelosophy Colors: Numbers 1 through 500
		Gelosophy GelPolish No. 1-500
		Colors are numbered 001 (one) through 500 (five hundred)
Compasition of the Ingredients	:	See section 3 on the SDS
Service Requested	:	Safety Data Sheet (SDS) for the requested sample.
Summary	:	The contents and the formats of the SDS are prepared in accordance with Regulation EC No 1907/2006, 1272/2008 Regulation (EU) No 2015/830 and are provided per attached.



SECTION 1: Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Trade Name: Astonishing Gelosophy, Gelosophy Colors, Astonishing GelPolish; Names range from 1 through 500. Available in 5ml and 15ml units. **Registration number:** Data not available

1.2 Relevant identified uses of the substance or mixture and uses advised against on Application of the substance/misture: Professional Nail Care; Prof. Nail Art; Prof. Manicure

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GW Beauty B.V. Olen 26, 5474 Nuenen The Netherlands Tel: +31 617648788 Email: info@gwinvestments.nl Further information obtainable from: GW Investments B.V.

1.4 Emergency telephone numberEU and Russia:112 (Available 24 hours per day)UK:999 (Available 24 hours per day)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to regulation (EC) 1272/2008:

Classification under CLP	 Skin Irrit. 2: H315/Causes skin irritation; Skin Sens. 1: H317/May cause an allergic skin reaction; Eye Irrit. 2: H319/Causes serious eye irritation; STOT SE 3: H335/May cause respiratory irritation; FOR PROFESSIONAL USE ONLY
Most important adverse effects	Irritating to eyes. Irritating to skin. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.



2.2 Label Elements

Label elements under CLP	
Hazard statements	H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H335 May cause respiratory irritation FOR PROFESSIONAL USE ONLY
Signal words	WARNING
Hazard pictograms	GHS07: Exclamation mark
Precautionary statements	 P280: Wear protective gloves, eyeprotection, facemask. P101 If medical advice is needed, have product container or label at hand P102 Keep out of reach of children P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P271 Use only outdoors or in well ventilated area. P280 Wear protective gloves / eye protection / face protection. P370 + P378 In Case of fire: Ue CO2, chmical powder, water spray or alchol resistant foam to extinguish. Do not use water with full jet. P403 + P235 Store in well-ventilated place. Keep cool. P501 Dispose of contents / containers in accordance with local regulation.
Risk phrases	R36/R38: Irritating to eyes and Skin. R42/R43: May cause sensitization by inhalation and skin contact.
Safety phrases	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
Signal words	Warning FOR PROFESSIONAL USE ONLY



2.3 Other Hazards

Other hazards	No known other hazards.
PBT	This substance is not identified as a PBT sub- stance.
Signal words	Danger

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredients:

INCI NAME	7,7,9-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bis- methacrylate			
Mol. Formula	C23H38N2O8			
REACH Number	Not registered under Reach			
ECHA Annex 3	FOR PROFESSINIONAL USE ONLY / May cause an allergic reaction			
Cosmetic Function	FILM FORMING AGENT			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
255-239-5	41137-60-4	Di-Hema	-	68-75

INCI NAME	2-hydroxyethyl methacrylate			
Mol. Formula	C6H10O3			
REACH Number	Index No. 607-124	-00-X		
Echa Annex 3	FOR PROFESSIONAL USE ONLY / Can cause an allergic reaction			
Cosmetic Function	FILM FORMING AGENT			
EC Number	CAS Number Chemical ID CLP Classification Percent			
212-782-2	868-77-9	HEMA	Skin Irrit. 2: H215; Eye Irrit. 2: H319; Skin Sens. 1: H317.	20-25

INCI NAME	Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			
Mol. Formula	C26H27O3P			
REACH Number	Index No. 015-189-	Index No. 015-189-00-5		
ECHA Annex 3	FOR PROFESSIONAL USE ONLY / Skin sens.1A			
Cosmetic Function	FILM FORMING AGENT			
EC Number	CAS Number Chemical ID CLP Classification Percent			Percent
423-340-5	162881-26-7	Bis(2,4,6 Trimethy- Ibenzoyl)Phenylp- hosphine Oxide	Skin Sens.1A:H317; Aq, Chron. 4: H413.	2-5



INCI NAME	Hydroxycyclohexyl phenyl ketone			
Mol. Formula	C13H16O2			
REACH Number	Not registered und	er Reach		
ECHA Annex	Not under ECHA annex			
Cosmetic Function	PHOTO INITIATOR			
EC Number	CAS Number Chemical ID CLP Classification Percent		Percent	
213-426-9	947-19-3	Hydroxycyclo- hexyl phenyl keto- ne	Not Classified	1-5

Various color combinations.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Skin contact	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye Contact	Bathe the eye with running water for 15 minu- tes. Consult a medical specialist.
Ingestion	Wash out mouth with water. Consult a medical specialist.
Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a medical specialist.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact.
Eye Contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a fee- ling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed/ Immediate Effects	Immediate effects can be expected after short- -term exposure.



4.3. Indication of any immediate medical attention and special treatment needed

Immediate special treatment	Eye bathing equipment should be available on
	the premises.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact.
Eye Contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a fee- ling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed/ Immediate Effects	Immediate effects can be expected after short- -term exposure.

SECTION 5: FIRE-Fighting MEASURES

5.1 Extinguishing Media

Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use waterspray
to cool containers.

5.2. Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus.
Wear protective clothing to prevent contact with skin and eyes.



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedurs

Personal precautions	Refer to section 8 of SDS for personal protecti-
	on details. If outside do not approach from
	downwind. If outside keep bystanders upwind
	and away from danger point. Mark out the
	contaminated area with signs and prevent ac-
	cess to unauthorised personnel. Turn
	leaking containers leak-side up to prevent the
	escape of liquid.

6.2. Environmental precautions

Environmental precautions	Do not discharge into waterways such as	
	drains, lakes, rivers, ocean.	
	Contain the spillage using bunding.	

5.1 Extinguishing Media

Extinguishing Media	Suitable extinguishing media for the surroun-	
	ding fire should be used.	
	Use water spray to cool containers.	
	No waterjet directly on target!	

6.3. Methods and material for containment and cleaning up

Clean-up procedures	Absorb into dry earth or sand.	
	Transfer to a closable, labelled salvage contai-	
	ner for appropriate disposal according to local	
	laws.	

6.4. Reference to other sections

Reference to other sections	Refer to section 8 of SDS.
-----------------------------	----------------------------



SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handeling

Handling requirements	Avoid direct contact with the substance.	
	Ensure there is sufficient ventilation of the area.	
	Do not handle in a confined space.	
	Avoid the formation or spread of mists in the air.	

7.2. Conditions for safe storage, including any incompatibilities

Store in cool, well ventilated area. Keep container tightly closed. The floor of the storageroom must be imperme- able to prevent the escape of liquids.
Store out of direct sunlight.

7.3. Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name Ingredient	Di-Hema		
CAS No:	41137-60-4	EC No:	255-239-5
Exposure OSHA	SHA No data on restrictions found		

Name Ingredient	2-Hydroxyethyl methacrylate / Hydroxyethyl methacrylate		
CAS No:	868-77-9	EC No:	212-782-2
Exposure OSHA	The limit value has expired on 01-01-2007 : No limit as of 2021		
Norway	2 ppm (TGG - 8u) / 11 mg/m3 (TGG - 8u)		

Name Ingredient	Bis(2,4,6 Trimethylbenzoyl)Phenylphosphine Oxide			
CAS No:	162881-26-7 EC No: 423-340-5			
Exposure OSHA	xposure OSHA No restrictions according to ser.nl			

Name Ingredient	Hydroxycyclohexyl phenyl k	Hydroxycyclohexyl phenyl ketone		
CAS No:	947-19-3 EC No: 213-426-9			
Exposure OSHA No restrictions according to ser.nl				

8.1. DNEL/PNEC Values

DNEL/PNEC No data available.



8.2. Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area. The floor of the storage room must be imper- meable to prevent the escape of liquids.
Respiratory protection	Self-contained breathing apparatus must be available in case of emergency. ALWAYS use protective mask.
Hand protection	ALWAYS use rotective gloves.
Eye protection	ALWAYS use safety glasses. Ensure eye bath is to hand.
Protection of face	Use Protective maks
General Theft Protection	Keep the products locked up when not in use to prevent theft. Keep out of reach of children.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

State	Viscous Liquid
Colour	Multicolor
Odor	characteristic acrylate odor
Evaporation rate	Fast
Viscosity	Non-viscous
Flash point ^o C	>87°C
Danger of explosion	Product is not explosive.
Solubility in/Miscibility with Water	Insoluble in water (20°C)

9.2. Other information

Other information	No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1.Reactivity

Reactivity	Stable under recommended transport or stora-
	ge conditions.

10.2. Chemical stability

	Chemical stability	Stable under normal conditions.
--	--------------------	---------------------------------

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Hazardous reactions will not occur under nor-
	mal transport or storage conditions. Decompo-
	sition may occur on exposure to conditions of
	materials listed below.

10.4. Conditions to avoid

Conditions to avoid	Direct sunlight. High Temperatures. Uncontrol-
	led polymerization may occur at high tempera-
	tures resulting in explosions or rupture of stora-
	ge containers.

10.5. Incompatible materials

Materials to avoid	Strong oxidizing agents. Peroxides. Strong
	acids.



10.6. Hazardous decomposition products

Reactivity	Stable under recommended transport or stora-
	ge conditions.

10.2. Chemical stability	
Chemical stability	Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Hazardous reactions will not occur under nor-
	mal transport or storage conditions. Decompo-
	sition may occur on exposure to conditions of
	materials listed below.

10.4. Conditions to avoid

Conditions to avoid	UV-Light, direct sunlight, heat, sparks, open
	fire.

10.5. Incompatible materials

Materials to avoid	Strong oxidizing agents.
	Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products	In combustion emits toxic fumes.
	Oxides of carbon. Oxides of nitrogen. Irritating
	organic vapors. Toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1Information on toxicological effects	
Acute toxicity:	Based on available data, the classification criteria are not met.
LD/LC50 values relevant for classification:	No animal test has been done for this product or the compo- nents.
Skin corrosion/irritation:	Causes serious skin irritation.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Redroductive toxicity:	Based on available data, the classification criteria are not met.
STOT-single exposure:	May cause respiratory irritation.



STOT-repeated exposure:

Aspiration hazard:

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

11.2.Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact.
Eye contact	There may be irritation and redness. The eyes may water profusely
Ingestion	There may be soreness or redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a fee- ling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed / immediate effects	Immediate effects can be expected after short- -term exposure.

SECTION 12: ECOLOGICAL INFORMATION

12.1..Toxicity

Ecotoxicity values	No data available.

12.2. Persistence and degradability

Persistence and degradability biodegradable.
--

12.3. Bioaccumulative potential

Dioaccumulative potential	Bioaccumulative potential	No Bioaccumulation potential.
----------------------------------	---------------------------	-------------------------------



12.4. Mobility in soil

Mobility	Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification	This product is not identified as a PBT substan-
	ce.

12.6. Other adverse effects

Other adverse effects	Toxic to aquatic organisms.
	Toxic to soil organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal operations	Transfer to a suitable container and arrange for collection by specialized disposal company. Despose according to local regulations.
NB	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN/ONU number	None

14.2. UN proper shipping name

UN/ONU number	None
---------------	------

14.3. Transport hazard class(es)

Transport class No class

14.4. Packing group

Transport class	No class



14.5. Environmental hazards

Environmentally hazardous	No
Marine pollutant	No

14.6. Special precautions for user

Special precautions	No special precautions.
---------------------	-------------------------

SECTION 15: TRANSPORT INFORMATION

15.1. Safety, health and environmental regulation/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical Safety Assessment	A chemical safety assessment has not been
	carried out for the substance or the mixture
	by the supplier.

SECTION 16: OTHER INFORMATION

Other information:

Other information	This safety data sheet is prepared in accordan- ce with Regulation (EC) No 453/2010 * Indicates text in the SDS which has changed since the last revision
Phrases used in s.2 and 3	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. R36/38: Irritating to eyes and skin.
Legal disclaimer	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above pro- duct.



The contents and format of this SDS are in accordance with REgulation (EC) No. 1907/2006, 1272/2008 and Regulation (EU) No. 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methos of handling, storage, use or disposal of the product are beyond our control and may be behound our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbriviations and acronyms

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

°C	Degrees in Centigrade
۴F	Degrees in Farenheit
ADR	Accord European sur le transport des marchan- dises dangereuse par Route (European Agree- ment concerning the International
ATE	Acute Toxicity Estimate
CAS Number	Chemical Abstract Service - Registry number. Identification number for a specific substance.
CLP	Classification, Labelling and Packaging Regula- tion [Regulation (EC) No. 1272/2008
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC Number	Enzyme Commission Number. Numerical clas- sification for enzymes. Specific number.
EC25	Effect Concentration e.g. EC25 - is at 25%
IMDG	International Maritime Code for Dangerous Goods.
ΙΑΤΑ	Internatinal Air Transport Association
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LC50	The concentration of a material in air which, on the basis of laboratory tests, is expected to kill 50% of a group
LOEC	Lowest concentration where an effect has been observed in chronic ecotoxicity studies



COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

Log Pow	A product's ability to bioaccumulate through the food chain
mg/L	Miligrams per Liter
MSDS	Material Safety Data Sheet
N/E	Not Explored - No data available.
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
RRN	REACH Registration Number
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
SDS	Safety Data Sheet
SVHC	Substance of Very High Concern
EUH statement	CLP-specific Hazard statement
vPvB	Very Persistent and Very Bioaccumulative
Eve Irrit. 2, H319	Calculation method

Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317 STOT SE 3,	Calculation method
H336 (Narcotic effects)	Calculation method
Aquatic Chronic 3, H412	Calculation method

The following page contains explanation of abriviative warnings which may or may not be of concern to this SDS. See section 2 and 3 to determine if these warnings are applicable to this product!



H220:	Extremely flammable gas
	Extremely flammable gas
H225:	Highly flammable liquid and vapour
H226:	Flammable liquid and vapour
H241:	Heating may cause a fire or explosion
H242:	Heating may cause a fire
H302:	Harmful if swallowed.
H312:	Harmful in contact with skin or if inhaled
H313:	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315:	Causes skin irritation.
H316:	Causes mild skin irritation
H317:	May cause an allergic skin reaction.
H318:	Causes serious eye damage.
H319:	Causes serious eye irritation.
H330	Fatal if inhaled
H332:	Harmful if inhaled
H334:	May cause allergy or asthma symptoms or bre- athing difficulties if inhaled
H335:	May cause respiratory irritation.
H336:	May cause respiratory irritation
H340:	May cause genetic defects (state route of ex- posure if it is conclusively proven that no other routes of exposure cause the hazard)
H341:	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H350:	May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H351:	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H361f:	Suspected of damaging fertility.
H370:	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)



Acute Tox. 1	ACUTE TOXIDITY - Category 1
	Falal if Inhaled
Acute Tox. 2	ACUTE TOXIDITY - Category 2
	Falal if Inhaled
Acute Tox. 3	ACUTE TOXIDITY - Category 3
	Toxic if inhaled
Acute Tox. 4	ACUTE TOXIDITY - Category 4
	Harmful if inhaled
Aq.Chron. 1	LONG-TERM AQUATIC HAZARD - Category 1
Aq.Chron. 2	LONG-TERM AQUATIC HAZARD - Category 2
Aq.Chron. 3	LONG-TERM AQUATIC HAZARD - Category 3
Carc. 1A	CARCINOGEN - Category 1
	Known to have carcinogen potential for humans
Carc. 1B	CARCINOGEN - Category 1
	Presumed to have carcinogen potential for
	humans
Carc. 2	CARCINOGEN - Category 2
	Limited evidence from studies
Eye Dam. 1	SERIOUS EYE DAMAGE - Category 1
	Irreversable effects on the eye
Eye Irrit. 2	SERIOUS EYE IRRITATION - Category 2
	Irritating to eyes. Fully reversable normally in
	21 days or less.
Eye Irrit. 2B	EYE IRRITATION - Category 2B
	Mildly irritating to eyes. Fully reversable in 7
Flam. Liq. 1	FLAMMABLE LIQUIDS - Category 1
	Flashpoint <23°C (73.4°F) and initial boiling point <35°C (95°F)
Elam Lig 2	FLAMMABLE LIQUIDS - Category 2
Flam. Liq. 2	(Flashpoint <23°C (73.4°F) and initial boiling
	point $>35^{\circ}C(95^{\circ}F)$
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 1
	Flashpoint >23°C (73.4°F) and initial boiling
	point <60°C (140°F)
Muta. 1A	MUTATION OF CELLS - Category 1
	Known to induce heritable mutations in germ
	cells of humans



H371:	May cause damage to organs (or state all or- gans affected, if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H372:	Causes damage to organs (state all organs af- fected, if known) through prolonged or repeated exposure (state route of exposure if it is conclu- sively proven that no other routes of exposure cause the hazard)
H373:	May cause damage to organs (state all or- gans affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H400:	Very toxic to aquatic life.
H410:	Very toxic to aquatic life with long lasting ef- fects.
H411:	Toxic to aquatic life with long lasting effects
H412:	Harmful to aquatic life with long lasting effects.
H413:	May cause long lasting harmful effects to aqua- tic life
EUH066:	Repeated exposure may cause skin dryness or cracking.
For Professional Use Only	Shoudl be used by professionally trained per- sonell only. Specific training for this product needed.



Muta. 1B	MUTATION OF CELLS - Category 1
	Regarded as if induce heritable mutations in
	germ cells of humans
Muto 1P	
Muta. 1B	MUTATION OF CELLS - Category 2
	Causes concern for the possibility of causing
	heritable mutations in germ cells of humans
Rep. 2	REPRODUCTIVE TOXIDITY - Category 2
	Evidence from human studies is limited. May
	spread through breastfeeding
Resp. Sens. 1A	RESPITORY SENSITIZATION - Category 1
	Evidence in Humans that the substance can
	induce respiratory hypersensitivity
Resp. Sens 1B	RESPITORY SENSITIZATION - Category 1
	Suspected that the substance can induce respi-
	ratory hypersensitivity
Skin Corr. 1	SKIN CORROSION - Category 1
	Irreversable effects on the skin
Skin Corr. 1A	SKIN CORROSION - Category 1A
	Irreversable effects on the skin in less than 3
	minutes exposure
Skin Corr. 1B	SKIN CORROSION - Category 1B
	Irreversable effects on the skin in 3 minutes -
	60 minutes exposure
Skin Irrit. 2	SKIN IRRITATION - Category 2
	Causes reversable skin irritation effects. Reco-
	very within 21 days to be expected.
Skin Sens. 1	SKIN SENSITIZATION - Category 1
	Causing significant sensitization in humans
	when on skin
Skin Sens. 1A	SKIN SENSITIZATION - Category 1
	Causing significant sensitization in humans
	when on skin
Skin Sens. 1B	SKIN SENSITIZATION - Category 1
	Low to moderate fequency of causing signifi-
	cant sensitization in humans
Skin Sens. 2	SKIN SENSITIZATION - Category 2
	Low chance of skin sensitization in humans



STOT SE 1	SPECIFIC TARGET ORGAN TOXICITY (SIN-
	GLE EXPOSURE) - Category 1
	Potential to produce significant toxidity in hu-
	mans following a single exposure.
STOT SE 2	SPECIFIC TARGET ORGAN TOXICITY (SIN-
	GLE EXPOSURE) - Category 2
	Potential to be harmful in human health after a
	single exposure.
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SIN-
	GLE EXPOSURE) - Category 3
	Potential to cause narcotic effects (dizziness,
	drowsiness) and respiratory tract irritation (sore
	throat, caugh). These effects are temporary/
	not long term.
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY (RE-
	PEATED EXPOSURE) - Category 2
	Potential to be harmful in human health after a
	repeated exposures.

End of safety data sheet