

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate special treatment	Delayed reactions can be expected when inha-
	led of burned product: 48 hrs med. obersvation.

## 4.4. Most important symptoms and effects, both acute and delayed

Skin contact	Adverse symptoms may include the following: irritation, redness, dryness, cracking
Eye Contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.  Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo
Delayed/ Immediate Effects	Delayed reactions can be expected when inhaled of burned product: 48 hrs med. obersvation.

## 4.5. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

# **SECTION 5: FIRE-Fighting MEASURES**

#### 5.1 Extinguishing Media

Extinguishing Media	Use an extinguishing agent suitable for the
	surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards	In combustion emits toxic fumes.
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.  This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from beingdischarged to any waterway, sewer or drain.