Material Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008 Version No.: 1.0 Printing Date: July 1, 2021 Page 1/1

MSDS REPORT

GW Investments B.V. Olen 26, 5474 Nuenen The Netherlands

SDS Report No : SDS202106300001-1

Compilation Date : 30-06-2021

Trade Name : NailPerfect UV Cleanser

Product Names : NailPerfect UV Cleanser 50ml

NailPerfect UV Cleanser 100ml NailPerfect UV Cleanser 250ml NailPerfect UV Cleanser 1.000ml

Compasition of the Ingredients: See section 3 on the SDS

Service Requested: Safety Data Sheet (SDS) for the requested sample.

Summary : The contents and the formats of the MSDS are prepared in

accordance with Regulation EC No 1907/2006, 1272/2008 Regulation (EU) No 2015/830 and are provided per atta-

ched.

SECTION 1: Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Trade Name: NailPerfect UV Cleanser; in various packaging, mainly 50ml; 100ml; 250m; 1.000 ml, 10l

Registration number: Data not available Made in: Germany (European Union)

1.2 Relevant identified uses of the substance or mixture and uses advised against on

Application of the substance/misture: Nail Art, Manicure, Pedicure, Nailcare. ONLY PROFESSIONAL USE!

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GW Beauty B.V.

Olen 26, 5474 Nuenen

The Netherlands

Tel: +31 617648788

Email: info@gwinvestments.nl

Further information obtainable from: GW Investments B.V.

1.4 Emergency telephone number

EU and Russia: 112 (Available 24 hours per day) UK: 999 (Available 24 hours per day)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to regulation (EC) 1272/2008:

Classification under the CHIP	F: R11; Xi: R36; N R50/53; -: R66; -: R67
Classification under CLP	Aquatic Acute 1: H400;
	Aquatic Chronic 1: H410;
	Eye Irrit. 2: H319;
	Flam. Liq. 1: H224;
	STOT SE 3: H336
Most important adverse effects	Highly flammable.
	Irritating to eyes.
	Very toxic to aquatic organisms, may cause longterm
	adverse effects in the aquatic environment.
	Repeated exposure may cause skin dryness or crac-
	king.
	Vapours may cause drowsiness and dizziness.

TN

NAILPERFECT PROFESSIONAL SYSTEMS

2.2 Label Elements

Label elements under CLP	
Hazard statements	H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.
Signal words	Danger
Hazard pictograms	GHS02: Flame GHS07: Exclamation mark
Precautionary statements	P280: Wear. P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.Rinse skin with. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTER or doctor if you feel unwell. P370+378: In case of fire: Use for extinction.
Label elements under CHIP	Highly flammable. Irritant. Dangerous for the environment.
Hazard symbols	
Risk phrases	R11: Highly flammable. R36: Irritating to eyes. R50/53: Very toxic to aquatic organisms,

Cont. Risk Phrases	may cause long-term adverse effects in the aquatic environment. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness.
Safety phrases	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
Signal words	Danger

2.3 Other Hazards

Other hazards	In use, may form flammable / explosive vapour-air mixture.
PBT	This substance is not identified as a PBT substance.
Signal words	Danger

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredients:

INCI NAME	PROPAN-2-OL			
Mol. Formula	C₃H₃O			
REACH Number	Index No: 603-117-	-00-0		
Cosmetic Function	SOLVENT / VISCO	OSITY CONTROLL	ING	
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
200-661-7	67-63-0	Propan-2-ol	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336.	50-75

INCI NAME	ACETONE			
Mol. Formula	C₃H ₆ O	'		
REACH Number	Index No: 606-001	-00-a		
Cosmetic Function	DENATURANT / S	OLVENT		
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
200-662-2	67-64-1	ACETONE	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; -: EUH066	10-25

TM

NAILPERFECT PROFESSIONAL SYSTEMS

INCI NAME	N-BUTYL ACETAT	E		
Mol. Formula	C ₆ H ₁₂ O ₂			
REACH Number	Index No. 607-025	-00-1		
Cosmetic Function	SOLVENT			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
204-658-1	123-86-4	N-BUTYL ACE- TATE	Flam. Liq. 3: H226; STOT SE 3: H336; -: EUH066	1-5

INCI NAME	TRICLOSAN			
Mol. Formula	C₃H ₈ O			
REACH Number	List No: 604-070-0	0-9		
Cosmetic Function	ANTIMICROBIAL			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
222-182-2	3380-34-5	Triclosan	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aq. Chron. 1: H410;	0.1-1

INCI NAME	CI 42045			
Mol. Formula	C ₂₇ H ₃₂ N ₂ O ₆ S ₂ .Na			
REACH Number	Not Listed			
Cosmetic Function	COLORANT			
EC Number	CAS Number	Chemical ID	CLP Classification	Percent
204-934-1	129-17-9	ACID BLUE 1	Acute Tox. 4: H312; Resp. Sens.1: H334; Aq. Chron. 3: H412; Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335; Muta. 2: H341.	<2.0

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Skin contact	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye Contact	Bathe the eye with running water for 15 minutes. Consult a medical specialist.
Ingestion	Wash out mouth with water. Consult a medical specialist.
Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a medical specialist.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact.
Eye Contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed/ Immediate Effects	Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate special treatment	Eye bathing equipment should be available on
	the premises.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact.
Eye Contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed/ Immediate Effects	Immediate effects can be expected after short-term exposure.

SECTION 5: FIRE-Fighting MEASURES

5.1 Extinguishing Media

Extinguishing Media	Alcohol resistant foam. Water spray. Carbon
	dioxide. Dry chemical powder. Use waterspray to cool containers.
	to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards	In combustion emits toxic fumes.

5.3 Advice for fire-fighters

Advice for fire-fighters	Wear self-contained breathing apparatus.
	Wear protective clothing to prevent contact with
	skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedurs

Personal precautions	Refer to section 8 of SDS for personal protecti-
	on details. If outside do not approach from
	downwind. If outside keep bystanders upwind
	and away from danger point. Mark out the
	contaminated area with signs and prevent ac-
	cess to unauthorised personnel. Turn
	leaking containers leak-side up to prevent the
	escape of liquid.

6.2. Environmental precautions

Environmental precautions	Do not discharge into waterways such as
	drains, lakes, rivers, ocean.
	Contain the spillage using bunding.

5.1 Extinguishing Media

Extinguishing Media	Suitable extinguishing media for the surroun-
	ding fire should be used.
	Use water spray to cool containers.
	No waterjet directly on target!

6.3. Methods and material for containment and cleaning up

Clean-up procedures	Absorb into dry earth or sand.
	Transfer to a closable, labelled salvage contai-
	ner for appropriate disposal according to local
	laws.

6.4. Reference to other sections

Reference to other sections	Refer to section 8 of SDS.
-----------------------------	----------------------------

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handeling

Handling requirements	Avoid direct contact with the substance.
	Ensure there is sufficient ventilation of the area.
	Do not handle in a confined space.
	Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Store in cool, well ventilated area.
	Keep container tightly closed.
	The floor of the storageroom must be imperme-
	able to prevent the escape of liquids.
	Store out of direct sunlight.

7.3. Specific end use(s)

Specific end use(s)	No data available.
---------------------	--------------------

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Hazardous ingredients

PROPAN-2-OL

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m³	1250 mg/m³	-	-

8.1. DNEL/PNEC Values

DNEL/PNEC	No data available.
-----------	--------------------

 TN

NAILPERFECT PROFESSIONAL SYSTEMS

8.2. Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.	
Respiratory protection	Self-contained breathing apparatus must be available in case of emergency. ALWAYS use protective mask.	
Hand protection	ALWAYS use rotective gloves.	
Eye protection	ALWAYS use safety glasses. Ensure eye bath is to hand.	
Protection of face	Use Protective maks	
General Theft Protection	Keep the products locked up when not in use to prevent theft. Keep out of reach of children.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

State	Liquid
Colour Blue to Greenish	
Odor	Characteristic odor
Evaporation rate	Fast
Viscosity	Non-viscous
Flash point°C	<21
Relative density	0.85 - 0.9

9.2. Other information

Other information	No data available.
-------------------	--------------------

SECTION 10: STABILITY AND REACTIVITY

10.1.Reactivity

Reactivity	Stable under recommended transport or stora	
	ge conditions.	

10.2. Chemical stability

Chemical stability	Stable under normal conditions.
--------------------	---------------------------------

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Hazardous reactions will not occur under nor-	
	mal transport or storage conditions. Decompo-	
	sition may occur on exposure to conditions of	
	materials listed below.	

10.4. Conditions to avoid

Conditions to avoid	Direct sunlight. Heat. Hot surfaces. Sources of
	ignition. Flames.

10.5. Incompatible materials

Materials to avoid	Strong oxidizing agents.
	Strong acids.

10.6. Hazardous decomposition products

Reactivity	Stable under recommended transport or storage conditions.		
10.2. Chemical stability			
Chemical stability	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
Possibility of hazardous reactions	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions of materials listed below.		
10.4. Conditions to avoid			
Conditions to avoid	Heat, sparks, open fire.		
10.5. Incompatible materials			
Materials to avoid	Strong oxidizing agents. Strong acids.		

SECTION 11: TOXICOLOGICAL INFORMATION

11.1..Information on toxicological effects

Hazardous decomposition products

Hazardous ingredients

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	mg/kg

In combustion emits toxic fumes.

ACETONE

IVN	RAT	LD50	5500	mg/kg
ORL	MUS	LD50	3000	mg/kg
ORL	RAT	LD50	5800	mg/kg

N-BUTYL ACETATE

ORL	MUS	LD50	6	mg/kg
ORL	RAT	LD50	10768	mg/kg

Relevant effects for mixture

Effect	Route	Basis
Ittitation	OPT	Hazardous calculated

11.2. Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact.
Eye contact	There may be irritation and redness. The eyes may water profusely
Ingestion	There may be soreness or redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure.

SECTION 12: ECOLOGICAL INFORMATION

12.1..Toxicity

Ecotoxicity values	No data available.

12.2. Persistence and degradability

Persistence and degradability	biodegradable.
-------------------------------	----------------

12.3. Bioaccumulative potential

12.4. Mobility in soil

Mobility	Readily absorbed into soil.
12.5. Results of PBT and vPvB assessment	

12101 Rodate of 1 D1 and 11 12 accoonting

PBT identification	This product is not identified as a PBT substan-
	ce.

12.6. Other adverse effects

Other adverse effects	Toxic to aquatic organisms.
	Toxic to soil organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal operations	Transfer to a suitable container and arrange for collection by specialized disposal company. Despose according to local regulations.
NB	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN/ONU number	Un 1219
---------------	---------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Transport class	3
Transport diass	l o

14.4. Packing group

Transport class	II

14.5. Environmental hazards

Environmentally hazardous	No	
Marine pollutant	No	
Marine pollutant	No	

14.6. Special precautions for user

Special precautions No sp	ecial precautions.
---------------------------	--------------------

SECTION 15: TRANSPORT INFORMATION

15.1. Safety, health and environmental regulation/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical Safety Assessment	A chemical safety assessment has not been
	carried out for the substance or the mixture
	by the supplier.

SECTION 16: OTHER INFORMATION

Other information:

Other information	This safety data sheet is prepared in accordan-
	ce with Regulation (EC) No 453/2010
	* Indicates text in the SDS which has changed
	since the last revision
Phrases used in s.2 and 3	EUH066: Repeated exposure may cause skin
	dryness or cracking.
	H224: Extremely flammable liquid and vapour.
	H225: Highly flammable liquid and vapour.
	H226: Flammable liquid and vapour.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting
	effects.
	R10: Flammable.
	R11: Highly flammable
	R36/38: Irritating to eyes and skin.

continuance: Other information	R36: Irritating to eyes. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness.
Legal disclaimer	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

The contents and format of this SDS are in accordance with REgulation (EC) No. 1907/2006, 1272/2008 and Regulation (EU) No. 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methos of handling, storage, use or disposal of the product are beyond our control and may be behound our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbriviations and acronyms

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

°C	Degrees in Centigrade
°F	Degrees in Farenheit
ADR	Accord European sur le transport des marchan- dises dangereuse par Route (European Agree- ment concerning the International
ATE	Acute Toxicity Estimate
CAS Number	Chemical Abstract Service - Registry number. Identification number for a specific substance.
CLP	Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC Number	Enzyme Commission Number. Numerical classification for enzymes. Specific number.
EC25	Effect Concentration e.g. EC25 - is at 25%
IMDG	International Maritime Code for Dangerous Goods.
IATA	Internatinal Air Transport Association
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LC50	The concentration of a material in air which, on the basis of laboratory tests, is expected to kill 50% of a group
LOEC	Lowest concentration where an effect has been observed in chronic ecotoxicity studies

COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

Log Pow	A product's ability to bioaccumulate through the food chain
mg/L	Miligrams per Liter
MSDS	Material Safety Data Sheet
N/E	Not Explored - No data available.
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
RRN	REACH Registration Number
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
SDS	Safety Data Sheet
SVHC	Substance of Very High Concern
EUH statement	CLP-specific Hazard statement
vPvB	Very Persistent and Very Bioaccumulative
Eye Irrit. 2, H319	Calculation method
I Skin Sens 1 H317 STOT SF 3	l Calculation method

Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317 STOT SE 3,	Calculation method
H336 (Narcotic effects)	Calculation method
Aquatic Chronic 3, H412	Calculation method

The following page contains explanation of abriviative warnings which may or may not be of concern to this SDS. See section 2 and 3 to determine if these warnings are applicable to this product!

TM

NAILPERFECT PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS	
SHEET: See section 2 and 3 which ar	
H220:	Extremely flammable gas
H225:	Highly flammable liquid and vapour
H226:	Flammable liquid and vapour
H241:	Heating may cause a fire or explosion
H242:	Heating may cause a fire
H302:	Harmful if swallowed.
H312:	Harmful in contact with skin or if inhaled
H313:	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315:	Causes skin irritation.
H316:	Causes mild skin irritation
H317:	May cause an allergic skin reaction.
H318:	Causes serious eye damage.
H319:	Causes serious eye irritation.
H330	Fatal if inhaled
H332:	Harmful if inhaled
H334:	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335:	May cause respiratory irritation.
H336:	May cause respiratory irritation
H340:	May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H341:	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H350:	May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H351:	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H361f:	Suspected of damaging fertility.
H370:	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

TN

NAILPERFECT PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.		
Acute Tox. 1	ACUTE TOXIDITY - Category 1 Falal if Inhaled	
Acute Tox. 2	ACUTE TOXIDITY - Category 2 Falal if Inhaled	
Acute Tox. 3	ACUTE TOXIDITY - Category 3 Toxic if inhaled	
Acute Tox. 4	ACUTE TOXIDITY - Category 4 Harmful if inhaled	
Aq.Chron. 1	LONG-TERM AQUATIC HAZARD - Category 1	
Aq.Chron. 2	LONG-TERM AQUATIC HAZARD - Category 2	
Aq.Chron. 3	LONG-TERM AQUATIC HAZARD - Category 3	
Carc. 1A	CARCINOGEN - Category 1 Known to have carcinogen potential for humans	
Carc. 1B	CARCINOGEN - Category 1 Presumed to have carcinogen potential for humans	
Carc. 2	CARCINOGEN - Category 2 Limited evidence from studies	
Eye Dam. 1	SERIOUS EYE DAMAGE - Category 1 Irreversable effects on the eye	
Eye Irrit. 2	SERIOUS EYE IRRITATION - Category 2 Irritating to eyes. Fully reversable normally in 21 days or less.	
Eye Irrit. 2B	EYE IRRITATION - Category 2B Mildly irritating to eyes. Fully reversable in 7 days.	
Flam. Liq. 1	FLAMMABLE LIQUIDS - Category 1 Flashpoint <23°C (73.4°F) and initial boiling point <35°C (95°F)	
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2 (Flashpoint <23°C (73.4°F) and initial boiling point >35°C (95°F))	
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 1 Flashpoint >23°C (73.4°F) and initial boiling point <60°C (140°F)	
Muta. 1A	MUTATION OF CELLS - Category 1 Known to induce heritable mutations in germ	

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS		
SHEET: See section 2 and 3 which are applicable to this product.		
H371:	May cause damage to organs (or state all organs affected, if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H372:	Causes damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H373:	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
H400:	Very toxic to aquatic life.	
H410:	Very toxic to aquatic life with long lasting effects.	
H411:	Toxic to aquatic life with long lasting effects	
H412:	Harmful to aquatic life with long lasting effects.	
H413:	May cause long lasting harmful effects to aquatic life	
EUH066:	Repeated exposure may cause skin dryness or cracking.	
For Professional Use Only	Shoudl be used by professionally trained personell only. Specific training for this product needed.	

TM

NAILPERFECT

PROFESSIONAL SYSTEMS

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS		
SHEET: See section 2 and 3 which a	re applicable to this product.	
Muta. 1B	MUTATION OF CELLS - Category 1 Regarded as if induce heritable mutations in germ cells of humans	
Muta. 1B	MUTATION OF CELLS - Category 2 Causes concern for the possibility of causing heritable mutations in germ cells of humans	
Rep. 2	REPRODUCTIVE TOXIDITY - Category 2 Evidence from human studies is limited. May spread through breastfeeding	
Resp. Sens. 1A	RESPITORY SENSITIZATION - Category 1 Evidence in Humans that the substance can induce respiratory hypersensitivity	
Resp. Sens 1B	RESPITORY SENSITIZATION - Category 1 Suspected that the substance can induce respiratory hypersensitivity	
Skin Corr. 1	SKIN CORROSION - Category 1 Irreversable effects on the skin	
Skin Corr. 1A	SKIN CORROSION - Category 1A Irreversable effects on the skin in less than 3 minutes exposure	
Skin Corr. 1B	SKIN CORROSION - Category 1B Irreversable effects on the skin in 3 minutes - 60 minutes exposure	
Skin Irrit. 2	SKIN IRRITATION - Category 2 Causes reversable skin irritation effects. Recovery within 21 days to be expected.	
Skin Sens. 1	SKIN SENSITIZATION - Category 1 Causing significant sensitization in humans when on skin	
Skin Sens. 1A	SKIN SENSITIZATION - Category 1 Causing significant sensitization in humans when on skin	
Skin Sens. 1B	SKIN SENSITIZATION - Category 1 Low to moderate fequency of causing significant sensitization in humans	
Skin Sens. 2	SKIN SENSITIZATION - Category 2 Low chance of skin sensitization in humans	

COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS		
SHEET: See section 2 and 3 which are applicable to this product.		
STOT SE 1	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 1 Potential to produce significant toxidity in humans following a single exposure.	
STOT SE 2	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 2 Potential to be harmful in human health after a single exposure.	
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 3 Potential to cause narcotic effects (dizziness, drowsiness) and respiratory tract irritation (sore throat, caugh). These effects are temporary/not long term.	
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY (RE- PEATED EXPOSURE) - Category 2 Potential to be harmful in human health after a repeated exposures.	

End of safety data sheet