

NAILPERFECTTM

PROFESSIONAL SYSTEMS

Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008

Version No.: 1.0 Printing Date: July 1, 2021 Page 1/1

SDS REPORT

GW Investments B.V.
Olen 26, 5474 Nuenen
The Netherlands

SDS Report No : SDS202106300001
Compilation Date : 30-06-2021
Trade Name : UpVoted Color Gel(s) No. 1-500
Product Names : UpVoted Gelpolish No. 1-500
UpVoted Gellaks No. 1-500
Colors are numbered 1 (one) through 500 (five hundred)
Composition of the Ingredients : See section 3 on the SDS
Service Requested : Safety Data Sheet (SDS) for the requested sample.
Summary : The contents and the formats of the SDS are prepared in accordance with Regulation EC No 1907/2006, 1272/2008 Regulation (EU) No 2015/830 and are provided per attached.

SECTION 1: Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Trade Name: UpVoted Gellaks(s); UpVoted Gel Polish; UpVoted Polish Gel(s); UpVoted Color Gel(s); Names range from 1 through 500. Available in 5ml and 15ml units.

Registration number: Data not available

1.2 Relevant identified uses of the substance or mixture and uses advised against on

Application of the substance/mixture: Professional Nail Care; Prof. Nail Art; Prof. Manicure

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GW Beauty B.V.

Olen 26, 5474 Nuenen

The Netherlands

Tel: +31 617648788

Email: info@gwinvestments.nl

Further information obtainable from: GW Investments B.V.

1.4 Emergency telephone number

EU and Russia: 112 (Available 24 hours per day)

UK: 999 (Available 24 hours per day)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to regulation (EC) 1272/2008:



Skin Irrit. 2	H315	Causes skin irritation
Skin Sens. 1	H317	May cause an allergic skin reaction
Eye Irrit. 2	H319	Causes serious eye irritation
STOT SE 3	H335	May cause respiratory irritation

Classification system:

The classification is according to the latest edition of Regulation 1272/2008, and extended by company and literature data.

2.2 Label elements

Labeling according to regulation (EC) 1272/2008: The product is labeled according to Regulation EC No 1275/2008.

Hazard pictograms:



GHS07

- Signal Word** : Danger
- Hazard statements** : H315 Causes skin irritation
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H335 May cause respiratory irritation
- Precaution statements** : P101 If medical advice is needed, have product container or label at hand
P102 Keep out of reach of children
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271 Use only outdoors or in well ventilated area.
P280 Wear protective gloves / eye protection / face protection.
P370 + P378 In Case of fire: Use CO2, chemical powder, water spray or alcohol resistant foam to extinguish. Do not use water with full jet.
P403 + P235 Store in well-ventilated place. Keep cool.
P501 Dispose of contents / containers in accordance with local regulation.

2.3 Other Hazards:

Results of PBT and vPvB assessment

PBT: Not applicable

vPvT: Not applicable

SECTION 3: Composition / information on ingredients

3.1 Chemical characterization: Mixture

Description:

Mixture of the substances listed below with nonhazardous additions: For the wording of the listed risk phrases refer to section 16.

Components:

Component	CAS No.	EC No.	Exposure OSHA TWA/ STEL	Limits ACGIH TWA/ STEL	Carcinogen IARC/NTP/OSH	Content %
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	41137-60-4	255-239-5	N/E	N/E	Not Listed	40-50%
HEMA	868-77-9	212-782-2	N/E	N/E	Not Listed	20-30%
HYDROXYPROPYL METHACRYLATE	27813-02-1	248-666-3	N/E	N/E	Not Listed	20-30%
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	282-810-6	N/E	N/E	Not Listed	1-3%
HYDROXYCYCLOHEXYL PHENYL KETONE	947-19-3	213-426-9	N/E	N/E	Not Listed	1-3%

Colorants may vary per product item and are listed here below

Component	CAS No.	EC No.	Exposure OSHA TWA/ STEL	Limits ACGIH TWA/ STEL	Carcinogen IARC/NTP/OSH	Content %
CARBON BLACK (CI 77266)	1333-86-4	215-609-9	N/E	N/E	Not Listed	0-7%
TITANIUM DIOXIDE (CI 77891)	13463-67-7	236-675-5	15mg/m3	10mg/m3	Not Listed	0-7%
RED 30 (CI 73360)	2379-74-0	219-163-6	N/E	N/E	Not Listed	0-7%
RED 34 (CI 1588)	6417-83-0	229-142-3	N/E	N/E	Not Listed	0-7%
PIGMENT BLUE 15 (CI 74160)	147-14-8	205-685-1	N/E	N/E	Not Listed	0-7%
PIGMENT GREEN 7 (CI 74260)	1328-53-6	215-524-7	N/E	N/E	Not Listed	0-7%
YELLOW 5 (CI 19140)	1934-21-0	217-699-5	N/E	N/E	Not Listed	0-7%
VIOLET 2 (CI 60725)	81-48-1	201-353-5	N/E	N/E	Not Listed	0-7%
ULTRAMARINES (CI 77007)	57455-37-5	215-111-1	N/E	N/E	Not Listed	0-7%
ALUMINUM POWDER	7429-90-5	231-072-3	N/E	N/E	Not Listed	0-7%
MICA (CI 77019)	12001-26-2	215-479-3	N/E	N/E	Not Listed	0-7%

N/E = Non Established

Attention: Percentages of ingredients vary per product number. For exact percentages see INCI formulation on product level.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice:** If medical advice is needed; have product container or label at hand.
- After inhalation:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/ doctor (if you feel unwell).
- After skin contact:** Take off immediately all contaminated clothing. Rinse skin with water / shower. If there are signs of irritation or other symptoms; Seek medical attention.
- After eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses. Continue rinsing. If eye irritation persists; Get medical advice/attention.
- After swallowing:** Wash mouth. Do NOT induce vomiting: Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed: Cause skin irritation; May cause an allergic skin reaction; Causes serious eye irritation; May cause respiratory irritation. Physical Hazard 1

4.3 Indication of any immediate medical attention and special treatment needed: Treat for symptoms, no known specific medicine.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use CO₂, powder, water spray or alcohol resistant foam to extinguish. Do NOT use water with full jet.

5.2 Special hazards arising from the substance or mixture: Carbon monoxide and oxynitride.

5.3 Advice for firefighters

Protective equipment: Wear an approved positive pressure self-contained breathing apparatus (Comply with EN 133)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Cut off leakage source and collect spillage timely if safe to do so; Ensure adequate ventilation; Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area); Wear personal protective equipment; avoid breathing vapors; Beware of accumulation of vapors in low areas or contained areas, where explosive concentrations may occur; Avoid contact eyes and skin.

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so; Prevent spillage from entering drains, sewer or confined areas; If spillage contaminates rivers, lakes or drains: Inform respective authorities.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust); Ensure good ventilation; Dispose contaminated materials as waste according to section 13.

6.4 Reference to other sections:

See section 7 for information on safe handling; See section 8 for information on personal protection equipment; See section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Read label and prescription carefully before use; Smoking, eating and drinking should be prohibited; Use only in well ventilated areas; Avoid all sources of ignition; wear protective gloves / eye protection / face protection; Avoid breathing vapors; Use respiratory protective device against the effects of vapors; avoid contact with eyes and skin.

Information about fire and explosion: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking; Keep container tightly closed; Ground/bond container and receiving equipment; Use explosion-proof electrical/ventilating/lighting equipment; Use only non-sparking tools; take precautionary measures against static discharge.

7.2 Conditions for safe storage, including any non-compatibility

Requirements storerooms:	Store in a well-ventilated place. Keep products cool. Store dark. No exposure to sunlight or other UV sources.
Information storage:	Keep out of reach of children. Keep away from flammable substances. Keep storage locked
Further information storage:	Keep storage locked up.

7.3 Specific end use(rs): Professional Nail Care/ Nail Art/ Manicure/ Pedicure

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: No data available

Engineering Controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Respiratory Protection: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be use

Skin Protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves

Eye/Face Protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield.

8.2 Exposure controls

Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice; Wash ahdns and face before breaks and at the end of work; See section 7 for information about design of technical facilities.

Respiratory protection:



Use Dustmask/COSHA approved respirator

Facial protection



Faceshield is recogmended

Protection of hands



Use protective gloves.

Use gloves made of butyl rubber Neoprene rubber, nitrile rubber (thickness > 0.11mm; breakthrough times up to 480 minutes).

Eye Protection



Use protective goggles with side-shields.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Form	VISCOUS LIQUID
Color	Multicolor
Odor	characteristic acrylate odor
Odor threshold	Not applicable
pH-value	Not applicable
Specific Gravity	(H2O=1): 1.15
Change in condition	
Melting point	Not determined
Boiling point	Not determined
Freezing point	Not determined
Flash point	>87 °C
Flamability (solid, gas)	Not applicable
Decomposition temperature	Not determined
Self-ignition	Not determined
Danger of explosion	Product is not explosive, Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.
Hazardous Combustion Products:	Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes.
Explosion limits	
Lower:	Not determined
Upper:	Not determined
Oxidizing properties	No oxidation
Vapor pressure	Not determined
Density	Not determined
Relative density	Not determined
Vapor density	Not determined
Evaporation rate	Not determined
Solubility in/Miscibility with	
Water	Insoluble in water (20 °C)
Partition coefficient (n-octanol/water)	Not determined
Viscosity	
Dynamic	Not determined
Kinematic	Not determined
9.2 Other information	Data not available

SECTION 10: Stability and reactivity

10.1 Reactivity:	No decomposition if used according to specifications.
10.2 Chemical Stability:	Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions:	May occur — Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage ves
10.4 Conditions to avoid:	Storage > 100 ° F / 38 ° C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials
10.5 Incompatible materials:	Peroxides, oxidizing agents.
10.6 Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:	Based on available data, the classification criteria are not met.
LD/LC50 values relevant for classification:	No animal test has been done for this product or the components.
Skin corrosion/irritation:	Causes serious skin irritation.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Redroductive toxicity:	Based on available data, the classification criteria are not met.
STOT-single exposure:	May cause respiratory irritation.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not hazardous to aquatic environment.

97-63-2 Ethyl methacrylate

Short term toxicity to fish:	LC50 (4 days) 100 mg/L NOEC (4 days) 28 mg/L
Long term toxicity to fish:	LC50 (35 days) 33.7-42 mg/L NOEC (35 days) 9.4-10 mg/L LOEC (35 days) 18.8-23 mg/L
Short term toxicity to aquatic invertebrates:	EC50 (48 hours) 66 mg/L NOEC (48 hours) 41 mg/L
Long term toxicity to aquatic invertebrates:	EC50 (21 days) 31 mg/L NOEC (21 days) 18 mg/L LOEC (21 days) 31 mg/L
Toxicity to aquatic algae and cyanobacteria:	EC50 (72 hours) 72-110 mg/L NOEC (72 hours) 10-110 mg/L LOEC (72 hours) 27-110 mg/L
Toxicity to microorganisms:	EC50 (30 min) 1-1.8 g/L

15625-89-5 Trimethylolpropane triacrylate

Short term toxicity to fish:	LC50 (4 days) 870 µg/L NOEC (4 days) 890 µg/L LOEC (4 days) 1.71 mg/L
Short term toxicity to aquatic invertebrates:	LC50 (48 hours) 19.9 mg/L
Toxicity to aquatic algae and cyanobacteria:	EC50 (4 days) 4.86 mg/L

12.2 Persistence and degradability:

97-63-2 Ethyl methacrylate	Readily degradable Readily biodegradable in water
15625-89-5 Trimethylolpropane triacrylate	Readily biodegradable in water

12.3 Bio-accumulative potential:

97-63-2 Ethyl methacrylate	Low bio-accumulation Log Pow = 1.87 at 20 °C and pH 7
15625-89-5 Trimethylolpropane triacrylate	Log Pow = 4.35

12.4 Mobility in soil:

Data not available

12.5 Results of PBT and vPvB assessment

PBT	Not applicable
vPvB	Not applicable

12.6 Other adverse effects:

No further relevant information available.

12.7 Additional ecological information

General notes: Water hazard class 1 (German REgulation) (self-assessment); Slightly hazardous for water; Do not allow large quantities of the product to reach ground water, water course or sewage systems.

SECTION 13: Disposal consideration

13.1 Waste treatment methods

Recommendation: Must not be disposed together with household garbage.

13.2 UN-cleaned packaging

Recommendation: Dispose of contents/container in according to the local/regional/national/international regulations.

SECTION 14: Transport information

14.1 UN-Number

ADR, RID, ADN, IMDG, IATA: UN1993

14.2 UN proper shipping name

ADR, RID, ADN, IMDG, IATA: FI AMMARI F. LIQUID, N.O.S.

14.3 Transport hazard class (es)

ADR, RID, ADN, IMDG, IATA:



Class 3 Flammable liquid

Label 3

14.4 Packaging group

ADR, RID, ADN, IMDG, IATA: II

14.5 Marine pollution

No

14.6 Special precautions for user

Warning: Flammable liquids

Danger code (Kemler) 33

EMS Number: F-E, S-E

14.7 UN-Number "Model Regulation"

UN1993, FLAMMABLE LIQUID, N.O.S., 3, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

MAK (German Maximum Workplace Concentrate) None of the ingredients are listed
Directive 2012/18/EU

Named dangerous substances - ANNEX 1 None of the ingredients are listed

Seveso category: P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for application of lower-tier requirements: 5 000 ton (net)

Qualifying quantity (tonnes) for application of upper-tier requirements: 50 000 ton (net)

Water hazard class: Class 1

Other regulations, limitations and prohibitive regulations:

SVHC Candidate list of REACH Regulation Annex XIV: None of the ingredients are listed

REACH Regulation Annex XVII: None of the ingredients are listed

REACH Regulation Annex XIV: None of the ingredients are listed

15.2 Chemical safety assessment: A chemical safe assessment has not been carried out.

SECTION 16: Other information

Relevant phrases:

- H225 Highly flammable liquid and vapour
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H413 May cause long lasting harmful effects to aquatic life

The contents and format of this SDS are in accordance with REgulation (EC) No. 1907/2006, 1272/2008 and Regulation (EU) No. 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbreviations and acronyms

- ADR: Accord European sur le transport des marchandises dangereuse par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).
- IMDG: International Maritime Code for Dangerous Goods.
- IATA: International Air Transport Association.
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- SVHC: Substance of Very High Concern
- LD50: Lethal dose, 50 percent
- EC50: Concentration of maximal effect, 50 percent
- NOEC: No observed effect concentration
- LOEC: Lowest observed effect concentration.
- Flam. Liq. 2: Flammable liquids, hazard category 2.
- Skin Irrit. 2: Skin corrosion/irritation, hazard category 2.
- Skin sens. 1: Skin sensitization, hazard category 1.
- Eye Irrit. 2: Eye damage/irritation, hazard category 2.
- STOT SE 3: Specific target organ toxicity after single exposure, hazards category 3.
- Aquatic Chronic 4: Hazardous to the aquatic environment - chronic toxic, hazard category 4.

End of safety data sheet