

SAFETY DATA SHEET NESTE SPINDLE 10

SECTION 1: Identification of the	he substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	NESTE SPINDLE 10	
Product number	ID 19082	
Internal identification	3395	
Synonyms; trade names	Previous product name: NESTE KARA 10, product number 3106, ID 13027.	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Lubricant.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	Neste Markkinointi Oy Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND Tel. +358 10 45811 lubetec@neste.com	
1.4. Emergency telephone nul	mber	
National emergency telephone +358-9-471 977, +358-9-4711, Poison Information Centre number		
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Asp. Tox. 1 - H304	
Environmental hazards	Aquatic Chronic 3 - H412	
2.2. Label elements		
Hazard pictograms		
Signal word	Danger	
Hazard statements	H315 Causes skin irritation. H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.	
Precautionary statements	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P501 Dispose of contents/ container in accordance with national regulations. P102 Keep out of reach of children. P405 Store locked up.	

Contains	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Distillates (petroleum), hydrotreated middle	
2.3. Other hazards		
Other hazards	This product does not contain any substanc	es classified as PBT or vPvB.
SECTION 3: Composition/info	ormation on ingredients	
3.2. Mixtures		
Lubricating oils (petroleum), based	C20-50, hydrotreated neutral oil-	90 - < 100%
CAS number: 72623-87-1	EC number: 276-738-4	REACH registration number: 01- 2119474889-13-XXXX
Classification Asp. Tox. 1 - H304		
Distillates (petroleum), hydro	streated middle	10 - < 15 %
CAS number: 64742-46-7	EC number: 265-148-2	REACH registration number: 01- 2119489867-12-XXXX
Classification Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		
2,6-di-tert-butylphenol		0,25 - < 0,5 %
CAS number: 128-39-2	EC number: 204-884-0	REACH registration number: 01- 2119490822-33-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
The Full Text for all R-Phrase	s and Hazard Statements are Displayed in Se	ction 16.
SECTION 4: First aid measur	es	
4.1. Description of first aid me	easures	

General information	Remove affected person from source of contamination. Show this Safety Data Sheet to the medical personnel. Effects may be delayed. Keep affected person under observation.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing. Wash contaminated clothing before reuse.

Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.		
4.2. Most important symptoms and effects, both acute and delayed			
General information	Irritating to skin. Aspiration hazard if swallowed.		
4.3. Indication of any immedia	te medical attention and special treatment needed		
Notes for the doctor	Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. Treat symptomatically.		
SECTION 5: Firefighting meas	sures		
5.1. Extinguishing media			
Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising from	om the substance or mixture		
Specific hazards	Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.		
Hazardous combustion products	Carbon dioxide (CO2). Carbon monoxide (CO).		
5.3. Advice for firefighters			
Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	Wear suitable protective clothing as protection against splashing or contamination.		
For emergency responders	Keep unnecessary and unprotected personnel away from the spillage.		
6.2. Environmental precaution	<u>S</u>		
Environmental precautions	Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.		
6.4. Reference to other section			
Reference to other sections	For personal protection, see Section 8.		
SECTION 7: Handling and sto	rage		
7.1. Precautions for safe hand	ling		
Usage precautions	Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.		

7.2. Conditions for safe storage, including any incompatibilities Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep Storage precautions containers upright. Keep away from food, drink and animal feeding stuffs. 7.3. Specific end use(s) Specific end use(s) Not known. SECTION 8: Exposure controls/Personal protection 8.1. Control parameters Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1) DNEL Workers - Inhalation; Long term local effects: 5,4 mg/m³, (8h), Aerosol Consumer - Inhalation; Long term local effects: 1,2 mg/m³, (24h), Aerosol Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. Available hazard data do not support the need for a DNEL to be established for other health effects. 8.2. Exposure controls Appropriate engineering All handling should only take place in well-ventilated areas. Provide eyewash station and controls safety shower. Eye/face protection Tight-fitting safety glasses. Hand protection Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber. Other skin and body Wear suitable protective clothing as protection against splashing or contamination. protection Respiratory protection No specific recommendations. Environmental exposure Store in a demarcated bunded area to prevent release to drains and/or watercourses. controls **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Appearance Liquid. Colour Tan. Odour Petroleum. Odour threshold

рН	-
Melting point	-
Initial boiling point and range	> 350 °C
Flash point	135°C
Flammability (solid, gas)	-
Upper/lower flammability or explosive limits	-
Vapour pressure	-

Vapour density	-
Relative density	0,841 @ 20°C
Solubility(ies)	Insoluble in water.
Partition coefficient	-
Auto-ignition temperature	-
Decomposition Temperature	-
Viscosity	Kinematic viscosity ~9,4 mm2/s @ 40°C
Explosive properties	-
Oxidising properties	-
9.2. Other information	
Other information	Not known.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Oxidising agents.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	ATE > 5 mg/l (4 h) Dust/Mist Calculation method.
Skin corrosion/irritation Skin corrosion/irritation	Irritating to skin.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.

Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard Aspiration hazard	May be fatal if swallowed and enters airways. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
Toxicological information on ir	ngredients.
	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
Acute toxicity - o	ral
Notes (oral LD₅₀)	 LD₅₀ > 5000 mg/kg, Oral, Rat (OECD 401)
Acute toxicity - d	ermal
Notes (dermal LI	D₅₀) LD₅₀ > 2000 mg/kg, Dermal, Rabbit (OECD 402)
Acute toxicity - ir	halation
Notes (inhalation	LC₅₀ > 5,53 mg/l, Inhalation, Rat (OECD 403)
	Distillates (petroleum), hydrotreated middle
Acute toxicity - o	ral
Notes (oral LD₅₀)	LD₅₀ > 5000 mg/kg, Oral, Rat
Acute toxicity - d	ermal
Notes (dermal Ll	D₅₀) LD₅₀ > 2000 mg/kg, Dermal, Rabbit
Acute toxicity - ir	halation
ATE inhalation (\ mg/l)	vapours 11.0
	2,6-di-tert-butylphenol
Acute toxicity - o	ral
Notes (oral LD₅₀)	LD₅₀ > 5000 mg/kg, Oral, Rat (OECD TG 401)
SECTION 12: Ecological infor	mation

12.1. Toxicity

Toxicity	toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.		
Ecological in	nformation on ingredients.		
		icating oils (petroleum), C20-50, hydrotreated neutral oil-based	
	Acute aquatic toxicity Acute toxicity - fish	LL 06 hours: > 100 mg/L Bimonholos promotos (Est hood Minnow)	
	Acute toxicity - IISH	LL₅₀, 96 hours: > 100 mg/l, Pimephales promelas (Fat-head Minnow) NOEL, 96 hours: ≥ 100 mg/l, WAF (OECD 203)	
	Acute toxicity - aquatic invertebrates	EL50, 48 hours: > 10000 mg/l, Daphnia magna NOEL, 48 - 96 hours: ≥ 10000 mg/l, LL₅₀, 24 - 96 hours: > 10000 mg/l, WAF (OECD 202)	
	Acute toxicity - aquatic plants	NOEL, 72 hours: ≥ 100 mg/l, Pseudokirchneriella subcapitata WAF (OECD 201)	
	Acute toxicity - microorganisms	NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)	
	Chronic aquatic toxicity		
	Chronic toxicity - fish early life stage	NOELR, 14 days: >= 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)	
	Chronic toxicity - aquatic invertebrates	NOEL, 21 days: 10 mg/l, Daphnia magna WAF (OECD 211)	
		2,6-di-tert-butylphenol	
	Acute aquatic toxicity		
	LE(C)50	$0.1 < L(E)C50 \le 1$	
	M factor (Acute)	1	
	Acute toxicity - fish	LC₅₀, 96 hours: 13 mg/l, Brachydanio rerio (Zebra Fish) LC₅₀, 96 hours: > 0,1 mg/l, Oncorhynchus mykiss (Rainbow trout) (OECD TG 203)	
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0,45 mg/l, Daphnia magna	
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: 3,6 mg/l, Pseudokirchneriella subcapitata	
	Chronic aquatic toxicity		
	M factor (Chronic)	1	
	Chronic toxicity - fish early life stage	NOEC, 14 days: 0,30 mg/l, Pimephales promelas (Fat-head Minnow)	
12.2. Persis	tence and degradability		
Persistence	and degradability No data	available.	
Biodegrada	Biodegradation Not readily biodegradable.		
Ecological information on ingredients.			

2,6-di-tert-butylphenol

Biodegradation		12 - 24 %, 28 d (OECD TG 302C)
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential	No data a	available on bioaccumulation.
Partition coefficient	-	
Ecological information on ingra	edients.	
		2,6-di-tert-butylphenol
Bioaccumulative	potential	Chlorella fusca vacuolata 0,05 mg/l, 24 h BCF 800 Leuciscus idus melanotus 0,037 mg/l, 3 d BCF 660
Partition coefficie	ent	log Pow 4,92
12.4. Mobility in soil		
Mobility	No data	available.
12.5. Results of PBT and vPvl	B assessm	lent
Results of PBT and vPvB assessment	This proc	duct does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects		
Other adverse effects	None kno	own.
SECTION 13: Disposal consid	lerations	
13.1. Waste treatment method	ls	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
UN No. (ADR/RID)	-	
14.2. UN proper shipping nam	e	
Proper shipping name (ADR/RID)	-	
14.3. Transport hazard class(e	es)	
ADR/RID class	-	
14.4. Packing group		
ADR/RID packing group	-	
14.5. Environmental hazards		

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE = Acute Toxicity Estimate DNEL = Derived No-Effect Level NOEL = No Observed Effect Level WAF = Water Accommodated Fraction
Key literature references and sources for data	The manufacturer's SDS. 8.11.2019
Revision comments	Revised formulation. Revised classification. NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	26/11/2019
Supersedes date	23/11/2017
SDS number	5574
Hazard statements in full	 H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.