

SAFETY DATA SHEET NESTE TRAFO 10 X

SECTION 1: Identification of the	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	NESTE TRAFO 10 X		
Product number	ID 10823		
Internal identification	4140		
1.2. Relevant identified uses of	f the substance or mixture and uses advised against		
Identified uses	Lubricant.		
1.3. Details of the supplier of the safety data sheet			
Supplier	Neste Markkinointi Oy Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND Tel. +358 10 45811 lubetec@neste.com		
1.4. Emergency telephone nul	mber		
National emergency telephone +358-9-471 977, +358-9-4711, Poison Information Centre number			
SECTION 2: Hazards identific	ation		
2.1. Classification of the subst	ance or mixture		
Classification (EC 1272/2008)			
Physical hazards	Not Classified		
Health hazards	Asp. Tox. 1 - H304		
Environmental hazards	Aquatic Chronic 3 - H412		
2.2. Label elements			
Pictogram			
Signal word	Danger		
Hazard statements	H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.		
Precautionary statements	P273 Avoid release to the environment. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting.		
Contains	Distillates (petroleum), hydrotreated light naphthenic		
2.3. Other hazards			
Other hazards	Risk of soil and ground water contamination.		

SECTION 3: Composition/info	rmation on ingredients	
3.2. Mixtures		
Distillates (petroleum), hydro	treated light naphthenic	> 99 %
CAS number: 64742-53-6	EC number: 265-156-6	REACH registration number: 01- 2119480375-34-XXXX
Classification Asp. Tox. 1 - H304		
2,6-di-tert-butyl-p-cresol (BH	Г)	0 - < 0,3 %
CAS number: 128-37-0	EC number: 204-881-4	REACH registration number: 01- 2119565113-46-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
The Full Text for all R-Phrases	s and Hazard Statements are Displayed in Section	16.
Other information	DMSO < 3% (IP 346).	
SECTION 4: First aid measure	95	
4.1. Description of first aid me	asures	
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing stops, provide artificial respiration. For breathing difficulties, oxygen may be necessary. Get medical attention if symptoms are severe or persist.	
Ingestion	Do not induce vomiting. Never give anything by a attention immediately.	nouth to an unconscious person. Get medica
Skin contact	Remove contaminated clothing immediately and rinse for at least 10 minutes. Get medical attention	•
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	Aspiration hazard if swallowed. Repeated expos	ure may cause skin dryness or cracking.
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Aspiration hazard if swallowed. Entry into the lur chemical pneumonitis. Treat symptomatically.	gs following ingestion or vomiting may cause
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Foam, carbon dioxide or dry powder.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this v	vill spread the fire.
5.2. Special hazards arising from	om the substance or mixture	
Specific hazards	None known.	

	Carbon disvide (CO2). Carbon menovide (CO), Undersorbone, Sulabury Learne under
Hazardous combustion products	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons. Sulphuryl compounds.
5.3. Advice for firefighters	
Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear suitable protective clothing as protection against splashing or contamination.
For emergency responders	Keep unnecessary and unprotected personnel away from the spillage.
6.2. Environmental precaution	S
Environmental precautions	Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.
7.3. Specific end use(s)	
Specific end use(s)	Not known.
Specific end use(s)	
Specific end use(s) SECTION 8: Exposure Contro	
Specific end use(s) SECTION 8: Exposure Contro 8.1. Control parameters	ls/personal protection
Specific end use(s) SECTION 8: Exposure Contro 8.1. Control parameters Occupational exposure limits 2,6-di-tert-butyl-p-cresol (BHT)	ls/personal protection
Specific end use(s) SECTION 8: Exposure Contro 8.1. Control parameters Occupational exposure limits 2,6-di-tert-butyl-p-cresol (BHT)	ls/personal protection

Workers - Inhalation; Long term systemic effects: 3,5 mg/m³

PNEC 8.2. Exposure controls	- Fresh water; 0,199 μg/l - Marine water; 0,0199 μg/l - Fresh water, Intermittent release; 1,99 μg/l - Sediment (Freshwater); 99,6 mg/kg - Sediment (Marinewater); 9,96 mg/kg - Soil; 47,69 μg/kg
	Handle in accordance with good industrial busiene and eafaty practice. Avoid inhelation of
Appropriate engineering controls	Handle in accordance with good industrial hygiene and safety practice. Avoid inhalation of vapours and spray/mists. All handling should only take place in well-ventilated areas. Avoid contact with skin, eyes and clothing. Provide eyewash station and safety shower.
Eye/face protection	Tight-fitting safety glasses.
Hand protection	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Filter device/half mask Combination filter, type A2/P2. Filter device could be used maximum 2 hours at a time. Filter devices must not be used in conditions where the oxygen level is low (< 19 vol%). Filter must be changed often enough. Respirators according to standards EN 140 and EN 141.
Environmental exposure controls	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and Chemical Properties

Auto-ignition temperature

> 270°C

-	
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Clear. Yellowish.
Odour	Mild.
Odour threshold	-
рН	-
Melting point	-60°C
Initial boiling point and range	> 250 °C
Flash point	> 140°C Pensky-Martens closed cup.
Flammability (solid, gas)	-
Upper/lower flammability or explosive limits	-
Vapour pressure	0,16 kPa @ 100°C
Vapour density	-
Relative density	0,88 @ 15°C
Solubility(ies)	Insoluble in water.
Partition coefficient	log Kow: > 3

Decomposition Temperature	> 280°C	
Viscosity	7,6 mm2/s @ 40°C	
Explosive properties	-	
Oxidising properties	-	
9.2. Other information		
Other information	Not known.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	Oxidising agents.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Carbon monoxide (CO). Carbon dioxide (CO2). Hydrocarbons. Sulphuryl compounds.	
SECTION 11: Toxicological int	formation	
11.1. Information on toxicologi	cal effects	
Toxicological effects	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met. Repeated exposure may cause skin dryness or cracking.	
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.	
Reproductive toxicity		

Revision date: 02/11/2017

Reproductive toxicity - fer	ility Based o	n available data the classification criteria are not met.	
Reproductive toxicity - development	toxicity - Based on available data the classification criteria are not met.		
Specific target organ toxic	ity - single exp	posure	
STOT - single exposure	STOT - single exposure Based on available data the classification criteria are not met.		
Specific target organ toxic		exposure	
STOT - repeated exposure	F - repeated exposure Based on available data the classification criteria are not met.		
Aspiration hazard			
Aspiration hazard	-	fatal if swallowed and enters airways. Entry into the lungs following ingestion or may cause chemical pneumonitis.	
Toxicological information	-		
		Distillates (petroleum), hydrotreated light naphthenic	
Acute toxicity	- oral		
Notes (oral L		LD₅₀ > 5000 mg/kg, Oral, Rat	
Acute toxicity			
Notes (derma		LD₅₀ > 2000 mg/kg, Dermal, Rabbit	
		2,6-di-tert-butyl-p-cresol (BHT)	
Acute toxicity	- oral		
Notes (oral L	D50)	LD₅₀ > 6000 mg/kg, Oral, Rat (OECD TG 401)	
Acute toxicity	Acute toxicity - dermal		
Notes (derma	al LD50)	LD₅₀ > 2000 mg/kg, Dermal, Rat (OECD 402)	
SECTION 12: Ecological I	nformation		
12.1. Toxicity			
Toxicity	Harmful	to aquatic life with long lasting effects.	
Ecological information on ingredients.			
		2,6-di-tert-butyl-p-cresol (BHT)	
Acute aquati	c toxicity		
LE(C)50	<u>`</u>	0.1 < L(E)C50 ≤ 1	
M factor (Act	ıte)	1	
Acute toxicity		LC₅₀, 96 hours: 0,199 mg/l, Fish Estimated value. (QSAR)	
A			
Acute toxicity invertebrates	-	EC₅₀, 48 hours: 0,48 mg/l, Daphnia magna (OECD TG 202)	
Chronic aqua	atic toxicity		
M factor (Ch	onic)	1	
Chronic toxic life stage	ity - fish early	NOEC, 42 days: 0,053 mg/l, Oryzias latipes (Red killifish)	

12.2. Persistence and degrada	ıbility	
Persistence and degradability	No data available.	
Biodegradation	Not readily biodegradable.	
Ecological information on ingre	adients.	
	2,6-di-tert-butyl-p-cresol (BHT)	
Biodegradation	4,5 %, 28 d (OECD TG 301C)	
12.3. Bioaccumulative potentia	<u>I</u>	
Bioaccumulative potential	Possibly bioaccumulative.	
Partition coefficient	log Kow: > 3	
Ecological information on ingre	adients.	
	2,6-di-tert-butyl-p-cresol (BHT)	
Partition coefficie	nt log Pow: 4,17 (21 °C)	
12.4. Mobility in soil		
Mobility	The product is insoluble in water. Mainly non-volatile. Product can penetrate soil until reaching the surface of ground water. Risk of soil and ground water contamination.	
12.5. Results of PBT and vPvB	assessment	
Results of PBT and vPvB assessment	No data available.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal conside	erations	
13.1. Waste treatment method	<u>s</u>	
Disposal methods	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.	
SECTION 14: Transport inform	lation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
-		
UN No. (ADR/RID)	-	
14.2. UN proper shipping name	9	
Proper shipping name (ADR/RID)	-	
14.3. Transport hazard class(e	<u>s)</u>	
ADR/RID class	-	
14.4. Packing group		

ADR/RID packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL = Derived No-Effect Level PNEC = Predicted No-Effect Concentration
Key literature references and sources for data	The manufacturer's SDS. 19.2.2016
Revision comments	Updated, sections: 1
Revision date	02/11/2017
Supersedes date	04/07/2016
SDS number	5660
Hazard statements in full	H304 May be fatal if swallowed and enters airways.H400 Very toxic to aquatic life.H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.