

DOMAINE

S U E N E N
C H A M P A G N E

À CRAMANT

LE MONT-AIGU

BLANC DE BLANCS

GRAND CRU

2017

EXTRA-BRUT

IDENTITY

Grape variety

100 % Chardonnay

Vintage

2017

Harvesting date

September 4th

Harvest Maturity

Potential 11,2°

Bottling date

July 24th, 2018

Production

860 bottles

Commune	Locality	Plantation years	Plantation density per ha	Surface (ha)	Altitude	Exposure
Chouilly	" Le Mont-Aigu "	1978	7937	0,2525	142 m	South

THE PLACE

Sub-region

Côte des Blancs

Commune

Chouilly

Cru status


Classified 100% commune since 1985 - Grand Cru

Vineyard surface area of this locality

20,6 ha (env.)

Estate vineyard surface area

0,2525 ha




— GENESIS —

Soils

Brown in color, the profile is silty-clayey with a clay content on the surface of 15%. These clays are vermiculites. The internal surfaces of these clays partly determine the potential quality of the wines by their capacity to reconstitute the place's specific elements, retain water, then make it gradually available for the plant. These inner surfaces are 300 sqm/g of soil depending on the location of the plot. These clays are highly qualitative.

Sub-soils

Appearance of white chalk of the Belemnites from the Upper Campanian (74 million years) at a depth of 35 cm. The gelifraction of the chalk allowing the roots to explore the terroir is very important on this plot.



— THE PLANT —

Grape variety

Chardonnay

Rootstock

41 B MGt

The choice of the rootstock is specifically oriented on a good knowledge of our soils. The active limestone is very high because of the nature of the chalk. This choice is completed by a research of a bud break period and optimal berry maturity.

On this vineyard, the active limestone varies from 15 to 20%.


The 41B Millard and of Grasset is characterized by its adaptation to calcareous soils and its resistance to chlorosis.

It resists up to 60% the total limestone, 40% active limestone and a CPI (chlorosis potency index) of 60. It also absorbs magnesium well in the soil. The 41 B MGt favors cluster compactness. It also tends to delay the vegetative cycle of the grafts and compared to other rootstocks, the products obtained are less rich in sugar and slightly more acid.

Rootstock field selection.

Pruning type Chablis. Pruning for wine renewal from the back of the vine plant

Principle A two-eyed ratchet (shoots) on the stock bottom. A five-eyed rejuvenating launch which goes from the ratchet tied to the first binding wire and two canes with 5 eyes on frames which are tied to the second binding wire. In this pruning system, on Chardonnay, the first two buds at the base of the cane are generally sterile. They often produce only foliage or exceptionally some small bunches of grapes in the best fruiting years.



Nombre de bourgeons potentiellement fructifères recherchés : 17

— THE YEAR —

The weather

Autumn and winter 2016/2017 were particularly dry. By late March, budburst was already well underway in the vineyards. In mid-April, a northerly flow brought cold, dry air, and 12 nights of frost were recorded all over the appellation. Our entire vineyard was affected. Located on a well-ventilated ridge due to its steep slope, the 'Le Mont-Aigu' plot nevertheless suffered losses of 30% of the estimated harvest. Following this episode, the weather conditions calmed down and the fine weather set in. The mild spring was interspersed with a few light showers. During summer, the climatic balance shifted in July with exceptionally heavy rainfall, although it did not reach the same levels as in summer 2001. The rainfall averages clearly demonstrate the many wet periods that marked summer 2017. This high level of humidity does not systematically lead to major crop losses, as the vegetative cycle is already well advanced. From late July onwards, the summer cools off slightly and we calmly approach the harvest.

The harvest

Like 2016, 2017 was a year of contrasts, but the pattern was completely opposite... Spring frosts caused losses. A hot, dry spring and early summer before a very wet July. After this period of extreme change, the harvest took place on September 4th. Despite the frost, the vine stress did not deprive us of technologically and aromatically ripe grapes.

CULTURE

- Compost.
- Ending soil tillage from April till mid-July then maintenance of the endemic vegetation cover for the rest of the year
- Protecting the plant with minerals (copper and sulfur)
- Prophylactic work which is meticulous and repeated throughout the season.

- Harvesting date:
Monday, September 4th
- Team of
10 pickers,
2 basket carriers,
2 pressing operators.
- Meticulous sorting in the vineyard and at the press.

— VINIFICATION —

Pressing process

Pneumatic membrane press.
The pressing is carried out quickly as soon as the grape harvest of the concerned plots is done.

Static settling

Natural, gravity settling. No enzymes. No chaptalization.

Containers for wine production and maturation

Half-muid (600L)

Alcoholic fermentation

Spontaneous fermentation

Malolactic fermentation

Natural

Maturation before racking for bottling

9 months on lees

Not fined - not filtered

Cold stabilization

Only by using the natural temperature
No shift to forced cold.

— THE CHAMPAGNE-MAKING PROCESS —

Sealing the wine in its container for maturing before disgorging

Capsule

Ageing in the cellars

60 months on lees

Disgorging

July, 2023

Dosage

5 g/L

— THE WINE —

The color

Light yellow color with yellow reflections and creamy effervescence.

The texture

The wines of Mont-Aigu express themselves in generosity thanks to the southern exposure of the plot combined with low yields. The whiteness of the soils, which reflects the sun's rays and rejects the heat accumulated during the day during the night, allows great ripeness. The richness of this terroir through a dense and finely iodized matter is balanced by delicate bitters. The energy of the limestone makes the mouth feel more chiselled through a creamy bubble with marine accents. Of a great aromatic persistence.



— ANALYSIS —

Average degree of the harvest (% vol.)	Final degree after sparkling-making (% vol.)	pH	Total acidity (H ₂ SO ₄)	Total SO ₂ (mg/L)	Free SO ₂ (mg/L)	Sugars (g/L)	Volatile acidity (g/L)
11,20	12,86	3,12	4,34	15	6	4,9	0,27

— PHILOSOPHY —

It is the expression of a place by the study of its plot soil profile, for a better understanding of its diversity and uniqueness.

This expression goes with constant learning about the life of the soil and plants through their interactions with the climate and the human being. The work applied to the vineyard and to the estate is based on these ideas which are perpetually evolving...