



Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 1/(13)

### SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

### MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: multigrade diesel engine oil

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

**Customer Service Center** 

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

#### SECTION 2 Hazards identification

2.1 Classification of the mixture or substance

Hazard Class and Category: Hazard statement:

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.





Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 2/(13)

2.2 Label elements

Product identification: Trade name: MOL Dynamic Global Diesel 10W-30 multigrade

diesel engine oil

Hazardous components:

GHS Pictogram: - Signal word: -

Hazard statement:

**H412** Harmful to aquatic life with long lasting effects.

Supplemental hazard information:

EUH208 Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium

salts, Benzene, polypropene derivatives, sulfonated, calcium salts. May

produce an allergic reaction

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

Precautionary statements – Response:

-

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required. Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.





Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 3/(13)

## **SECTION 3** Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral oils with additives.

Component(s) / Hazardous component(s):

Name	EU	CAS	Hazard classes and	Hazard	Conc.
Name	number	number	cat.	statements	%(m/m)
Base oil – unspecified,	265-157-1	64742-54-7	=		max. 80
hydrotreated heavy			(Note L)		
paraffinic, C20-C50*					
REACH Registr. Nr.:					
01-2119484627-25					
Mineral oil raffinate	-	mixture	-	-	<10
			(Note L)		
Base oil – unspecified,	265-157-1	64742-54-7	Asp. Tox. 1	H304	max. 10
hydrotreated heavy			((Note L)		
paraffinic, C20-C50*					
REACH Registr.Nr.:					
01-2119484627-25					
Lubricating oils	309-877-7	101316-72-7	-	-	max. 5,0
(petroleum), C24-			(Note L)		
C50*					
REACH Registr.Nr.:					
01-2119489969-06					
Bis(nonylphenyl)amine	253-249-4	36878-20-3	Aquatic Chronic 4	H413	<5,0
REACH Registr. Nr.:					
01-2119488911-28					
Zinc alkyl dithiophosphate**	283-392-8	84605-29-8	Skin Irrit. 2	H315	max. 1.5
REACH Registr. Nr.:			Eye Dam. 1	H318	
01-2119493626-26			Aquatic Chronic 2	H411	
Benzenesulfonic acid,	274-263-7	70024-69-0	Skin Sens. 1B	H317	<1,0
mono-C16-24-alkyl					
derivs., calcium salts					
REACH Registr. Nr.:					
01-2119492616-28					
Benzene, polypropene	616-278-7	75975-85-8	Skin Sens. 1B	H317	<0,2
derivatives, sulfonated,					
calcium salts					



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 4/(13)

Name	EU	CAS	Hazard classes and	Hazard	Conc.
	number	number	cat.	statements	% (m/m)
Phenol, dodecyl-,	310-154-3	121158-58-5	Skin Corr. 1C	H314	< 0,05
branched			Eye Dam. 1	H318	
REACH Registr. Nr.:			Repr. 1B	H360F	
01-2119513207-49			Aquatic Acute 1	H400 (M=10)	
			Aquatic Chronic 1	H410 (M=10)	

<sup>\*</sup>with exposure limit

\*\*Specific concentration limit:

Skin Irrit. 2: 6.25 %  $\leq$  C  $\leq$  100 %; Eye Irrit. 2: 10 % < C  $\leq$  12.5 %;

Eye Dam. 1: 12.5 % < C  $\le$  100 %

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

### **SECTION 4** First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain

medical attention.

Skin contact: Wash skin with large amounts of water, use soap. In case of persistent irritation,

get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent

irritation, get medical attention.

Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment need Not required.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 5/(13)

### **SECTION 5** Fire-fighting measures

Fire hazards:

Combustible

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

5.2 Special hazards arising from the mixture

Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, sulphur oxide, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

### **SECTION 6** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by

pumping. Contain the rest or small quantities with sand, earth or other

suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable

absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 6/(13)

## **SECTION 7** Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

7.3 Specific end use(s)

Multigrade diesel engine oil.

### **SECTION 8** Exposure controls / personal protection

Engineering control measures:

Not required.

8.1 Control parameters:

Mineral oil mist: TWA: 5 mg/m<sup>3</sup>; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded

(ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Personal protection:

Respiratory protection: Under normal conditions not required. In case of exceeded

exposure-limits respiratory protection with particle-filter is

recommended

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g.

nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

Eye protection: Where splashing is possible, wear safety glasses (EN 166).

Skin protection: Protective clothing (oil resistant).

Other special: No data.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 7/(13)

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

## **SECTION 9** Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: liquid

Colour: dark brown, clear, bright

Odour: characteristic

Change in physical state:

Boiling point (ISO 2176): not available Pour point (ISO 3016): typ. -36°C

Others:

Flash point (COC) (EN ISO 2592): typ. 230°C Ignition point (EN ISO 2592): not available Autoignition temperature: not available Explosive properties: not explosive Oxidizing properties: not oxidize Vapour pressure at 20°C: negligible

Density at  $15^{\circ}$ C (EN ISO 12185):  $0.860 - 0.880 \text{ g/cm}^3$ 

Solubility in water: practically insoluble in water Solubility in other solvents: gasoline, kerosene, toluene, etc.

n-Octanol/water partition coefficient:

Vapour density:

Heating value:

Kinematic viscosity at 40°C (EN ISO 3104):

Kinematic viscosity at 100°C (EN ISO 3104):

pH:

not available
not available
typ. 79.5 mm²/s
typ. 11.7 mm²/s
not applicable

9.2 Other information

no data available

### **SECTION 10** Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.
10.5 Incompatible materials: Strong oxidizing agents.





Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 8/(13)

10.6 Hazardous decomposition

products:

No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.

## **SECTION 11** Toxicological information

11.1 Information on toxicological effects

Acute toxicity: Oral:

 $LD_{50}$  (rat)

> 2000

mg/kg

(based on components)

Dermal:

Eye:

LD<sub>50</sub> (rabbit)

> 2000

mg/kg

(based on components)

Acute toxicity: irritation

Skin: not

not irritant (based on components) not irritant (based on components)

Respiratory or skin sensitisation: not s

not sensitising (based on components), but may produce

an allergic reaction.

Other information, specific effects:

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as

measured by IP 346.

Germ cell mutagenicity:

not known, resp. not mutagen (based on components)

Carcinogenicity: Reproductive toxicity:

not known, resp. not carcinogen (based on components) not known, resp. no reproduction-damaging effect

(based on components)

STOT-single exposure:

not classified

STOT-repeated exposure:

not classified

Aspiration hazard:

not classified

### **SECTION 12** Ecological information

12.1 Toxicity No data for the product.

Aquatic organisms:

Soil organisms:

Plants:

12.2 Persistence and degradability

No data available.

Biodegradability:

No data available.

12.3 Bioaccumulative potential

No data available.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 9/(13)

12.4 Mobility

Mobility in soil Absorbs in soil. Mobility in water: Floats on water.

12.5 Results of PBT and vPvB assessment Does not contain PBT and vPvB substances.

12.6 Other adverse effects Harmful to aquatic life with long lasting effects.

Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: None.

Environmental effects: Spills may form a film on water surfaces causing

impaired oxygen transfer.

Water hazard class (German): WGK 2 (Classification by VwVwS)

### **SECTION 13** Disposal considerations

#### 13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Recommended waste treatment method: incineration

Disposal must be in compliance with national and local regulations.

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

## Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 10/(13)

## **SECTION 14** Transport information

Land transport:

Road/ Railway ADR/RID: Not classified.

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

14.6. Special precautions for user:

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

## **SECTION 15** Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.

not available

#### **SECTION 16** Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 11/(13)

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components 1272/2008/EC regulation, Annex XVII. of REACH

Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation (EC)

1272/2008 (CLP)

Aquatic Chronic 3 H412 calculation method

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H360F May damage fertility. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Asp. Tox. 1 Aspiration hazard Category 1

Skin Corr. 1 C Skin corrosion/irritation Category 1C

Skin Irrit. 2 Causes skin irritation.

Skin Sens. 1 Respiratory/skin sensitization Category 1
Eye Dam. 1 Serious eye damage/eye irritation Category 1

Repr. 1B Reproductive toxicity Category 1B

Aquatic Acute 1 Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, Chronic Category 2
Aquatic Chronic 4

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 12/(13)

ATE	Acute Toxicity Estimate
BCF	Biocontrentration Factor
BOD	Biological Oxigen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcigonic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Cheamicals Agency
Ecx	Effective Concentration x%
Edx	Effective Dose x%
ELINCS	European List of Notified Chemical Substances
ErC50	EC50 in terms of reduction of growth rate;
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative





Trade name: MOL Dynamic Global Diesel 10W-30 multigrade diesel engine oil

Version: 3 Latest revision: 30. 07. 2018 Date of issue: 15. 01. 2013 Page: 13/(13)

Revision Indicators:				
Section	Subject of change	Date	Version	
1	Details of the supplier of the safety data sheet, Responsible for SDS	02.09.2015	2	
3	Composition/information on ingredients			
9	Physical and chemical properties			
12	Ecological information			
1-16	Other corrections, revision modification according to 1272/2008/EC and 2015/830 /EU			
2.1	Hazards identification	30.07.2018	3	
2.2, 14	Regulatory information			
3	Composition/information on ingredients			
9	Physical and chemical properties			
1-16	Other corrections			