



Grills and Barbecues - 2023 Models

Av Ricardo Mella, 93. Vigo (Spain). Contact telephone: +34 689668392
Hours Monday to Friday 9:30 a.m. to 1:30 p.m. and 4:30 p.m. to 8:30 p.m.
Saturdays 10:00 a.m. to 1:30 p.m.



/Ares Ignis



@ares.ignis



/Ares Ignis



+34 689668392

High Quality Professional Grills

Our charcoal grills designed for the professional sector are handcrafted with top quality materials and are specially adapted to the needs of each client, always seeking maximum productivity, ergonomics and comfort for a perfect grilled gastronomy experience. Its versatility allows it to be raised and angularly adjustable, fixed or mobile and with the possibility of a brazier that generates embers. Ares Ignis defines the perfect balance between tradition and innovation.

ROYAL GRILLERS!





Legend

SPECIFICATIONS FUNDAMENTALS

- 1) Upper hood
- 2) Handwheel
- 3) Temperature control unit
- 4) Removable stainless steel rotating tube grates
- 5) Stainless steel tilting grease collector
- 6) Woodshed or brazier
- 7) Refractory tank
- 8) Ash collection drawer
- 9) Deployé auxiliary base
- 10) Wheels



Domestic and
Semi-professional
grills and barbecues



Greta 1

CHARACTERISTICS FUNDAMENTALS

- Lifting axle with central handwheel
- Elevating and angled grills (Removable)
- Front grease collector
- Structure in 4mm iron and stainless steel grill

	Series (trade name)	Code	External Measurements	No. of grills
	GRETA I - 60 CM	GR1-60	Dimensions (W x D x H) 60 cm x 50 cm x 90 cm Grill size: 50 cm x 40 cm	1
	GRETA I - 80 CM	GR1-80	Dimensions (W x D x H) 80 cm x 60 cm x 100 cm Grill size: 70 cm x 50 cm	1



Greta 2

FUNDAMENTAL CHARACTERISTICS

- Lifting shaft with central hand wheel
- Lifting and angle grids (removable)
- Front grease collector
- 4mm iron structure and stainless steel grill
- Removable ashes and ember drawer, all removable
- 600° heat resistant paint finish
- Protected by an anti-rust zinc coating.

NOTE: Suggested lower base height 60cm.

	Series (trade name)	Code	External Measurements	No. of grills
	GRETA II - 60 CM	GR2-60	Dimensions (W x D x H) 60 cm x 50 cm x 90 cm Grill size: 50 cm x 40 cm	1
	GRETA II - 80 CM	GR2-80	Dimensions (W x D x H) 80 cm x 60 cm x 100 cm Grill size: 70 cm x 50 cm	1



Greta 3 With removable base

FUNDAMENTAL CHARACTERISTICS

- Lifting axle with central hand wheel
- Lifting and angle grids (removable)
- Frontal grease collector
- Structure in iron 4mm and stainless steel grill.
- Removable lower structure.
- Lower structure with deployé auxiliary base
- 600° heat resistant paint finish
- Protected by an anti-rust zinc coating.

	Series (trade name)	Code	External Measurements	No. of grills
	GRETA III - 60 CM	GR3-60	Dimensions (W x D x H) 60 cm x 50 cm x 175 cm Grill size: 50 cm x 40 cm	1
	GRETA III - 80 CM	GR3-80	Dimensions (W x D x H) 80 cm x 60 cm x 175 cm Grill size: 70 cm x 50 cm	1



Mikaella Semi-professional

FUNDAMENTAL CHARACTERISTICS

- Lifting axle with central hand wheel
- Lifting and angle grids (removable)
- Tilting grease collector
- 4mm iron structure and stainless steel grill
- Refractory brick lined tank
- Ashtray drawer
- Top quenching unit
- Double anti-heat 600° paint finish
- Protected by an anti-rust zinc coating.

NOTE: Suggested lower base height 60cm.

	Series (trade name)	Code	External Measurements	No. of grills
	Mikaella Semiprofesional 80cm	MKES-80	Dimensions (W x D x H) 80 cm x 60 cm x 123 cm Grill size: 70 cm x 50 cm	1
	Mikaella Semiprofesional 100cm	MKES-100	Dimensions (W x D x H) 100 cm x 60 cm x 123 cm Grill size: 90 cm x 50 cm	1



Mikaella Semi-professional with a lower structure

FUNDAMENTAL CHARACTERISTICS

- Lifting axle with central hand wheel
- Lifting and angle grids (removable)
- Tilting grease collector
- 4mm iron structure and stainless steel grill
- Refractory brick lined tank
- Ashtray drawer
- Top quenching unit
- Double anti-heat 600° paint finish
- Bottom frame with wheels and auxiliary grid
- Protected by an anti-rust zinc coating.

	Series (trade name)	Code	External Measurements	No. of grills
	Mikaella Semiprofesional 80cm	MKMS-80	Dimensions (W x D x H) 80 cm x 60 cm x 182 cm Grill size: 70 cm x 50 cm	1
	Mikaella Semiprofesional 100cm	MKMS-100	Dimensions (W x D x H) 100 cm x 60 cm x 182 cm Grill size: 90 cm x 50 cm	1



Mikaella Semi-professional Compact without lower structure

FUNDAMENTAL CHARACTERISTICS

- Lifting axle with central hand wheel
- Lifting and angle grids (removable)
- Tilting grease collector
- 4mm iron structure and stainless steel grill
- Refractory brick lined tank
- Ashtray drawer
- Top quenching unit
- Double anti-heat paint finish
- Bottom frame with wheels and auxiliary grid
- Angled top extractor hood
- Protected by an anti-rust zinc coating.

NOTE: Suggested lower base height 60cm.

	Series (trade name)	Code	External Measurements	No. of grills
	Mikaella Semiprofesional 80cm	MKCES-80	Dimensions (W x D x H) 80 cm x 60 cm x 158 cm Grill size: 70 cm x 50 cm	1
	Mikaella Semiprofesional 100cm	MKCES-100	Dimensions (W x D x H) 100 cm x 60 cm x 163 cm Grill size: 90 cm x 50 cm	1



Mikaella Semi-professional Compact

FUNDAMENTAL CHARACTERISTICS

- Lifting axle with central hand wheel
- Lifting and angle grids (removable)
- Tilting grease collector
- 4mm iron structure and stainless steel grill
- Refractory brick lined tank
- Ashtray drawer
- Top quenching unit
- Double anti-heat paint finish
- Bottom frame with wheels and auxiliary grid
- Angled top extractor hood
- Protected by an anti-rust zinc coating.

	Series (trade name)	Code	External Measurements	No. of grills
	Mikaella Semiprofesional 80cm	MKCS-80	Dimensions (W x D x H) 80 cm x 60 cm x 217 cm Grill size: 70 cm x 50 cm	1
	Mikaella Semiprofesional 100cm	MKCS-100	Dimensions (W x D x H) 100 cm x 60 cm x 222 cm Grill size: 90 cm x 50 cm	1



Barbecues and Grills
PROFESSIONALS



Bismillah Professional

FUNDAMENTAL CHARACTERISTICS

- Lifting axle with central handwheel
- Lift and angle grills (removable)
- Tilting grease collector
- Structure in 4mm iron and stainless steel grill
- Intermediate firebrick-covered intermediate brazier
- Upper tempering unit
- Double anti-caloric paint finish
- Protected by an anti-rust zinc coating.

NOTE: Suggested lower base height 60cm.

	Series (trade name)	Code	External Measurements	No. of grills
	Bismillah Profesional 100 cm	BIS-100-1P	Machine dimensions (L x D x H): 100 cm x 70 cm x 101 cm Dimensions of the left grill : 45 cm x 60 cm Dimension of the brazier : 35 cm x 60 cm x 50 cm	1
	Bismillah Profesional 120 cm	BIS-120-1P	Machine dimensions (L x D x H): 120 cm x 70 cm x 101 cm Dimensions of the left grill : 65 cm x 60 cm Dimension of the brazier : 35 cm x 60 cm x 50 cm	1
	Bismillah Profesional 160 cm	BIS-160-2P	Machine dimensions (L x D x H): 160 cm x 70 cm x 101 cm Dimension left grill : 105 cm x 60 cm Dimension of the brazier : 35 cm x 60 cm x 50 cm	2
	Bismillah Profesional 180 cm	BIS-180-2P	Machine dimensions (L x D x H): 180 cm x 70 cm x 101 cm Dimensions of the left grill : 60 cm x 60 cm Dimensions of the brazier : 40 cm x 60 cm x 50 cm Right grill dimensions: 60 cm x 60 cm	2
	Bismillah Profesional 200 cm	BIS-200-2P	Machine dimensions (L x D x H): 200 cm x 70 cm x 101 cm Dimension left grill : 70cm x 60 cm Dimensions of the brazier : 40 cm x 60 cm x 50 cm Right grill dimensions: 70 cm x 60 cm	2



Excalibur Professional

FUNDAMENTAL CHARACTERISTICS

- Lifting axle with central hand wheel
- Lifting and angle grids (removable)
- Tilting grease collector
- 4mm iron structure and stainless steel grill
- Refractory brick lined tank
- Ashtray drawer
- Top quenching unit
- Double anti-heat 600° paint finish
- Protected by an anti-rust zinc coating.

NOTE: Suggested lower base height 60cm.

	Series (trade name)	Code	External Measurements	No. of grills
	Excalibur Profesional 120 cm	EX-120-1P	Machine dimensions (L x W x D x H): 120 cm x 70 cm x 123 cm Grill dimensions : 60cm x 60 cm Size of brazier : 40 cm x 60 cm x 50 cm	1
	Excalibur Profesional 140 cm	EX-140-1P	Machine dimensions (L x W x D x H): 140 cm x 80 cm x 123 cm Left grill dimensions : 80cm x 70 cm Dimension of brazier : 40 cm x 70 cm x 50 cm	1
	Excalibur Profesional 160 cm	EX-160-2P	Machine dimensions (L x W x D x H): 160 cm x 80 cm x 123 cm Dimensions left grill : 60cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill size : 40cm x 70 cm	2
	Excalibur Profesional 180 cm	EX-180-2P	Machine dimensions (L x W x D x H): 180 cm x 80 cm x 123 cm Left grill dimensions : 70cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Grill dimensions right : 50cm x 70 cm	2
	Excalibur Profesional 200 cm	EX-200-2P	Machine dimensions (L x W x D x H): 200 cm x 80 cm x 123 cm Left grill dimensions : 80cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 60cm x 70 cm	2
	Excalibur Profesional 220 cm	EX-220-2P	Machine dimensions (L x W x D x H): 220 cm x 80 cm x 123 cm Dimensions of the left grill : 90cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 70cm x 70 cm	2
	Excalibur Profesional 240 cm	EX-240-3P	Machine dimensions (L x W x D x H): 240 cm x 80 cm x 123 cm Dimensions left grill : 60cm x 70 cm Dimension of brazier : 40 cm x 70 cm x 50 cm Grill size right : 60cm x 70 cm Additional grill size right : 60cm x 70 cm	3

Excalibur Compact without a lower structure

FUNDAMENTAL CHARACTERISTICS

- Upper angle extractor hood
- Lifting axle with side steering wheel
- Lifting and angled grids (Removable)
- Tilting grease collector
- Structure in 4mm iron and stainless steel grill
- Refractory brick lined tank
- Removable ashtrays
- Top tempering unit
- Double anti-heat paint finish

NOTE: Suggested lower base at an elevation of 60cm.

	Series (trade name)	Code	External Measurements	No. of grills
	Excalibur compact with hood 120 cm	EXESPC-120-1P	Machine dimensions (L x W x D x H): 120 cm x 70 cm x 163 cm Grill dimensions : 60cm x 60 cm Size of brazier : 40 cm x 60 cm x 50 cm	1
	Excalibur compact with hood 140 cm	EXESPC-140-1P	Machine dimensions (L x W x D x H): 140 cm x 80 cm x 168 cm Left grill dimensions : 80cm x 70 cm Dimension of brazier : 40 cm x 70 cm x 50 cm	1
	Excalibur compact with hood 160 cm	EXESPC-160-2P	Machine dimensions (L x W x D x H): 160 cm x 80 cm x 168 cm Dimensions left grill : 60cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill size : 40cm x 70 cm	2
	Excalibur compact with hood 180 cm	EXESPC-180-2P	Machine dimensions (L x W x D x H): 180 cm x 80 cm x 168 cm Left grill dimensions : 70cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Grill dimensions right : 50cm x 70 cm	2
	Excalibur compact with hood 200 cm	EXESPC-200-2P	Machine dimensions (L x W x D x H): 200 cm x 80 cm x 173 cm Left grill dimensions : 80cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 60cm x 70 cm	2
	Excalibur compact with hood 220 cm	EXESPC-220-2P	Machine dimensions (L x W x D x H): 220 cm x 80 cm x 173 cm Dimensions of the left grill : 90cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 70cm x 70 cm	2
	Excalibur compact with hood 240 cm	EXESPC-240-2P	Machine dimensions (L x W x D x H): 240 cm x 80 cm x 182 cm Dimensions left grill : 60cm x 70 cm Dimension of brazier : 40 cm x 70 cm x 50 cm Grill size right : 60cm x 70 cm Additional grill size right : 60cm x 70 cm	3



Excalibur Compact with a lower structure

FUNDAMENTAL CHARACTERISTICS

- Including undercarriage with industrial castors
- Upper angle extractor hood
- Lifting axle with side steering wheel
- Lifting and angled grids (Removable)
- Tilting grease collector
- Structure in 4mm iron and stainless steel grill
- Refractory brick lined tank
- Removable ashtrays
- Top tempering unit
- Double anti-heat paint finish
- Protected by an anti-rust zinc coating.

	Series (trade name)	Code	External Measurements	No. of grills
	Excalibur compact 120CM	EXC-120-1P	Machine dimensions (L x W x D x H): 120 cm x 70 cm x 222 cm Grill dimensions : 60cm x 60 cm Size of brazier : 40 cm x 60 cm x 50 cm	1
	Excalibur compact 140CM	EXC-140-1P	Machine dimensions (L x W x D x H): 140 cm x 80 cm x 227 cm Left grill dimensions : 80cm x 70 cm Dimension of brazier : 40 cm x 70 cm x 50 cm	1
	Excalibur compact 160CM	EXC-160-2P	Machine dimensions (L x W x D x H): 160 cm x 80 cm x 227 cm Dimensions left grill : 60cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill size : 40cm x 70 cm	2
	Excalibur compact 180CM	EXC-180-2P	Machine dimensions (L x W x D x H): 180 cm x 80 cm x 227 cm Left grill dimensions : 70cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Grill dimensions right : 50cm x 70 cm	2
	Excalibur compact 200CM	EXC-200-2P	Machine dimensions (L x W x D x H): 200 cm x 80 cm x 232 cm Left grill dimensions : 80cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 60cm x 70 cm	2
	Excalibur compact 220CM	EXC-220-2P	Machine dimensions (L x W x D x H): 220 cm x 80 cm x 232 cm Dimensions of the left grill : 90cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 70cm x 70 cm	2
	Excalibur compact 240CM	EXC-240-3P	Machine dimensions (L x W x D x H): 220 cm x 80 cm x 232 cm Dimensions of the left grill : 90cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 70cm x 70 cm	3



Excalibur Professional with a lower structure

FUNDAMENTAL CHARACTERISTICS

- Including undercarriage with industrial castors
- Lifting axle with central steering wheel
- Lifting and angled grids (removable)
- Tilting grease collector
- Structure in 4mm iron and stainless steel grill
- Refractory brick lined tank
- Removable ashtrays
- Top tempering unit
- Double anti-heat paint finish
- Protected by an anti-rust zinc coating.

	Series (trade name)	Code	External Measurements	No. of grills
	Excalibur mobile and with brazier 120 cm	EXM-120-1P	Machine dimensions (L x W x D x H): 120 cm x 70 cm x 182 cm Grill dimensions : 60cm x 60 cm Size of brazier : 40 cm x 60 cm x 50 cm	1
	Excalibur mobile and with brazier 140 cm	EXM-140-1P	Machine dimensions (L x W x D x H): 140 cm x 80 cm x 182 cm Left grill dimensions : 80cm x 70 cm Dimension of brazier : 40 cm x 70 cm x 50 cm	1
	Excalibur mobile and with brazier 160 cm	EXM-160-2P	Machine dimensions (L x W x D x H): 160 cm x 80 cm x 182 cm Dimensions left grill : 60cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill size : 40cm x 70 cm	2
	Excalibur mobile and with brazier 180 cm	EXM-180-2P	Machine dimensions (L x W x D x H): 180 cm x 80 cm x 182 cm Left grill dimensions : 70cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Grill dimensions right : 50cm x 70 cm	2
	Excalibur mobile and with brazier 200 cm	EXM-200-2P	Machine dimensions (L x W x D x H): 200 cm x 80 cm x 182 cm Left grill dimensions : 80cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 60cm x 70 cm	2
	Excalibur mobile and with brazier 220 cm	EXM-220-2P	Machine dimensions (L x W x D x H): 220 cm x 80 cm x 182 cm Dimensions of the left grill : 90cm x 70 cm Dimension of the brazier : 40 cm x 70 cm x 50 cm Right grill dimensions : 70cm x 70 cm	2
	Excalibur mobile and with brazier 240 cm	EXM-240-2P	Machine dimensions (L x W x D x H): 240 cm x 80 cm x 182 cm Dimensions left grill : 60cm x 70 cm Dimension of brazier : 40 cm x 70 cm x 50 cm Grill size right : 60cm x 70 cm Additional grill size right : 60cm x 70 cm	3



GRILL SMOKER AMERICA

FUNDAMENTALS CHARACTERISTICS

AMERICA SERIES GRILL-SMOKER

Professional barrel smoker, with grill and griddle, American style.
Wood burner - brazier, extra large, completely protected and lined inside with refractory brick and reinforced with internal braces for maximum rigidity.
Brazier completely removable and cleanable inside, with:
*Removable burner basket.
*Rack at various heights to support the burner basket.
*Removable lower ashtray
*ooh lining by completely removable refractory bricks.

WORK SURFACE OR WORK GRIDS

Capacity four grills in parallel (2 grills in the middle of the barrel and 2 grills on the top of the barrel)

HIGH QUALITY TECHNICAL DETAILS


- Anti-scald handles protection on all handles
- Triple air flow regulation system (regulation of the air inlet in January + regulation of the air inlet in the barrel vat plus regulation of the air outlet in the ventilation flue with butterfly)
- Lower basket for storage and placement of fuel wood or coal,
- Wheels with brakes, two of them with capacity to support up to 250 kilos per wheel.
- Possibility of installing Boogie format wheels with inflatable rims and tyres for access to complicated areas avoiding unevenness of the machine.

	Series (trade name)	Code	External Measurements	No. of grills
	AMÉRICA Profesional	AM-115	Machine dimensions (L x D x H): 115 cm x 86 cm x 155 cm Drum diameter and length: 80 cm x 40 cm - 100 litres - 2 Grids of dimension: 35 cm x 40 cm - 2 Grids of dimension: 35 cm x 23 cm	4
	AMÉRICA Profesional	AM-140	Machine dimensions (L x W x D x H): 140cm x 86 cm x 155 cm Drum diameter and length: 100 cm x 45 cm - 160 litres - 2 Grills of dimension: 42 cm x 45 cm - 2 Grills of dimension: 50 cm x 40 cm	4
	AMÉRICA Profesional	AM-160	Machine dimensions (L x W x D x H): 160 cm x 86 cm x 155 cm Drum diameter and length: 115 cm x 50 cm - 225 litres - 2 Grills of dimension: 50 cm x 50 cm - 2 Grills of dimension: 50 cm x 40 cm	4
	AMÉRICA Profesional	AM-180	Machine dimensions (L x W x D x H): 180 cm x 86 cm x 155 cm Drum diameter and length: 140 cm x 66 cm - 480 litres - 2 Grids of dimension: 60 cm x 66 cm - 2 Grids of dimension: 60 cm x 45 cm	4
	AMÉRICA Profesional	AM-200	Machine dimensions (L x W x D x H): 200 cm x 86 cm x 155 cm Drum diameter and length: 80 cm x 40 cm - 100 litres - 2 Grills of dimension: 35 cm x 40 cm - 2 Grids of dimension: 35 cm x 23 cm	4



ACCESSORIES
AND COMPLEMENTS

Series (commercial name)	
	Spit kit for sardinhas - Manufactured entirely in stainless steel - Includes 4 swords ajustáveis em Tilt for better temperature control. - Fixed to grelhas from 80 cm - Easy handling system included: - MOD.BAJADILLA (2 Swords) LARGE FISH SPIT STAINLESS STEEL SIZE 220*40-550*22 - TOTAL 770 CM - MOD. MARBELLA (2 Swords) LARGE FISH SPIT STAINLESS STEEL SIZE 150*40-350*18 - TOTAL 530 CM
	Custom hood for barbecue - 2mm iron with black finish 300 degree thermal copper paint - Customizable size
	Removable grill plate - Made of 4mm stainless steel - Bottom anti-double reinforcement - Customizable size
	argentinian cross - Made of iron or stainless steel as required - Protected with a layer of anti-rust zinc - Black thermal ink finish Resistant to 600 degrees. Dimensions: * MOD. CROSS ARG 100 : 100 cm x 60 cm * MOD. ARG CROSS: 120 cm x 60 cm
	Shovel and skidder kit in iron or stainless steel. Available dimensions: - Small size: 70cm - Average size: 80cm - Large Size: 90cm
	Motorized roller: - Barbecue with 2 Rotating Skewers Electric Motor - Stainless steel with 2 Rpm - 220-240 V - Motor support to mount on the grille - Variable length; up to 4kg load - Two stripping needles included. Dimensions: - Small size: 80cm x 60cm - Average size: 100cm x 60cm - Large Size: 120cm x 60cm
	Rear desuperheater 20x8 8 MM STAINLESS STEEL ROD AND STRUCTURE OF 20 MM Available dimensions: - 40cm x 25cm - 50cm x 25cm - 60cm x 25cm - 70cm x 25cm - 80cm x 25cm - 90cm x 25cm



We prefer Europe!





**Tailor-made barbecue grills
to your space, we are the only ones
able to transform your idea
in reality.**

**Let's talk
about your project!**



+34 689 66 83 92



Av Ricardo Mella, 93. Vigo (Spain). Contact telephone: +34 689668392
Hours Monday to Friday 9:30 a.m. to 1:30 p.m. and 4:30 p.m. to 8:30 p.m.
Saturdays 10:00 a.m. to 1:30 p.m.



/Ares Ignis



@ares.ignis



/Ares Ignis



+34 689 668392