



Smart drill stands for professionals

The 3rd generation of drill stands







New high quality telescopic drill stands with increased performance and flexibility enabling fast, smart and ergonomic operation.







Smart drill stands for professionals





To the four 40^+ och 50^+ drill stands with universal motor mounting also have Weka and \emptyset 60 mm mounting plates as accessories.

40⁺ Telescopic- and hand held drill stands

- Drill vertical, horizontal, at any angle or stitch drill without the need of anchoring
- Quick start-up, easy finish and no holes
- Drill carriage with universal motor mounting
- Crankable telescopic stanchion
- Toothed rack on outer stanchion tube
- Flex top with zero adjustment and bolt hole
- Solid base plate with optional splash guard
- Wheel set fits both base plates

Technical data -	40 ⁺ telescopic drill stand
Telescopic length (mm) Extension module (mm)	2050 - 3250 750
Max drill diameter (mm) Max stroke length (mm)	220 (vertical using <i>FlexSupport</i> *) 600
Rotation angle (°) Tilting angle (°)	360 - 70 to + 90 0 to 180
Weight (kg)	38 kg







The 3rd generation of drill stands



50* hand held drill stand with foldable wheel set and BackSupport* accessory.



50⁺ **drill stand** with toothed rack on both tubes eliminates heavy lifting.

50* telescopic drill stand with expandable stanchion and drill column using hardened extension modules.



Accessories to the **50**⁺ telescopic drill stand include three universal extension modules, flex top, rotatable overhead fastener, adjustment screw and Weka mounting plate.

50⁺ Telescopic and hand held drill stands

- Drill vertical, horizontal, at any angle or stitch drill without the need of anchoring
- Quick start-up, easy finish and no holes
- Expandable telescopic stanchion and drill column using hardened extension modules
- Crankable telescopic stanchion with toothed rack on both outer and inner tubes
- Flex top with zero adjustment and bolt hole
- Solid high tensile aluminium base plates
- Rotatable overhead fastener

Technical data -	50 ⁺ telescopic drill stand
Telescopic length (mm) Extension modules (mm)	1850- 2950 130 / 490 / 750
Max drill diameter (mm) Max stroke length (mm)	350 (vertical using <i>BackSupport</i> ⁺) 675
Rotation angle (°) Tilting angle (°)	360 - 70 to + 90 0 to 180
Weight (kg)	56 kg







Smart drill stands for professionals

The 3rd generation of drill stands

























Stabilizers

- 40⁺ hand held drill stands
 - Flexsupport⁺ attached to floor, wall or ceiling
- 50⁺ hand held drill stands
 - Backsupport attached directly to base plate
- ◆ Telescopic length from 800 to 1300 mm

Accessories & spare parts

Drill carriage, drill column, adjustment screw, extension module to inner stanchion tube, Weka and \emptyset 60 mm mounting plates , anchoring kit and spacers are some examples of our compatible accessories and spare parts.

Please contact us for additional product information.





Horizontal drilling using **50**⁺ **telescopic drill stand** and Weka core drill motor.



