



VALLOY

ON-DEMAND PRODUCTION OF LABEL & PACKAGE
IN RIGHT TIME, RIGHT PLACE & RIGHT QUANTITY




Functional eXtream

ALWAYS PERFECT
TRUE SIMULATION

DUOBLADE FX

Ultimate Crafting Robot, Intelligence never experienced before



“WHATEVER YOU IMAGINE,
YOU WILL SEE MORE !”

- ✓ RICH MULTIMEDIA
- ✓ AUTO JOB CHANGE
- ✓ AUTO OPTIMIZATION
- ✓ VARIOUS CUT AT ONCE
- ✓ REMOTE CONTROL

REAL TIME FILE SYNC
IN EMBEDDED STORAGE

AUTOMATIC FILE CONVERSION
WITH OPTIMAL DASHLINES & NICKS

OPERATION TIME PREDICTION
KNIFE LIFETIME PREDICTION

OPTIMIZATION OF CUT DIRECTION,
START POINT, SEQUENCE & PRESSURE

AUTOMATIC HEAD DISTANCE CONTROL
REGISTRATION CALIBRATION WIZARD

- ✓ **TINY NAIL STICKERS & DECO PAPER**
Top Accuracy by "Perfect-Cut" Algorithm.
- ✓ **CCD CAMERA KNOWS WHAT TO DO**
Automatic job change and tool control
by reading jobs from 64GB storage.
- ✓ **SELECTIVE TOOLS IN DUAL HEAD**
High speed cutting by using same tools
Half-cut, full-cut, dotting & creasing at once.
- ✓ **DOCTOR INSIDE FOR ZERO-ERROR**
Automatic self diagnosis,
Multimedia help with sound,
Knife change information.







ON-DEMAND PRODUCTION OF LABEL & PACKAGE
IN RIGHT TIME, RIGHT PLACE & RIGHT QUANTITY




PERFECT-CUT ALGORITHM


World best Algorithm to simulate true path of dragging knife with handling huge data and can generate perfectly accurate tracing path in **0.125mm** resolution using CPU and high-capacity memory embedded on the board in fast way. Cutting accuracy **0.05mm!**



DUOBLADE FX



GRAPHTEC



DUAL HEAD

Use of 2 cutting heads for double speed Automatic distance adjustment of the cutting heads from 30mm up to 190mm. Fastest speed **2260mm/sec.** (diagonal).



FULL COLOR TOUCHSCREEN

High speed in dual mode, Special jobs in hetero mode (half cut+full cut, full cut+ creasing half-cut+creasing or perforating).



CCD CAMERA

High speed in dual mode, Special jobs in hetero mode, Automatic job change,




EMBEDDED COMPUTER

possibility to storage 10.000+ jobs Computer: Raspberry PI5, 4GB RAM, 64 GB memory card (Micro SD).

SPECIFICATION

- Max. Feeder Capacity : 1,000 sheets (for 200gsm paper)
- Paper size : Min. 210mm x 148mm, Max. 340mm x 630mm
- Cutting size : Min. 10mm x 10mm, Max. 340mm x 600mm
- Cutting speed : Max. 2250mm/s @ 0.0124mm resolution
- * equivalent to 150~600 sheets/hr for super A3 (SRA3) size
- LCD : 900x600 resolution full color touch screen with speaker
- Registration : 4-mark calibration as default
- Blank cut : cutting without reading marks
- Cutting heads : Dual head (using the same tools or different tools)
- Languages : Korean, English, French, Spanish, German...
- CCD and Barcodes : HD USB camera with light for 10mm size QR code
- Power : 100V-240V, 1KW
- Size and weight: 820(W)mm x 703mm(L) x 1026(H)mm, 150kgs



Rm 1017 Daemyung Valeon 127 Beobwon-ro Songpa-gu Seoul 05836 Republic of Korea
Tel: +82 -2-6082-5022 Fax: +82-2-445-5441 E-mail: support@valloy.net www.valloy.com

