

TT 25-A II

ACTIVE HIGH OUTPUT TWO-WAY SPEAKER

DESCRIPTION

The TT25-A II is the most flexible and powerful tool in its class. TT25-A II offers very high output and dynamics, and extreme linearity and accuracy in a compact size. TT25-A II is a 2-way active system featuring a 15" neo woofer, 86 mm voice coil in a bass reflex configuration; 1,5" exit, 100 mm voice coil neo compression driver; 90° x 60° constant directivity horn, 90° rotating. The TT25-A II is the ideal professional speaker for sound reinforcement, live performances and events.



FEATURES

- 1100 W Class D Amplifier
- 90 x 60 constant directivity coverage angle
- 15" neo woofer, 3.5" voice coil
- 1.5" neo c. driver, 4.0" voice coil
- DSP Processing
- Onboard RNet Control
- Multifunctional cabinet
- Very high output

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response:	50 Hz ÷ 20000 Hz
	Max SPL @ 1m:	134 dB
	Horizontal coverage angle:	90°
	Vertical coverage angle:	60°
Transducers	Compression Driver:	1.5" neo, 4.0" v.c
	Woofer:	15" neo, 3.5" v.c
Input/Output section	Input signal:	bal/unbal
	Input connectors:	XLR, RDNet Ethercon
	Output connectors:	XLR, RDNet Ethercon
	Input sensitivity:	-2 dBu/+4 dBu
Processor section	Crossover Frequencies:	750 Hz
	Protections:	Thermal, HF
	Limiter:	Fast Limiter
	Controls:	Proces., 8 sel. presets
	RDNet:	Yes
Power section	Total Power:	2200 W Peak, 1100 W RMS
	High frequencies:	600 W Peak, 300 W RMS
	Low frequencies:	1600 W Peak, 800 W RMS
	Cooling:	Convection
	Connections:	Powercon IN/OUT
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Baltic birch plywood
	Hardware:	6xfly track, quick lock, pole mount
	Handles:	2 on side
	Pole mount/Cap:	Yes
	Grille:	Steel
	Color:	Black
Size	Height:	670 mm / 26.38 inches
	Width:	425 mm / 16.73 inches
	Depth:	425 mm / 16.73 inches
	Weight:	26 kg / 57.32 lbs
Shipping informations	Package Height:	715 mm / 28.15 inches
	Package Width:	470 mm / 18.5 inches
	Package Depth:	470 mm / 18.5 inches
	Package Weight:	32.7 kg / 72.09 lbs



PART NUMBER

• **13000447**

TT 25-A II

115V

EAN 8024530013226


• **13000446**







TT 25-A II

220-240V


EAN 8024530012984

DATASHEET







Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars



Horizontal 1/3 Octave Polars



Horizontal 1/3 Octave Polars



Horizontal One Octave Polars

