

TT 25-CXA

ACTIVE HIGH DEFINITION COAXIAL MONITOR

DESCRIPTION

The TT25-CXA is a full range, high performance coaxial monitor. The linear response curve, the consistent coverage and acoustic output make the TT25-CXA II the professional choice for most demanding situations. The voicing is accurate and deep, the sound is transparent in the mids and extremely accurate at very high frequencies. The size is compact and the profile is very low for a discreet appearance. The TT25-CXA is a high power active system that sets a new standard in the touring and theatre sound reinforcement. By producing flat amplitude and phase response, full-range bandwidth and exceptional impulse response, the TT25-CXA far exceeds the capabilities of conventional stage monitors.



FEATURES

- 1100 W Class D Amplifier
- 60 x 60 constant directivity coverage angle
- 15" neo coaxial woofer, 3.5" mm voice coil
- 1.5" neo coaxial c. driver, 2.5" mm voice coil
- DSP Processing
- Onboard RNet Control
- Multifunctional cabinet
- Very high output

TECHNICAL SPECIFICATIONS

| | | |
|----------------------------------|----------------------------|----------------------------|
| Acoustical specifications | Frequency Response: | 50 Hz ÷ 20000 Hz |
| | Max SPL @ 1m: | 133 dB |
| | Horizontal coverage angle: | 60° |
| | Vertical coverage angle: | 60° |
| Transducers | Compression Driver: | Coaxial 1.5" neo, 2.5" v.c |
| | Woofers: | Coaxial 15" neo, 3.5" v.c |
| Input/Output section | Input signal: | bal/unbal |
| | Input connectors: | XLR, RDNet Ethercon |
| | Output connectors: | XLR, RDNet Ethercon |
| | Input sensitivity: | -2 dBu/+4 dBu |
| Processor section | Crossover Frequencies: | 900 Hz |
| | Protections: | Thermal, HF |
| | Limiter: | Soft Limiter |
| | Controls: | Proces., 8 sel. presets |
| | RDNet: | Yes |
| Power section | Total Power: | 2200 W Peak, 1100 W RMS |
| | High frequencies: | 600 W Peak, 300 W RMS |
| | Low frequencies: | 1600 W Peak, 800 W RMS |
| | Cooling: | Convection |
| | Connections: | Powercon IN/OUT |
| Standard compliance | CE marking: | Yes |
| Physical specifications | Cabinet/Case Material: | Baltic birch plywood |
| | Handles: | 1 Top |
| | Pole mount/Cap: | Yes |
| | Grille: | Steel |
| | Color: | Black |
| Size | Height: | 353 mm / 13.9 inches |
| | Width: | 580 mm / 22.83 inches |
| | Depth: | 486 mm / 19.13 inches |
| | Weight: | 18 kg / 39.68 lbs |
| Shipping informations | Package Height: | 615 mm / 24.21 inches |
| | Package Width: | 390 mm / 15.35 inches |
| | Package Depth: | 515 mm / 20.28 inches |
| | Package Weight: | 23 kg / 50.71 lbs |



PART NUMBER

- **13000449**

TT 25-CXA

115V


EAN 8024530013028

- **13000448**

TT 25-CXA

220-240V

EAN 8024530012977



ACTIVE SPEAKER TT25-CXA - 230V

REV.
B

